

4. 状態

(1)主診断～ICD-10～(問35×問16)

■全体

問16 \ 問35	1 現在の状態でも、居住先・支援が整えば退院可能			状態の改善が見込まれ、近い将来には……		4 近い将来の退院の可能性はない	計
	2 居住先・支援の用意なしでも退院可能		3. 居住先・支援が整えば退院可能				
F00-03 (痴呆性)	136 (7.8%)	15 (2.0%)	398 (9.3%)	474 (10.0%)	1,023 (8.9%)		
F04-09 (器質性)	48 (2.8%)	11 (1.4%)	119 (2.8%)	132 (2.8%)	310 (2.7%)		
F10 (アルコール)	161 (9.3%)	80 (10.5%)	254 (5.9%)	155 (3.3%)	650 (5.6%)		
F11-19 (その他物質)	10 (0.6%)	15 (2.0%)	31 (0.7%)	22 (0.5%)	78 (0.7%)		
F20 (統合失調症)	972 (56.1%)	348 (45.6%)	2,815 (65.5%)	3,513 (73.9%)	7,648 (66.2%)		
F21-29 (その他障害)	54 (3.1%)	42 (5.5%)	133 (3.1%)	96 (2.0%)	325 (2.8%)		
F3 (気分障害)	185 (10.7%)	173 (22.7%)	280 (6.5%)	122 (2.6%)	760 (6.6%)		
F4 (ストレス関連)	58 (3.3%)	45 (5.9%)	57 (1.3%)	17 (0.4%)	177 (1.5%)		
F5 (行動症候群)	8 (0.5%)	7 (0.9%)	2 (0.0%)	7 (0.1%)	24 (0.2%)		
F6 (成人行動障害)	26 (1.5%)	11 (1.4%)	40 (0.9%)	25 (0.5%)	102 (0.9%)		
F7 (精神遅滞)	41 (2.4%)	5 (0.7%)	110 (2.6%)	139 (2.9%)	295 (2.6%)		
F8 (発達障害)	4 (0.2%)	2 (0.3%)	3 (0.1%)	2 (0.0%)	11 (0.1%)		
F90-98 (青年期)	4 (0.2%)	3 (0.4%)	5 (0.1%)	1 (0.0%)	13 (0.1%)		
F99 (特定不能)	2 (0.1%)	1 (0.1%)	7 (0.2%)	1 (0.0%)	11 (0.1%)		
G40 (てんかん)	24 (1.4%)	5 (0.7%)	43 (1.0%)	48 (1.0%)	120 (1.0%)		
回答なし	10 -	4 -	33 -	40 -	87 -		
複数回答	24 -	8 -	65 -	74 -	171 -		
計	1,767 -	775 -	4,395 -	4,868 -	11,805 -		

■問35に「①現在の状態でも、居住先・支援が整えば退院は可能」と回答したものについて

問16	国立病院	自治体病院	大学病院	日精協病院	合計
F00-03 (痴呆性)	1 (1.9%)	11 (4.5%)	5 (7.5%)	119 (8.7%)	136 (7.8%)
F04-09 (器質性)	1 (1.9%)	9 (3.6%)	1 (1.5%)	37 (2.7%)	48 (2.8%)
F10 (アルコール)	10 (18.5%)	19 (7.7%)	3 (4.5%)	129 (9.5%)	161 (9.3%)
F11-19 (その他物質)	1 (1.9%)	3 (1.2%)	0 (0.0%)	6 (0.4%)	10 (0.6%)
F20 (統合失調症)	22 (40.7%)	134 (54.3%)	15 (22.4%)	801 (58.7%)	972 (56.1%)
F21-29 (その他障害)	2 (3.7%)	7 (2.8%)	4 (6.0%)	41 (3.0%)	54 (3.1%)
F3 (気分障害)	9 (16.7%)	34 (13.8%)	25 (37.3%)	117 (8.6%)	185 (10.7%)
F4 (ストレス関連)	3 (5.6%)	15 (6.1%)	8 (11.9%)	32 (2.3%)	58 (3.3%)
F5 (行動症候群)	0 (0.0%)	0 (0.0%)	3 (4.5%)	5 (0.4%)	8 (0.5%)
F6 (成人行動障害)	1 (1.9%)	4 (1.6%)	2 (3.0%)	19 (1.4%)	26 (1.5%)
F7 (精神遅滞)	1 (1.9%)	5 (2.0%)	1 (1.5%)	34 (2.5%)	41 (2.4%)
F8 (発達障害)	1 (1.9%)	1 (0.4%)	0 (0.0%)	2 (0.1%)	4 (0.2%)
F90-98 (青年期)	0 (0.0%)	1 (0.4%)	0 (0.0%)	3 (0.2%)	4 (0.2%)
F99 (特定不能)	0 (0.0%)	0 (0.0%)	0 (0.0%)	2 (0.1%)	2 (0.1%)
G40 (てんかん)	2 (3.7%)	4 (1.6%)	0 (0.0%)	18 (1.3%)	24 (1.4%)
回答なし	0 -	1 -	5 -	4 -	10 -
複数回答	1 -	2 -	0 -	21 -	24 -
計	55 -	250 -	72 -	1,390 -	1,767 -

(2)GAF～機能の全体的評定尺度～評点(問35×問17)

■全体

問35 問17	1 現在の状態でも、居住先・支援が整えば退院可能		状態の改善が見込まれ、近い将来には…… 2居住先・支援の用意なしでも退院可能		3. 居住先・支援が整えば退院可能		4近い将来の退院の可能性はない		計	
	100-91	29	(1.6%)	4	(0.5%)	21	(0.5%)	1	(0.0%)	55
90-81	72	(4.1%)	19	(2.5%)	82	(1.9%)	19	(0.4%)	192	(1.6%)
80-71	157	(8.9%)	53	(6.9%)	185	(4.2%)	60	(1.2%)	455	(3.9%)
70-61	434	(24.7%)	187	(24.2%)	796	(18.3%)	234	(4.8%)	1,651	(14.1%)
60-51	443	(25.2%)	241	(31.2%)	1,212	(27.8%)	724	(15.0%)	2,620	(22.4%)
50-41	162	(9.2%)	89	(11.5%)	570	(13.1%)	532	(11.0%)	1,353	(11.5%)
40-31	281	(16.0%)	104	(13.5%)	856	(19.6%)	1,128	(23.4%)	2,369	(20.2%)
30-21	141	(8.0%)	57	(7.4%)	482	(11.1%)	1,541	(31.9%)	2,221	(18.9%)
20-11	22	(1.3%)	14	(1.8%)	110	(2.5%)	411	(8.5%)	557	(4.8%)
10-1	16	(0.9%)	4	(0.5%)	46	(1.1%)	170	(3.5%)	236	(2.0%)
0	1	(0.1%)	0	(0.0%)	1	(0.0%)	10	(0.2%)	12	(0.1%)
回答なし	9	-	3	-	34	-	38	-	84	-
計	1,767	-	775	-	4,395	-	4,868	-	11,805	-

■問35に「①現在の状態でも、居住先・支援が整えば退院は可能」と回答したものについて

問17	国立病院	自治体病院	大学病院	日精協病院	合計
100-91	2 (3.6%)	3 (1.2%)	0 (0.0%)	24 (1.7%)	29 (1.6%)
90-81	5 (9.1%)	8 (3.2%)	2 (2.8%)	57 (4.1%)	72 (4.1%)
80-71	2 (3.6%)	18 (7.2%)	12 (16.7%)	125 (9.0%)	157 (8.9%)
70-61	8 (14.5%)	69 (27.7%)	20 (27.8%)	337 (24.4%)	434 (24.7%)
60-51	16 (29.1%)	56 (22.5%)	18 (25.0%)	353 (25.5%)	443 (25.2%)
50-41	8 (14.5%)	22 (8.8%)	8 (11.1%)	124 (9.0%)	162 (9.2%)
40-31	9 (16.4%)	46 (18.5%)	8 (11.1%)	218 (15.8%)	281 (16.0%)
30-21	4 (7.3%)	22 (8.8%)	4 (5.6%)	111 (8.0%)	141 (8.0%)
20-11	1 (1.8%)	4 (1.6%)	0 (0.0%)	17 (1.2%)	22 (1.3%)
10-1	0 (0.0%)	1 (0.4%)	0 (0.0%)	15 (1.1%)	16 (0.9%)
0	0 (0.0%)	0 (0.0%)	0 (0.0%)	1 (0.1%)	1 (0.1%)
回答なし	0	1	0	8	9
計	55	250	72	1,390	1,767

(3)精神症状(問35×問19)

■全体

問19	問35 1 現在の状態でも、居 住先・支援が整えば退 院可能	状態の改善が見込まれ、近い将来には……		4近い将来の退院の 可能性はない	計
		2居住先・支援の用意 なしでも退院可能	3. 居住先・支援が整 えば退院可能		
1(目立たない程度)	252 (2.1%)	66 (0.6%)	248 (2.1%)	71 (0.6%)	637 (5.4%)
2(安定化)	514 (4.4%)	251 (2.1%)	865 (7.3%)	303 (2.6%)	1,933 (16.4%)
3(中等度)	586 (5.0%)	252 (2.1%)	1,618 (13.7%)	976 (8.3%)	3,432 (29.1%)
4(中等度から重度)	294 (2.5%)	142 (1.2%)	1,122 (9.5%)	1,720 (14.6%)	3,278 (27.8%)
5(粗大な欠陥)	99 (0.8%)	58 (0.5%)	442 (3.8%)	1,377 (11.7%)	1,976 (16.8%)
6(自傷他害)	22 (0.2%)	4 (0.0%)	85 (0.7%)	408 (3.5%)	519 (4.4%)
小計	1,767 (15.0%)	773 (6.6%)	4,380 (37.2%)	4,855 (41.2%)	11,775 (100.0%)
回答なし	0	1	15	11	27
複数回答	0	1	0	2	3
計	1,767	775	4,395	4,868	11,805

■問35に「①現在の状態でも、居住先・支援が整えば退院は可能」と回答したものについて

問19	国立病院	自治体病院	大学病院	日精協病院	合計
1(目立たない程度)	7 (12.7%)	35 (14.0%)	20 (27.8%)	190 (13.7%)	252 (14.3%)
2(安定化)	12 (21.8%)	74 (29.6%)	30 (41.7%)	398 (28.6%)	514 (29.1%)
3(中等度)	19 (34.5%)	74 (29.6%)	13 (18.1%)	480 (34.5%)	586 (33.2%)
4(中等度から重度)	10 (18.2%)	49 (19.6%)	9 (12.5%)	226 (16.3%)	294 (16.6%)
5(粗大な欠陥)	7 (12.7%)	17 (6.8%)	0 (0.0%)	75 (5.4%)	99 (5.6%)
6(自傷他害)	0 (0.0%)	1 (0.4%)	0 (0.0%)	21 (1.5%)	22 (1.2%)
回答なし	0	0	0	0	0
複数回答	0	0	0	0	0
計	55	250	72	1,390	1,767

(4)日常生活能力(問35×問20)

■全体

問20	問35 1 現在の状態でも、居 住先・支援が整えば退 院可能	状態の改善が見込まれ、近い将来には……		4近い将来の退院の 可能性はない	計
		2居住先・支援の用意 なしでも退院可能	3. 居住先・支援が整 えば退院可能		
1(普通に生活)	356 (3.0%)	108 (0.9%)	369 (3.1%)	84 (0.7%)	917 (7.8%)
2(一定の制限)	627 (5.3%)	351 (3.0%)	1,342 (11.4%)	594 (5.0%)	2,914 (24.7%)
3(著しい制限)	517 (4.4%)	229 (1.9%)	1,656 (14.1%)	1,550 (13.2%)	3,952 (33.5%)
4(要援助)	212 (1.8%)	75 (0.6%)	824 (7.0%)	1,925 (16.3%)	3,036 (25.8%)
5(日常生活不可)	54 (0.5%)	11 (0.1%)	193 (1.6%)	704 (6.0%)	962 (8.2%)
小計	1,766 (15.0%)	774 (6.6%)	4,384 (37.2%)	4,857 (41.2%)	11,781 (100.0%)
回答なし	1	1	10	10	22
複数回答	0	0	1	1	2
計	1,767	775	4,395	4,868	11,805

■問35に「①現在の状態でも、居住先・支援が整えば退院は可能」と回答したものについて

問20	国立病院	自治体病院	大学病院	日精協病院	合計
1(普通に生活)	10 (18.2%)	50 (20.0%)	32 (44.4%)	264 (19.0%)	356 (20.2%)
2(一定の制限)	20 (36.4%)	84 (33.6%)	22 (30.6%)	501 (36.1%)	627 (35.5%)
3(著しい制限)	15 (27.3%)	72 (28.8%)	13 (18.1%)	417 (30.0%)	517 (29.3%)
4(要援助)	10 (18.2%)	37 (14.8%)	5 (6.9%)	160 (11.5%)	212 (12.0%)
5(日常生活不可)	0 (0.0%)	7 (2.8%)	0 (0.0%)	47 (3.4%)	54 (3.1%)
回答なし	0	0	0	1	1
計	55	250	72	1,390	1,767

(5)精神症状×能力障害(問19×問20)

(問15「3.条件次第で退院可能」、問35「3.近い将来には居住先・支援が整えば退院可能」と回答したものについて)

	能力障害1	能力障害2	能力障害3	能力障害4	能力障害5	小計
精神症状1	130 (5.6%)	45 (2.0%)	6 (0.3%)	1 (0.0%)	1 (0.0%)	183 (7.9%)
精神症状2	106 (4.6%)	377 (16.4%)	47 (2.0%)	6 (0.3%)	2 (0.1%)	538 (23.3%)
精神症状3	10 (0.4%)	354 (15.4%)	525 (22.8%)	40 (1.7%)	1 (0.0%)	930 (40.3%)
精神症状4	5 (0.2%)	25 (1.1%)	250 (10.8%)	193 (8.4%)	11 (0.5%)	484 (21.0%)
精神症状5	0 (0.0%)	4 (0.2%)	22 (1.0%)	84 (3.6%)	36 (1.6%)	146 (6.3%)
精神症状6	0 (0.0%)	0 (0.0%)	1 (0.0%)	2 (0.1%)	21 (0.9%)	24 (1.0%)
小計	251 (10.9%)	805 (34.9%)	851 (36.9%)	326 (14.1%)	72 (3.1%)	2,305 (100.0%)
回答なし	0	1	1	1	1	4
合計	251	806	852	327	73	2,309

(6)病状への洞察(問35×問21)

■全体

問21	問35 1 現在の状態でも、居住先・支援が整えば退院可能	状態の改善が見込まれ、近い将来には……		4近い将来の退院の可能性はない	計
		2居住先・支援の用意なしでも退院可能	3. 居住先・支援が整えば退院可能		
十分にある	433 (24.5%)	206 (26.6%)	498 (11.3%)	166 (3.4%)	1,303 (11.0%)
不十分	940 (53.2%)	422 (54.5%)	2,472 (56.3%)	1,589 (32.7%)	5,423 (46.0%)
ほとんどない	393 (22.3%)	146 (18.9%)	1,420 (32.3%)	3,107 (63.9%)	5,066 (43.0%)
回答なし	1	1	5	6	13
計	1,767	775	4,395	4,868	11,805

■問35に「①現在の状態でも、居住先・支援が整えば退院は可能」と回答したものについて

問21	国立病院	自治体病院	大学病院	日精協病院	合計
十分にある	13 (23.6%)	64 (25.6%)	33 (45.8%)	323 (23.3%)	433 (24.5%)
不十分	30 (54.5%)	132 (52.8%)	29 (40.3%)	749 (53.9%)	940 (53.2%)
ほとんどない	12 (21.8%)	54 (21.6%)	10 (13.9%)	317 (22.8%)	393 (22.3%)
回答なし	0	0	0	1	1
計	55	250	72	1,390	1,767

(7)薬物療法の必要性の認識(問35×問22)

■全体

問22	問35 1 現在の状態でも、居住先・支援が整えば退院可能	状態の改善が見込まれ、近い将来には……		4近い将来の退院の可能性はない	計
		2居住先・支援の用意なしでも退院可能	3. 居住先・支援が整えば退院可能		
十分に認識	515 (29.1%)	251 (32.4%)	661 (15.1%)	225 (4.6%)	1,652 (14.0%)
不十分だが服薬	1,103 (62.4%)	429 (55.4%)	3,105 (70.9%)	3,389 (69.8%)	8,026 (68.1%)
不十分・拒否	113 (6.4%)	90 (11.6%)	587 (13.4%)	1,164 (24.0%)	1,954 (16.6%)
服薬不要	36 (2.0%)	4 (0.5%)	29 (0.7%)	76 (1.6%)	145 (1.2%)
回答なし	0	1	12	14	27
複数回答	0	0	1	0	1
計	1,767	775	4,395	4,868	11,805

■問35に「①現在の状態でも、居住先・支援が整えば退院は可能」と回答したものについて

問22	国立病院	自治体病院	大学病院	日精協病院	合計
十分に認識	16 (29.1%)	71 (28.4%)	38 (52.8%)	390 (28.1%)	515 (29.1%)
不十分だが服薬	36 (65.5%)	159 (63.6%)	31 (43.1%)	877 (63.1%)	1,103 (62.4%)
不十分・拒否	2 (3.6%)	16 (6.4%)	0 (0.0%)	95 (6.8%)	113 (6.4%)
服薬不要	1 (1.8%)	4 (1.6%)	3 (4.2%)	28 (2.0%)	36 (2.0%)
回答なし	0	0	0	0	0
計	55	250	72	1,390	1,767

(8)ADL～基本的日常生活動作～自立度(問35×問23)

■全体

問23 \ 問35	評価	状態の改善が見込まれ、近い将来には……			4近い将来の退院の可能性はない	計
		1 現在の状態でも、居住先・支援が整えば退院可能	2居住先・支援の用意なしでも退院可能	3. 居住先・支援が整えば退院可能		
a.ベッド上の可動性	0(自立)	1,609 (91.5%)	741 (95.9%)	3,806 (87.6%)	3,805 (78.9%)	9,961 (85.2%)
	1(準備)	39 (2.2%)	13 (1.7%)	159 (3.7%)	217 (4.5%)	428 (3.7%)
	2(観察)	25 (1.4%)	8 (1.0%)	94 (2.2%)	215 (4.5%)	342 (2.9%)
	3(部分援助)	27 (1.5%)	6 (0.8%)	108 (2.5%)	170 (3.5%)	311 (2.7%)
	4(広範援助)	11 (0.6%)	2 (0.3%)	58 (1.3%)	106 (2.2%)	177 (1.5%)
	5(最大援助)	22 (1.3%)	2 (0.3%)	38 (0.9%)	88 (1.8%)	150 (1.3%)
	6(全面依存)	25 (1.4%)	1 (0.1%)	59 (1.4%)	171 (3.5%)	256 (2.2%)
	9(動作なし)	1 (0.1%)	0 (0.0%)	24 (0.6%)	48 (1.0%)	73 (0.6%)
	回答なし	8 -	2 -	17 -	37 -	64 -
	複数回答	0 -	0 -	32 -	11 -	43 -
	計	1,767 -	775 -	4,395 -	4,868 -	11,805 -
b.移乗	0	1,578 (89.8%)	735 (95.1%)	3,767 (86.8%)	3,731 (77.4%)	9,811 (83.9%)
	1	48 (2.7%)	11 (1.4%)	158 (3.6%)	208 (4.3%)	425 (3.6%)
	2	21 (1.2%)	11 (1.4%)	96 (2.2%)	227 (4.7%)	355 (3.0%)
	3	33 (1.9%)	7 (0.9%)	121 (2.8%)	186 (3.9%)	347 (3.0%)
	4	16 (0.9%)	4 (0.5%)	63 (1.5%)	105 (2.2%)	188 (1.6%)
	5	23 (1.3%)	3 (0.4%)	29 (0.7%)	104 (2.2%)	159 (1.4%)
	6	35 (2.0%)	2 (0.3%)	77 (1.8%)	190 (3.9%)	304 (2.6%)
	9	4 (0.2%)	0 (0.0%)	28 (0.6%)	72 (1.5%)	104 (0.9%)
	回答なし	9 -	2 -	23 -	38 -	72 -
	複数回答	0 -	0 -	33 -	7 -	40 -
	計	1,767 -	775 -	4,395 -	4,868 -	11,805 -
c.食事	0	1,537 (87.5%)	717 (92.8%)	3,629 (83.5%)	3,377 (70.0%)	9,260 (79.2%)
	1	104 (5.9%)	27 (3.5%)	343 (7.9%)	476 (9.9%)	950 (8.1%)
	2	48 (2.7%)	20 (2.6%)	167 (3.8%)	400 (8.3%)	635 (5.4%)
	3	25 (1.4%)	4 (0.5%)	88 (2.0%)	203 (4.2%)	320 (2.7%)
	4	12 (0.7%)	3 (0.4%)	36 (0.8%)	101 (2.1%)	152 (1.3%)
	5	12 (0.7%)	1 (0.1%)	23 (0.5%)	75 (1.6%)	111 (0.9%)
	6	17 (1.0%)	1 (0.1%)	45 (1.0%)	149 (3.1%)	212 (1.8%)
	9	2 (0.1%)	0 (0.0%)	13 (0.3%)	40 (0.8%)	55 (0.5%)
	回答なし	10 -	2 -	18 -	40 -	70 -
	複数回答	0 -	0 -	33 -	7 -	40 -
	計	1,767 -	775 -	4,395 -	4,868 -	11,805 -
d.トイレの使用	0	1,549 (88.5%)	730 (94.8%)	3,653 (84.4%)	3,465 (72.0%)	9,397 (80.6%)
	1	56 (3.2%)	10 (1.3%)	205 (4.7%)	292 (6.1%)	563 (4.8%)
	2	27 (1.5%)	11 (1.4%)	139 (3.2%)	274 (5.7%)	451 (3.9%)
	3	30 (1.7%)	12 (1.6%)	107 (2.5%)	191 (4.0%)	340 (2.9%)
	4	24 (1.4%)	2 (0.3%)	54 (1.2%)	115 (2.4%)	195 (1.7%)
	5	15 (0.9%)	5 (0.6%)	29 (0.7%)	94 (2.0%)	143 (1.2%)
	6	43 (2.5%)	0 (0.0%)	117 (2.7%)	298 (6.2%)	458 (3.9%)
	9	6 (0.3%)	0 (0.0%)	25 (0.6%)	86 (1.8%)	117 (1.0%)
	回答なし	17 -	5 -	34 -	46 -	102 -
	複数回答	0 -	0 -	32 -	7 -	39 -
	計	1,767 -	775 -	4,395 -	4,868 -	11,805 -

■問35に「①現在の状態でも、居住先・支援が整えば退院は可能」と回答したものについて

問23	評価	国立病院	自治体病院	大学病院	日精協病院	合計
a. ベッド上の 可動性	0(自立)	48 (87.3%)	228 (91.2%)	67 (93.1%)	1,266 (91.6%)	1,609 (91.5%)
	1(準備)	1 (1.8%)	3 (1.2%)	4 (5.6%)	31 (2.2%)	39 (2.2%)
	2(観察)	2 (3.6%)	4 (1.6%)	0 (0.0%)	19 (1.4%)	25 (1.4%)
	3(部分援助)	1 (1.8%)	5 (2.0%)	1 (1.4%)	20 (1.4%)	27 (1.5%)
	4(広範援助)	0 (0.0%)	2 (0.8%)	0 (0.0%)	9 (0.7%)	11 (0.6%)
	5(最大援助)	1 (1.8%)	4 (1.6%)	0 (0.0%)	17 (1.2%)	22 (1.3%)
	6(全面依存)	2 (3.6%)	4 (1.6%)	0 (0.0%)	19 (1.4%)	25 (1.4%)
	9(動作なし)	0 (0.0%)	0 (0.0%)	0 (0.0%)	1 (0.1%)	1 (0.1%)
	回答なし	0 -	0 -	0 -	8 -	8 -
	複数回答	0 -	0 -	0 -	0 -	0 -
計	55 -	250 -	72 -	1,390 -	1,767 -	
b. 移乗	0	47 (85.5%)	226 (90.4%)	64 (88.9%)	1,241 (89.9%)	1,578 (89.8%)
	1	3 (5.5%)	5 (2.0%)	3 (4.2%)	37 (2.7%)	48 (2.7%)
	2	1 (1.8%)	3 (1.2%)	1 (1.4%)	16 (1.2%)	21 (1.2%)
	3	1 (1.8%)	5 (2.0%)	3 (4.2%)	24 (1.7%)	33 (1.9%)
	4	0 (0.0%)	2 (0.8%)	0 (0.0%)	14 (1.0%)	16 (0.9%)
	5	1 (1.8%)	4 (1.6%)	0 (0.0%)	18 (1.3%)	23 (1.3%)
	6	2 (3.6%)	5 (2.0%)	1 (1.4%)	27 (2.0%)	35 (2.0%)
	9	0 (0.0%)	0 (0.0%)	0 (0.0%)	4 (0.3%)	4 (0.2%)
	回答なし	0 -	0 -	0 -	9 -	9 -
	複数回答	0 -	0 -	0 -	0 -	0 -
計	55 -	250 -	72 -	1,390 -	1,767 -	
c. 食事	0	47 (85.5%)	218 (87.2%)	65 (90.3%)	1,207 (87.5%)	1,537 (87.5%)
	1	5 (9.1%)	15 (6.0%)	5 (6.9%)	79 (5.7%)	104 (5.9%)
	2	1 (1.8%)	4 (1.6%)	1 (1.4%)	42 (3.0%)	48 (2.7%)
	3	0 (0.0%)	6 (2.4%)	0 (0.0%)	19 (1.4%)	25 (1.4%)
	4	1 (1.8%)	2 (0.8%)	1 (1.4%)	8 (0.6%)	12 (0.7%)
	5	0 (0.0%)	2 (0.8%)	0 (0.0%)	10 (0.7%)	12 (0.7%)
	6	1 (1.8%)	3 (1.2%)	0 (0.0%)	13 (0.9%)	17 (1.0%)
	9	0 (0.0%)	0 (0.0%)	0 (0.0%)	2 (0.1%)	2 (0.1%)
	回答なし	0 -	0 -	0 -	10 -	10 -
	複数回答	0 -	0 -	0 -	0 -	0 -
計	55 -	250 -	72 -	1,390 -	1,767 -	
d. トイレの 使用	0	48 (87.3%)	219 (88.0%)	64 (88.9%)	1,218 (88.6%)	1,549 (88.5%)
	1	2 (3.6%)	4 (1.6%)	3 (4.2%)	47 (3.4%)	56 (3.2%)
	2	0 (0.0%)	5 (2.0%)	3 (4.2%)	19 (1.4%)	27 (1.5%)
	3	1 (1.8%)	7 (2.8%)	1 (1.4%)	21 (1.5%)	30 (1.7%)
	4	0 (0.0%)	7 (2.8%)	0 (0.0%)	17 (1.2%)	24 (1.4%)
	5	1 (1.8%)	1 (0.4%)	0 (0.0%)	13 (0.9%)	15 (0.9%)
	6	2 (3.6%)	5 (2.0%)	1 (1.4%)	35 (2.5%)	43 (2.5%)
	9	1 (1.8%)	1 (0.4%)	0 (0.0%)	4 (0.3%)	6 (0.3%)
	回答なし	0 -	1 -	0 -	16 -	17 -
	複数回答	0 -	0 -	0 -	0 -	0 -
計	55 -	250 -	72 -	1,390 -	1,767 -	

(9)ADL得点(問35×問23)

■全体

ADL得点	問35 1 現在の状態でも、居 住先・支援が整えば退 院可能	状態の改善が見込まれ、近い将来には……		4近い将来の退院の 可能性はない	計
		2居住先・支援の用意 なしでも退院可能	3. 居住先・支援が整 えば退院可能		
4点	1,608 (92.0%)	743 (96.5%)	3,911 (90.6%)	3,902 (81.2%)	10,164 (87.3%)
5～10点	65 (3.7%)	20 (2.6%)	195 (4.5%)	395 (8.2%)	675 (5.8%)
11～15点	40 (2.3%)	7 (0.9%)	119 (2.8%)	256 (5.3%)	422 (3.6%)
16～18点	34 (1.9%)	0 (0.0%)	93 (2.2%)	251 (5.2%)	378 (3.2%)
回答なし	20 -	5 -	77 -	64 -	166 -
計	1,767 -	775 -	4,395 -	4,868 -	11,805 -

■問35に「①現在の状態でも、居住先・支援が整えば退院は可能」と回答したものについて

ADL得点	国立病院	自治体病院	大学病院	日精協病院	合計
4点	50 (90.9%)	226 (90.8%)	66 (91.7%)	1,266 (92.3%)	1,608 (92.0%)
5～10点	2 (3.6%)	10 (4.0%)	5 (6.9%)	48 (3.5%)	65 (3.7%)
11～15点	1 (1.8%)	7 (2.8%)	1 (1.4%)	31 (2.3%)	40 (2.3%)
16～18点	2 (3.6%)	6 (2.4%)	0 (0.0%)	26 (1.9%)	34 (1.9%)
回答なし	0 -	1 -	0 -	19 -	20 -
計	55 -	250 -	72 -	1,390 -	1,767 -

(10)認知機能(CPS～Cognitive Performance Scale～評点)(問35×CPS評点)

■全体

CPS評点	問35	状態の改善が見込まれ、近い将来には……			4近い将来の退院の可能性はない	計
		1現在の状態でも、居住先・支援が整えば退院可能	2居住先・支援の用意なしでも退院可能	3.居住先・支援が整えば退院可能		
0障害なし		444 (25.4%)	221 (28.7%)	607 (14.0%)	204 (4.3%)	1,476 (12.7%)
1境界的		225 (12.9%)	129 (16.7%)	391 (9.0%)	273 (5.7%)	1,018 (8.7%)
2軽度		695 (39.7%)	302 (39.2%)	1,877 (43.1%)	1,430 (29.8%)	4,304 (36.9%)
3中程度		164 (9.4%)	69 (8.9%)	543 (12.5%)	700 (14.6%)	1,476 (12.7%)
4やや重度		161 (9.2%)	41 (5.3%)	710 (16.3%)	1,379 (28.8%)	2,291 (19.6%)
5重度		48 (2.7%)	9 (1.2%)	181 (4.2%)	682 (14.2%)	920 (7.9%)
6最重度		12 (0.7%)	0 (0.0%)	41 (0.9%)	126 (2.6%)	179 (1.5%)
無回答		18 -	4 -	45 -	74 -	141 -
計		1,767 -	775 -	4,395 -	4,868 -	11,805 -

■問35に「①現在の状態でも、居住先・支援が整えば退院は可能」と回答したものについて

CPS評点	国立病院	自治体病院	大学病院	日精協病院	合計
0障害なし	18 (32.7%)	68 (27.2%)	32 (44.4%)	326 (23.8%)	444 (25.4%)
1境界的	3 (5.5%)	26 (10.4%)	11 (15.3%)	185 (13.5%)	225 (12.9%)
2軽度	24 (43.6%)	101 (40.4%)	19 (26.4%)	551 (40.2%)	695 (39.7%)
3中程度	3 (5.5%)	24 (9.6%)	8 (11.1%)	129 (9.4%)	164 (9.4%)
4やや重度	4 (7.3%)	23 (9.2%)	2 (2.8%)	132 (9.6%)	161 (9.2%)
5重度	2 (3.6%)	5 (2.0%)	0 (0.0%)	41 (3.0%)	48 (2.7%)
6最重度	1 (1.8%)	3 (1.2%)	0 (0.0%)	8 (0.6%)	12 (0.7%)
無回答	0 -	0 -	0 -	18 -	18 -
計	55 -	250 -	72 -	1,390 -	1,767 -

(11)ケースミックス分類

■全体

	分類	状態の改善が見込まれ、近い将来には……			4近い将来の退院の可能性はない	計
		1現在の状態でも、居住先・支援が整えば退院可能	2居住先・支援の用意なしでも退院可能	3.居住先・支援が整えば退院可能		
急性期 (在院期間 1ヶ月以下)	1-1 幻覚/自傷他害の危険性	2 (0.1%)	9 (1.2%)	16 (0.4%)	4 (0.1%)	31 (0.3%)
	1-2 幻覚	9 (0.5%)	29 (3.8%)	16 (0.4%)	8 (0.2%)	62 (0.5%)
	1-3 自傷他害の危険性(高度)	3 (0.2%)	6 (0.8%)	9 (0.2%)	4 (0.1%)	22 (0.2%)
	1-4 自傷他害の危険性(中程度)	12 (0.7%)	21 (2.7%)	29 (0.7%)	4 (0.1%)	66 (0.6%)
	1-5 その他	230 (13.2%)	263 (34.2%)	266 (6.2%)	68 (1.4%)	827 (7.2%)
亜急性期 (在院期間 1～6ヶ月)	2-1 ADL低下	25 (1.4%)	3 (0.4%)	50 (1.2%)	63 (1.3%)	141 (1.2%)
	2-2 気分の変調	2 (0.1%)	10 (1.3%)	14 (0.3%)	3 (0.1%)	29 (0.3%)
	2-3 言動の解体	33 (1.9%)	44 (5.7%)	131 (3.1%)	109 (2.3%)	317 (2.7%)
	2-4 亜急性期一般	316 (18.2%)	242 (31.5%)	414 (9.7%)	87 (1.8%)	1,059 (9.2%)
慢性期 (在院期間 6ヶ月超)	3-1 ADL低下	35 (2.0%)	0 (0.0%)	137 (3.2%)	330 (7.0%)	502 (4.4%)
	3-2 自傷他害の危険性	0 (0.0%)	2 (0.3%)	21 (0.5%)	123 (2.6%)	146 (1.3%)
	3-3 言動の解体	168 (9.7%)	18 (2.3%)	631 (14.7%)	1,817 (38.4%)	2,634 (22.8%)
	3-4 慢性期一般/セルフケア介助	21 (1.2%)	0 (0.0%)	95 (2.2%)	169 (3.6%)	285 (2.5%)
	3-5 慢性期一般/セルフケア観察	413 (23.7%)	49 (6.4%)	1,463 (34.1%)	1,452 (30.7%)	3,377 (29.3%)
	3-6 慢性期一般/セルフケア自立	471 (27.1%)	73 (9.5%)	995 (23.2%)	495 (10.5%)	2,034 (17.6%)
	計	1,740 (100.0%)	769 (100.0%)	4,287 (100.0%)	4,736 (100.0%)	11,532 (100.0%)

■問35に「①現在の状態でも、居住先・支援が整えば退院は可能」と回答したものについて

	分類	国立病院	自治体病院	大学病院	日精協病院	合計
急性期 (在院期間 1ヶ月以下)	1-1 幻覚/自傷他害の危険性	0 (0.0%)	2 (0.8%)	0 (0.0%)	0 (0.0%)	2 (0.1%)
	1-2 幻覚	1 (1.9%)	1 (0.4%)	1 (1.4%)	6 (0.4%)	9 (0.5%)
	1-3 自傷他害の危険性(高度)	0 (0.0%)	0 (0.0%)	1 (1.4%)	2 (0.1%)	3 (0.2%)
	1-4 自傷他害の危険性(中程度)	1 (1.9%)	2 (0.8%)	2 (2.9%)	7 (0.5%)	12 (0.7%)
	1-5 その他	12 (23.1%)	56 (22.5%)	27 (38.6%)	135 (9.9%)	230 (13.2%)
亜急性期 (在院期間 1~6ヶ月)	2-1 ADL低下	2 (3.8%)	4 (1.6%)	0 (0.0%)	19 (1.4%)	25 (1.4%)
	2-2 気分の変調	0 (0.0%)	1 (0.4%)	0 (0.0%)	1 (0.1%)	2 (0.1%)
	2-3 言動の解体	2 (3.8%)	5 (2.0%)	3 (4.3%)	23 (1.7%)	33 (1.9%)
	2-4 亜急性期一般	13 (25.0%)	47 (18.9%)	26 (37.1%)	230 (16.8%)	316 (18.2%)
慢性期 (在院期間 6ヶ月超)	3-1 ADL低下	2 (3.8%)	5 (2.0%)	0 (0.0%)	28 (2.0%)	35 (2.0%)
	3-2 自傷他害の危険性	0 (0.0%)	0 (0.0%)	0 (0.0%)	0 (0.0%)	0 (0.0%)
	3-3 言動の解体	2 (3.8%)	24 (9.6%)	4 (5.7%)	138 (10.1%)	168 (9.7%)
	3-4 慢性期一般/セルフケア介助	0 (0.0%)	1 (0.4%)	1 (1.4%)	19 (1.4%)	21 (1.2%)
	3-5 慢性期一般/セルフケア観察	13 (25.0%)	40 (16.1%)	2 (2.9%)	358 (26.2%)	413 (23.7%)
	3-6 慢性期一般/セルフケア自立	4 (7.7%)	61 (24.5%)	3 (4.3%)	403 (29.4%)	471 (27.1%)
	計	52 (100.0%)	249 (100.0%)	70 (100.0%)	1,369 (100.0%)	1,740 (100.0%)

(12)IADL～手段的日常生活動作～困難度(問35×問24)

■全体

問24 \ 問35	評価	1 現在の状態でも、居住先・支援が整えば退院可能			状態の改善が見込まれ、近い将来には……		4 近い将来の退院の可能性はない	計
		2 居住先・支援の用意なしでも退院可能	3 居住先・支援が整えば退院可能	1 近い将来に退院可能	2 近い将来に退院可能			
a. 食事の用意	0(問題ない)	369 (21.0%)	200 (25.8%)	585 (13.4%)	219 (4.5%)	1,373 (11.7%)		
	1(多少困難)	698 (39.7%)	370 (47.8%)	1,766 (40.3%)	867 (17.9%)	3,701 (31.5%)		
	2(非常に困難)	689 (39.2%)	204 (26.4%)	2,031 (46.3%)	3,756 (77.6%)	6,680 (56.8%)		
	回答なし	11	1	13	25	50		
	複数回答	0	0	0	1	1		
	計	1,767	775	4,395	4,868	11,805		
b. 家事一般	0	464 (26.4%)	222 (28.7%)	603 (13.8%)	240 (5.0%)	1,529 (13.0%)		
	1	816 (46.4%)	398 (51.5%)	2,185 (49.9%)	1,318 (27.2%)	4,717 (40.1%)		
	2	478 (27.2%)	153 (19.8%)	1,594 (36.4%)	3,281 (67.8%)	5,506 (46.9%)		
	回答なし	9	2	13	29	53		
	計	1,767	775	4,395	4,868	11,805		
c. 金銭管理	0	527 (30.0%)	306 (39.6%)	715 (16.3%)	227 (4.7%)	1,775 (15.1%)		
	1	725 (41.2%)	345 (44.6%)	2,103 (48.1%)	1,227 (25.4%)	4,400 (37.5%)		
	2	506 (28.8%)	122 (15.8%)	1,557 (35.6%)	3,376 (69.9%)	5,561 (47.4%)		
	回答なし	9	2	19	37	67		
	複数回答	0	0	1	1	2		
計	1,767	775	4,395	4,868	11,805			
d. 薬の管理	0	588 (33.5%)	291 (37.7%)	770 (17.6%)	231 (4.8%)	1,880 (16.0%)		
	1	774 (44.2%)	368 (47.7%)	2,245 (51.3%)	1,451 (30.0%)	4,838 (41.2%)		
	2	391 (22.3%)	113 (14.6%)	1,362 (31.1%)	3,148 (65.2%)	5,014 (42.7%)		
	回答なし	13	3	16	38	70		
	複数回答	1	0	2	0	3		
計	1,767	775	4,395	4,868	11,805			
e. 電話の利用	0	1,029 (58.6%)	565 (73.1%)	2,014 (46.0%)	946 (19.6%)	4,554 (38.8%)		
	1	496 (28.2%)	168 (21.7%)	1,623 (37.1%)	1,813 (37.5%)	4,100 (34.9%)		
	2	232 (13.2%)	40 (5.2%)	743 (17.0%)	2,075 (42.9%)	3,090 (26.3%)		
	回答なし	10	2	15	33	60		
	複数回答	0	0	0	1	1		
計	1,767	775	4,395	4,868	11,805			
f. 買い物	0	812 (46.2%)	417 (53.9%)	1,325 (30.2%)	510 (10.6%)	3,064 (26.1%)		
	1	633 (36.0%)	282 (36.5%)	2,023 (46.2%)	1,743 (36.1%)	4,681 (39.9%)		
	2	312 (17.8%)	74 (9.6%)	1,034 (23.6%)	2,580 (53.4%)	4,000 (34.1%)		
	回答なし	10	2	12	35	59		
	複数回答	0	0	1	0	1		
計	1,767	775	4,395	4,868	11,805			
g. 交通手段の利用	0	796 (45.3%)	439 (56.8%)	1,271 (29.1%)	415 (8.6%)	2,921 (24.9%)		
	1	561 (31.9%)	248 (32.1%)	1,849 (42.3%)	1,409 (29.2%)	4,067 (34.7%)		
	2	400 (22.8%)	86 (11.1%)	1,254 (28.7%)	3,008 (62.3%)	4,748 (40.5%)		
	回答なし	10	2	20	36	68		
	複数回答	0	0	1	0	1		
計	1,767	775	4,395	4,868	11,805			

■問35に「①現在の状態でも、居住先・支援が整えば退院は可能」と回答したものについて

問24	評価	国立病院	自治体病院	大学病院	日精協病院	合計
a. 食事の用意	0(問題ない)	13 (23.6%)	56 (22.4%)	35 (48.6%)	265 (19.2%)	369 (21.0%)
	1(多少困難)	17 (30.9%)	95 (38.0%)	24 (33.3%)	562 (40.8%)	698 (39.7%)
	2(非常に困難)	25 (45.5%)	99 (39.6%)	13 (18.1%)	552 (40.0%)	689 (39.2%)
	回答なし	0	0	0	11	11
	複数回答	0	0	0	0	0
	計	55	250	72	1,390	1,767
b. 家事一般	0	13 (23.6%)	61 (24.4%)	34 (47.2%)	356 (25.8%)	464 (26.4%)
	1	22 (40.0%)	118 (47.2%)	26 (36.1%)	650 (47.1%)	816 (46.4%)
	2	20 (36.4%)	71 (28.4%)	12 (16.7%)	375 (27.2%)	478 (27.2%)
	回答なし	0	0	0	9	9
	複数回答	0	0	0	0	0
	計	55	250	72	1,390	1,767
c. 金銭管理	0	19 (34.5%)	79 (31.6%)	42 (58.3%)	387 (28.0%)	527 (30.0%)
	1	17 (30.9%)	103 (41.2%)	19 (26.4%)	586 (42.4%)	725 (41.2%)
	2	19 (34.5%)	68 (27.2%)	11 (15.3%)	408 (29.5%)	506 (28.8%)
	回答なし	0	0	0	9	9
	複数回答	0	0	0	0	0
	計	55	250	72	1,390	1,767
d. 薬の管理	0	19 (34.5%)	94 (37.8%)	47 (65.3%)	428 (31.1%)	588 (33.5%)
	1	21 (38.2%)	109 (43.8%)	16 (22.2%)	628 (45.6%)	774 (44.2%)
	2	15 (27.3%)	46 (18.5%)	9 (12.5%)	321 (23.3%)	391 (22.3%)
	回答なし	0	0	0	13	13
	複数回答	0	1	0	0	1
	計	55	250	72	1,390	1,767
e. 電話の利用	0	28 (50.9%)	145 (58.2%)	57 (79.2%)	799 (57.9%)	1,029 (58.6%)
	1	20 (36.4%)	67 (26.9%)	10 (13.9%)	399 (28.9%)	496 (28.2%)
	2	7 (12.7%)	37 (14.9%)	5 (6.9%)	183 (13.3%)	232 (13.2%)
	回答なし	0	1	0	9	10
	複数回答	0	0	0	0	0
	計	55	250	72	1,390	1,767
f. 買い物	0	22 (40.0%)	125 (50.0%)	44 (61.1%)	621 (45.0%)	812 (46.2%)
	1	24 (43.6%)	87 (34.8%)	18 (25.0%)	504 (36.5%)	633 (36.0%)
	2	9 (16.4%)	38 (15.2%)	10 (13.9%)	255 (18.5%)	312 (17.8%)
	回答なし	0	0	0	10	10
	複数回答	0	0	0	0	0
	計	55	250	72	1,390	1,767
g. 交通手段の利用	0	22 (40.0%)	122 (48.8%)	47 (66.2%)	605 (43.8%)	796 (45.3%)
	1	21 (38.2%)	76 (30.4%)	13 (18.3%)	451 (32.7%)	561 (31.9%)
	2	12 (21.8%)	52 (20.8%)	11 (15.5%)	325 (23.5%)	400 (22.8%)
	回答なし	0	0	1	9	10
	複数回答	0	0	0	0	0
	計	55	250	72	1,390	1,767

(13) 困難度「1. いくらか困難」または「2. 非常に困難」の項目選択数(問35×問24a~g)

■全体

項目数	問35				計
	1 現在の状態でも、居住先・支援が整えば退院可能	2 居住先・支援の用意なしでも退院可能	3. 居住先・支援が整えば退院可能	4 近い将来の退院の可能性はない	
0個	244 (13.8%)	120 (15.5%)	269 (6.1%)	96 (2.0%)	729 (6.2%)
1個	115 (6.5%)	62 (8.0%)	146 (3.3%)	46 (0.9%)	369 (3.1%)
2個	136 (7.7%)	78 (10.1%)	210 (4.8%)	57 (1.2%)	481 (4.1%)
3個	148 (8.4%)	87 (11.2%)	253 (5.8%)	101 (2.1%)	589 (5.0%)
4個	187 (10.6%)	92 (11.9%)	421 (9.6%)	169 (3.5%)	869 (7.4%)
5個	137 (7.8%)	69 (8.9%)	387 (8.8%)	202 (4.1%)	795 (6.7%)
6個	153 (8.7%)	90 (11.6%)	538 (12.2%)	476 (9.8%)	1,257 (10.6%)
7個	647 (36.6%)	177 (22.8%)	2,171 (49.4%)	3,721 (76.4%)	6,716 (56.9%)
計	1,767 (100.0%)	775 (100.0%)	4,395 (100.0%)	4,868 (100.0%)	11,805 (100.0%)

■問35に「①現在の状態でも、居住先・支援が整えば退院は可能」と回答したものについて

項目数	国立病院	自治体病院	大学病院	日精協病院	合計
0個	10 (18.2%)	40 (16.0%)	27 (37.5%)	167 (12.0%)	244 (13.8%)
1個	1 (1.8%)	12 (4.8%)	6 (8.3%)	96 (6.9%)	115 (6.5%)
2個	5 (9.1%)	23 (9.2%)	7 (9.7%)	101 (7.3%)	136 (7.7%)
3個	5 (9.1%)	21 (8.4%)	7 (9.7%)	115 (8.3%)	148 (8.4%)
4個	2 (3.6%)	23 (9.2%)	2 (2.8%)	160 (11.5%)	187 (10.6%)
5個	1 (1.8%)	21 (8.4%)	3 (4.2%)	112 (8.1%)	137 (7.8%)
6個	7 (12.7%)	22 (8.8%)	7 (9.7%)	117 (8.4%)	153 (8.7%)
7個	24 (43.6%)	88 (35.2%)	13 (18.1%)	522 (37.6%)	647 (36.6%)
計	55 (100.0%)	250 (100.0%)	72 (100.0%)	1,390 (100.0%)	1,767 (100.0%)

(14)身体合併症(問35×問25)

■全体

問25 \ 問35	1 現在の状態でも、居住先・支援が整えば退院可能		状態の改善が見込まれ、近い将来には……		4 近い将来の退院の可能性はない	計				
			2 居住先・支援の用意なしでも退院可能	3. 居住先・支援が整えば退院可能						
特別な管理	94	(5.3%)	47	(6.1%)	342	(7.8%)	706	(14.6%)	1,189	(10.1%)
日常的な管理	643	(36.5%)	221	(28.6%)	1,485	(33.9%)	1,590	(32.8%)	3,939	(33.5%)
ない	1,023	(58.1%)	504	(65.3%)	2,548	(58.2%)	2,551	(52.6%)	6,626	(56.4%)
回答なし	6	-	3	-	15	-	20	-	44	-
複数回答	1	-	0	-	5	-	1	-	7	-
計	1,767	-	775	-	4,395	-	4,868	-	11,805	-

■問35に「①現在の状態でも、居住先・支援が整えば退院は可能」と回答したものについて

問25	国立病院	自治体病院	大学病院	日精協病院	合計					
特別な管理	4	(7.4%)	13	(5.2%)	3	(4.2%)	74	(5.3%)	94	(5.3%)
日常的な管理	14	(25.9%)	76	(30.6%)	33	(45.8%)	520	(37.5%)	643	(36.5%)
ない	36	(66.7%)	159	(64.1%)	36	(50.0%)	792	(57.1%)	1,023	(58.1%)
回答なし	1	-	1	-	0	-	4	-	6	-
複数回答	0	-	1	-	0	-	0	-	1	-
計	55	-	250	-	72	-	1,390	-	1,767	-