

創薬

著者名	タイトル	雑誌名	年
A. Koka	Chemiluminescent assay of alkaline phosphatase using dihydroxyacetone phosphate as substrate with lucigenin	Bioluminescence and	2001
A. Otaka	New Access to α -Substituted (Z)-Fluoroalkene Dipeptide Isosteres Utilizing Organocopper Reagents under 'Reduction-Oxidative Alkylation (R-OAY) Conditions	Tetrahedron Lett.	2001
A. Otaka	Synthesis of (Z)-Fluoroalkene Dipeptide Isosteres Utilizing Organocopper-mediated Reduction of α,ω -difluoro- α,b -enones	Tetrahedron Lett.	2001
A. Yama	Usefulness and limitation of DiBAC4(3), a voltage-sensitive fluorescent dye, for the measurement of membrane potentials regulated by recombinant large conductance Ca^{2+} -activated K^+ channels in HEK293 cells.	Jpn. J. Pharmacol.	2001
A. Hattori	A Fluorimetric, Column-Switching HPLC and its Application to an Elimination Study of L-LI- α -Enantiomers in Rat Plasma	Biomed.Chromato gr.	2001
Abe, F.	Bestatin, an inhibitor of aminopeptidases: preclinical and clinical studies. In: Mizutani H (eds) Cell-Surface Aminopeptidases:	Basic and Clinical Aspects.	2001
Abe, T.	Lst-2, a human liver-specific organic anion transporter, determines methotrexate sensitivity in gastrointestinal cancers	Gastroenterology	2001
Abril, N.	The effectiveness of the O6-alkylguanine-DNA alkyltransferase encoded by the <i>ogg1</i> gene from <i>S. typhimurium</i> in protection against alkylating drugs, resistance to O6-benzylguanine and sensitization to dibromoalkane genotoxicity	Mutat. Res.	2001
Aizawa,	Size-related and size-unrelated functional heterogeneity among pancreatic islets.	Life Sci.	2001
Akiko E	Protein transduction domain of HIV-1 Tat protein promotes efficient delivery of DNA into mammalian cells	J. Biol. Chem.,	2001
Akiko I	Contribution of myeloperoxidase to coronary artery vasculitis associated with MPO-ANCA production	Inflammation.	2001
Akiko IS	Involvement of a calcium-independent pathway in plasmin-induced platelet shape change	Life Sci.	2001
Akiyama	Determination of aflatoxins B1, B2, G1 and G2 in spices using a multifunctional column clean-up	J.Chromatogr	2001
Akiyama	Examination of oral sensitization with ovalbumin in Brown Norway rats and three strains of mice	Immunology Letters	2001
Ando T.	Involvement of interaction between p21 and PCNA for the maintenance of G2/M arrest after DNA damage	J. Biol. Chem.	2001
Arima H	Comparative studies of the enhancing effects of cyclodextrins on the solubility and oral bioavailability of tacrolimus in rats	J. Pharm. Sci	2001
Ariyoshi	Comparison of the levels of enzymes involved in drug metabolism between transgenic or gene-knockout and the parental mice	Toxicol.Pathol.	2001
Asai K.	Orally tolerant CD4 T cells respond poorly to antigenic stimulation but strongly to direct stimulation of intracellular signaling pathways	Cytotechnology	2001
Awaji, T	Novel green fluorescent protein-based ratiometric indicators for monitoring pH in defined intracellular microdomains	Biochem Biophys Res Commun	2001
Baker, J	Relationships between non-occupational cadmium exposure and expression of nine cytochrome P450 forms in human liver and kidney cortex samples	Biochem.Pharmacol	2001
Bony, C	A specific role of phosphatidylinositol 3-kinase: a regulation of autonomic Ca^{2+} oscillation in cardiac cells	J. Cell. Biol.	2001
Chen, M	Requirements of basic amino acid residues within the lectin-like domain of LOX-1 for the binding of oxidized low-density lipoprotein	FEBS Lett.	2001
Chen, M	Activation-dependent surface expression of LOX-1 in human platelets.	Biochem Biophys Res Commun	2001
Chen, M	Diabetes enhances lectin-like oxidized LDL receptor-1 (LOX-1) expression in the vascular endothelium: possible role of lox-1 ligand and area	Biochem Biophys Res Commun	2001
Chen, M	Conserved carboxyl-terminal residues within the lectin-like domain of LOX-1 are essential for oxidized LDL binding	Biochem J	2001
Chiba H	Actinohivin, a novel anti-HIV protein from an actinomycete that inhibits syncytium formation/Isolation characterization and biological activities	Biochem. Biophys. Res. Commun.	2001
Chiba H	A simple screening system for anti-HIV drugs: Syncytium formation assay using T-cell line troncic and macrophage troncic HIV env expressing cell lines-Establishment and	J. Antibiot.	2001
Chu PY	Molecular epidemiology of enterovirus 71 in Taiwan	Arch Virol	2001
Chujoh	Cross-Clade Neutralizing Antibody Production against Human Immunodeficiency Virus Type 1 Clade E and B1 Strains by Recombinant <i>Mycobacterium bovis</i> BCG-Based Candidate Vaccine.	Vaccine	2001
Cominacini	The binding of oxidized low-density lipoprotein (ox-LDL) to ox-LDL receptor-1 reduces the intracellular concentration of nitric oxide in endothelial cells through an increased production of superoxide.	J Biol Chem.	2001
Dal, J. H	Glycyrrhizin enhances interleukin-12 production in peritoneal macrophage.	Immunology	2001
Earl PL	Immunogenicity and protective efficacy of oligomeric human immunodeficiency virus type 1 gp 140 [In Process Citation]	J Virol	2001

創薬

著者名	タイトル	雑誌名	年
Ebara, S	Oxidized low density lipoprotein relates to plaque destabilization in human coronary atherosclerotic lesions	Circulation	2001
Emoto C	Links Cooperativity of alpha-naphthoflavone in cytochrome P450 3A-dependent drug oxidation activities in hepatic and intestinal microsomes from mouse and human	Xenobiotica	2001
Endo, T.	<i>Mycobacterium haemophilum</i> infection in a Japanese patient with AIDS: a case report.	J. Infect. Chemother.	2001
Fujii, S.	Structural bases of recognition motif for adenosine moiety	Nucleic Acids Research	2001
Fujino H	Assignment of the feline Fas (TNFRSF6) gene to chromosome F1q12-->q13 by fluorescence <i>in situ</i> hybridization	Cytogenet. Cell Genet.	2001
Fujino Y	Assignment of the feline Fas (TNFRSF6) gene to chromosome D2p13-->p12.2 by fluorescence <i>in situ</i> hybridization	Cytogenet. Cell Genet.	2001
Fujita T.	Augmentation of megakaryocytopoiesis by the hematopoietic microenvironment of human granulocyte colony-stimulating factor transgenic mice	Exp. Hematol.	2001
Fujita, K	Role of human cytochrome P450 (CYP) in the metabolic activation of N-alkylnitrosamines: application of genetically engineered <i>Salmonella typhimurium</i> YG7108 expressing each form of CYP together with human NADPH-cytochrome P450	Mutat.Res.	2001
Fujita, K	Construction of <i>Salmonella typhimurium</i> YG7108 strains, each coexpressing a form of human cytochrome P450 with NADPH-cytochrome P450 reductase	Environ. Mol. Mutagen.	2001
Fujita, K	Predicting the mutagenicity of tobacco-related N-nitrosamines in humans using 11 strains of <i>Salmonella typhimurium</i> YG7108, each coexpressing a form of human cytochrome P450 along with NADPH-cytochrome P450 reductase	Environ.Mol.Mutagen.	2001
Fujiwara	Identification of thyroid hormone transporters in humans: different molecules are involved in a tissue-specific manner	Endocrinology	2001
Fukada	Cytotoxic T Cell Recognition of HIV-1 Cross-Clade and Clade-Specific Epitopes in HIV-1-infected Thais and Japanese	AIDS	2001
Fukatsu	Population pharmacokinetics of tacrolimus in adult recipients receiving living-donor liver transplantation	Eur J Clin Pharmacol	2001
Fukaya, T	Establishment of a human hepatocyte line (OUMS-29) having CYP 1A1 and 1A2 activities from fetal liver tissue by transfection of SV40 LT	In Vitro Cell. Dev. Biol.-Animal	2001
Fuks, F.	Dnmt3a binds deacetylases and is recruited by a sequence-specific repressor to silence transcription	EMBO J	2001
Fukuoka	Changes in the number of mucosal T-lymphocytes and macrophages in patients subject to external biliary drainage	Eur. J. Surgery	2001
Fukutomi	Intestinal Mucosal Immune Response in Chickens Following Intraocular Immunization with Linnosamine-Associated <i>Salmonella Enterica</i> Serovar Enteritidis Antigen	Dev. Comp. Immunol.	2001
Furugen	Identification of the region of MDP1 (mycobacterial DNA-binding protein 1), which suppresses transcription <i>in vitro</i>	Microp. Pathog.	2001
Goto A	Cholesteryl ester transferprotein and atherosclerosis in Japanese subjects: A study based on coronary angiography	Atherosclerosis	2001
Gruz, P.	Synthetic activity of Sao DNA polymerase Y1, an Archaeal DinB-like DNA polymerase, is stimulated by processivity factors proliferating cell nuclear antigen and	J. Biol. Chem.	2001
Gwakisa	Momotani E. Salivary gland extract of <i>Rhipicephalus appendiculatus</i> ticks inhibits <i>in vitro</i> transcription and secretion of cytokines and production of nitric oxide by LPS-stimulated JA-4 cells.	Vet Parasitol.	2001
H. Araku	New bioluminescent assay of alkaline phosphatase using adenosine-3'phosphate-5'-phosphosulfate as substrate and luciferin/luciferase reaction	Bioluminescence and	2001
H. Hisan	A mechanism of Ca^{2+} release from Ca^{2+} stores coupling to the Na^+/Ca^{2+} exchanger in cultured smooth muscle cells.	Life Sci.	2001
H. Kojim	Bioimaging of Nitric Oxide with Fluorescent Indicators Based on Rhodamine Chromophore	Analytical Chemistry	2001
H. Masu	Effect of T-type and L-type Ca^{2+} channel blockade on early phase Ca^{2+} transients in rat atrial and ventricular cardiomyocytes.	Bioimages.	2001
H. Mizuguchi	Characteristics of adenovirus-mediated tetracycline controllable expression system.	Biochim. Biophys. Acta	2001
H. Mizuguchi	In vitro ligation-based cloning of foreign DNAs into the E3 as well as E1 deletion fraction for generation of recombinant adenovirus vector.	BioTechniques	2001
H. Tamaoki	Synthesis and Evaluation of Bifunctional Anti-HIV Agents and Specific CXCR4 Antagonists-A2T Conjugation	Bioorg. Med. Chem.	2001
H. Tamaoki	Development of Specific CXCR4 Inhibitors Possessing High Selectivity Indexes as Well as Complete Stability in Serum Based on an Anti-HIV Peptide T140.	Bioorg. Med. Chem. Lett.	2001
H. Tamaoki	Conformational Study of a Highly Specific CXCR4 Inhibitor, T140, Disclosing the Close Proximity of Its Intrinsic Pharmacophores Associated with Strong Anti-HIV Activity	Bioorg. Med. Chem. Lett.	2001
H. Tanaka	Involvement of Ca waves in excitation-contraction coupling of rat atrial cardiomyocytes	Life Sci.	2001
H. Yama	BK channel activation by NS-1619 is partially mediated by intracellular Ca^{2+} release in smooth muscle cells of norcine coronary artery	Br. J. Pharmacol.	2001

創薬

著者名	タイトル	雑誌名	年
Hachiya	Rapid and simple phenotypic assay for drug susceptibility of human immunodeficiency virus type 1 using CCR5-expressing HeLa/CD4+ cell clone 1-10(MACI05)	Antimicrob. Agents	2001
Hakama	Green fluorescent protein-transgenic rat: a tool for organ transplantation research.	BBRC	2001
Biochem Biophys Res Commun	X		
Hakozaki	Mannose-binding lectin and the prognosis of fulminant hepatic failure caused by HBV infection	Liver	2001
Hakura	An improvement of the Ames test using a modified human liver S9 preparation.	J Pharmacol Toxicol Methods	2001
Halvorsen	8-iso-Prostaglandin F2 increases expression of LOX-1 in JAR cells.	Hypertension	2001
Han, Y-	Physicochemical parameters responsible for the affinity of methotrexate analogs for rat canalicular multispecific organic anion transporter(cMOAT/MRP2)	Pharm. Res.	2001
Hanagai	Lecithinized Cu, Zn-superoxide dismutase limits the infarct size following ischemia-reperfusion injury in rat heart <i>in vitro</i>	Biochimica Biophysica Res	2001
Handem	Emergence of new HIV-1 subtypes other than Subtype C among antenatal women in Lusaka, Zambia	AIDS Res Hum Retroviruses	2001
Hara T.	Presence of multiple HIV-1 subtypes among mothers and children in Japan.	AIDS Res. & Human	2001
Haraguchi	Transcriptional regulation of Mesp1 and Mesp2 genes: differential usage of enhancers during development	Mech Dev	2001
Hashida	Pharmacokinetic and prognostic significance of intestinal MDR1 expression in recipients of living-donor liver transplantation	Clin Pharmacol Ther	2001
Hashimoto	IL-10 inhibits GM-CSF-dependent human monocyte survival at the early stage of the culture and inhibits the generation of macrophages	J. Immunol.	2001
Hattori	BACE1 interacts with nicastrin	J. Neurosci.	2001
Hayakawa	Critical contribution of IFN-gamma and NK cells, but not perforin-mediated cytotoxicity, to anti-metastatic effect of alpha-galactosylceramide	Eur J Immunol	2001
Hayashi	Deductive prediction of precision and detection limit in bioluminescent measurement systems	Anal.Chim.Acta	2001
Higaki M	Collagen minipellet as a controlled release delivery system for tetanus and diphtheria toxin	Vaccine	2001
Hirano, I	TMC-69, a new antitumor antibiotic with Cdc25A inhibitory activity, produced by <i>Chrysosporium sp.</i> TC1068. Taxonomy, fermentation and biological activity	J. Antibiotics	2001
Hirasawa	Regulation of subcellular localization of alpha1-adrenoceptor subtypes	Life Sci	2001
Hiroi T.	HIV mucosal vaccine: nasal immunization with rBCG-V3J1 induces a long term V3J1 neoptide-specific neutralizing immunity in Th1- and Th2-deficient conditions	J. Immunol.	2001
Hirota K	Identification of an antigenic epitope in Helicobacter pylori urease that induces neutralizing antibody production	Infect. Immun.	2001
Hiroiyuki	In vitro ligation-based cloning of foreign DNAs into the E3 as well as E1 deletion region for generation of recombinant adenovirus vector	Bio Techniques	2001
Hiroiyuki	Approaches for generating recombinant adenovirus vectors	Adv. Drug Deliv. Rev	2001
Hiroiyuki	A simplified system for constructing recombinant adenoviral vectors containing heterologous neptides in the HI loop of their fiber knob	Gene Ther.	2001
Hiroiyuki	Improvement of Adenovirus Vectors for Gene Transfer	Animal Cell Technology	2001
Hiroiyuki	Characteristics of adenovirus-mediated tetracycline controllable expression system	Biochim. Biophys. Acta	2001
Hisahara	Caspase-11 mediates oligodendrocyte cell death and pathogenesis of autoimmune-mediated demyelination	J. Exp. Med.	2001
Hishikawa	Diurnal variation in the biliary excretion of flomoxef in patients with percutaneous transhepatic biliary drainage	Br J Clin Pharmacol	2001
Homma	Electrophysiologic effects of an antiarrhythmic agent, bidisomide, on sodium current in isolated rat ventricular myocytes: comparison with mexiletine and disopyramide	Jpn J Pharmacol	2001
Honda N	HIV mucosal vaccine: nasal immunization with rBCG-V3J1 induces a long term V3J1 neoptide-specific neutralizing immunity in Th1- and Th2-deficient conditions	J. Immunol.	2001
Horiguchi	Molecular nature of UVB-induced deletions in the murine epidermis	Cancer Res	2001
Horiuchi	Sclerosing pancreato-cholangitis responsive to corticosteroid therapy: report of 2 case reports and review	Gastrointest Endosc	2001
Hosoya	Association of nonpolio enteroviral infection in the central nervous system of children with febrile seizures	Pediatrics	2001
Huang	Optimization of tylosin feeding rate profile in production of acetyl-isovaleryl tylosin(AIV) from tylosin by <i>Streptomyces thermophilic</i> YN554	J. Biosciences Biotechnology	2001
Huang	A human hepatoma cell line expressing hepatitis C virus nonstructural proteins tightly regulated by tetracycline	Biochem. Biophys. Res. Commun	2001
Hughes	Adaptation of influenza viruses to cells expressing low levels of sialic acid leads neuraminidase activity	J. Virol.	2001

創薬

著者名	タイトル	雑誌名	年
Iida, T.	Apoptosis induced by <i>in vitro</i> infection with simian/human immunodeficiency chimeric virus in macaque and human PBMC	AIDS Res. Hum. Retroviruses	2001
Ikegami,	The expression of prostaglandin E receptors EP2 and EP4 and their different regulation by linooligosaccharide in C3H/HeN noritonal macrophages	J. Immunol.	2001
Ikegawa	Elevated plasma stromal cell-derived factor 1 protein level in the progression of HIV type 1 infection/AIDS	AIDS Research and Human	2001
Inaba Y.	Plasma thrombin-antithrombin III complex is associated with the severity of experimental autoimmune encephalomyelitis	J. Neurol Sci.	2001
Inada, H.	Keratin attenuates tumor necrosis factor-induced cytotoxicity through association with TRADD	J. Cell Biol.	2001
Inokoshi	Molecular cloning of actinohivin, a novel anti-HIV protein from an actinomycete, and its expression in <i>Escherichia coli</i>	Biochem. Biophys. Res. Commun	2001
Inoue I.	The ligands/activators for peroxisome proliferator-activated receptor α (PPARα) and PPARγ increase Cu2+,Zn2+-superoxide dismutase (CuZn-SOD) and decrease p22phox message expressions in primary endothelial cells	Metabolism	2001
Inoue K.	Clostridium botulinum type A HA positive progenitor toxin (HA-PTX) binds to oligosaccharides containing GalB1-4GlcNAc through one subcomponent of HA (HA1)	Microbiol	2001
Inoue, Y.	Reactivation of liver-specific gene expression in an immortalized human hepatocyte cell line by introduction of the human HNF4-2 gene	Int. J. Mol. Med.	2001
Isaka, Y.	A single amino acid change at Leu-188 in the reverse transcriptase of HIV-2 and SIV renders them sensitive to non-nucleoside reverse transcriptase inhibitors	Arch. Virol.	2001
Ishii K.	Role of vaccinia virus A2OR protein in DNA replication: Construction and characterization of temperature-sensitive mutants	J. Virol.	2001
Ishii, Y.	Regulation of SulA cleavage by Lon protease at the C-terminal end amino acid, histidine	Biochem. J.	2001
Ishikawa	Immunolocalization of hepatocyte growth factor and its receptor (c-Met) during mouse liver development	Histochem Cell Biol	2001
Isshiki, K.	Aurantiamide acetate, a selective cathepsin inhibitor, produced by <i>Aspergillus nasicilioides</i>	Biosci. Biotechnol. Biochem	2001
Iwai-Kaneko	Activation of Lectin-Like Oxidized Low-Density Lipoprotein Receptor-1 Induces Apoptosis in Cultured Neonatal Rat Cardiac Myocytes	Circulation	2001
Iwamoto	Outbreak of Ebola hemorrhagic fever, Uganda, August 2000 – January 2001	Morbid. Mortal. Weekly Report	2001
Iwanami	Role of natural killer cells in resistance against Friend retrovirus-induced leukemia	J. Virol.	2001
Iwashita	Gene organization of bovine BCNT that contains a portion corresponding to an endonuclease domain derived from an RTE-1(Bov-B LINE), non LTR retrotransposable element: duplication of an intramolecular repeat unit downstream of the trimannosyl cores of N-glycans are important for the procoagulant pretease-inhibitory activity of urinary protein C inhibitor	Gene	2001
Izutani, T.	The trimannosyl cores of N-glycans are important for the procoagulant pretease-inhibitory activity of urinary protein C inhibitor	Thromb. Res.	2001
Jun-ichi	Duplication of the Primary Encapsulation and Dimer Linkage Region of HIV-1 RNA Results in the Appearance of Monomeric RNA in Virus Particles	J. Virol.	2001
K. Goto	Increase of R5 HIV-1 Infection and CCR5 Expression in T cells Treated with High Concentration of CXCR4 Antagonists and SDF-1	J. Infect. Chemotherapy	2001
K. Ito, K.	Development of bioluminescent assay for pyruvate kinase isozyme and its application to bioluminescent enzyme immunoassay	Bioluminescence and	2001
K. Kanbara	Biological and Genetic Characterization of a Human Immunodeficiency Virus Strain Resistant to CXCR4 Antagonist T134	Aids Res. Human Retroviruses	2001
K. Sekine	Augmentation of death ligand-induced apoptosis by aminopeptidase inhibitors in human solid tumor cell lines	Int. J. Cancer	2001
K. Suzuki	Neutrophil functions of patients with vasculitis related to MPO-ANCA	International Journal of	2001
K. Tanaka	Rational Design of Fluorescein-based Fluorescence Probes. –Mechanism-based Design of a Maximum Fluorescence Probe for Singlet Oxygen-	J. Am. Chem. Soc.	2001
Kagawa	Gene therapy by mitochondrial transfer	Adv. Drug Deliv. Rev	2001
Kakahashi	Capillary electrophoresis of sialic acid-containing glycoprotein. Effect of heterogeneity of carbohydrate chains on glycoform separation using alpha1-acid	Anal. Chem.	2001
Kakutan	Accumulation of LOX-1 ligand in plasma and atherosclerotic lesions of Watanabe heritable hyperlipidemic rabbits: Identification by a novel enzyme immunoassay	Biochem Biophys Res Commun	2001
Kamei	presenilin-1 mimics the effect of the mutant presenilin-1 on the processing	J.Neurol.Sci.	2001
Kano, Y.	In vitro cytotoxic effects of a tyrosine kinase inhibitor ST1571 in combination with antileukemic agents	Blood	2001
Kashima	Critical role of cAMP-GEFII-Rim2 complex in incretin-potentiated insulin secretion	J. Biol. Chem.	2001
Katahira	Effects of alpha1-adrenoceptor blockade on canine ischemia/reperfusion-induced arrhythmias	Asia Pacific J. Pharmacol.	2001

創薬

著者名	タイトル	雑誌名	年
Kato H.	Mechanism of amelioration of insulin resistance by b-3-adrenoceptor agonist AJ-9877 in KK-Av/Ta obese diabetic mice	Diabetes	2001
Katsuma	Molecular monitoring of bleomycin-induced pulmonary fibrosis by cDNA microarray-based gene expression profiling	Biochem. Biophys. Res. Commun.	2001
Katsuma	Genome medicine promised by microarray technology	Expert Rev. Mol. Diagn.	2001
Katsuma	Molecular monitoring of bleomycin-induced pulmonary fibrosis by cDNA microarray-based gene expression profiling	Biochem. Biophys. Res. Commun.	2001
Katsuma	Genomic analysis of a mouse model of immunoglobulin A nephropathy reveals an enhanced PDGF-EDG5 cascade	Pharmacogenomics J.	2001
Kawabata	The protease-activated receptor-2 agonist induces gastric mucus secretion and mucosal cytoprotection: roles of endogenous calcitonin gene-related peptide and definitive erythropoietin in the mouse fetal liver	J. Clin. Invest.	2001
Kawanishi	Requirement of DNase II for Purification of Phosphatidylglycerophosphate Synthase from Chinese Hamster Ovary Cells	Science	2001
Kawasaki	Gin22 of mouse MD-2 is essential for species-specific LPS-mimetic action of Taxol.	Biochem. J.	2001
Kawasaki	Molecular basis for innate recognition of microbial components: Review.	Jpn. J. Infect. Dis.	2001
Kazuyama	A quintuple deglycosylation mutant of SIVmac239 in rhesus macaques: Robust primary replication, tightly contained chronic infection and elicitation of potent immunity against the parental wild type strain.	J. Virol.	2001
Kikuchi	Association of adhesion molecule PECAM-1/CD31 polymorphism with susceptibility to cerebral malaria in Thais	Parasitol. Int.	2001
Kim, S.-Y.	Roles of chromosomal and episomal dinB genes encoding DNA pol IV in targeted and untargeted mutagenesis in <i>Escherichia coli</i>	Mol. Genet. Genomics	2001
Kinoshita	Fluorometric determination of mucin-type glycoproteins by galactose oxidase-peroxidase methods	Anal. Biochem.	2001
Kitaura	TNF-alpha-mediated multiplication of human immunodeficiency virus in chronically infected monocytoid cells by mycobacterial infection	APMIS.	2001
Kitaura	TNF-alpha-mediated activation of HIV-1 LTR in monocytoid cells by mycobacteria	FEMS Immunol. Med. Microbiol.	2001
Kiyoshi	Solid-phase synthesis of peptides having difficult sequences: Synthesis of peptides related to HIV-V3 region for immunological studies	Peptide Science.	2001
Kobayashi	Isolation of an androgen-inducible novel lipocalin gene, Arg1, from androgen-dependent mouse mammary <i>Shionogi carcinoma</i> cells	J. Steroid Biochem. Mol. Biol.	2001
Kobayashi	Cisplatin-induced vomiting depends on circadian timing	Chronobiol. Int.	2001
Kobuch	Predominance of genotype A HBV in HBV-HIV-1 dually positive population as compared to HIV-1-negative counterpart in Japan	J. Med. Virol.	2001
Kojima K.	Progesterone Inhibits Apolipoprotein-mediated cellular lipid release: A putative mechanism for the decrease of HDL	Biochim. Biophys. Acta	2001
Komuro	Human alveolar macrophages and granulocyte-macrophage colony-stimulating factor-induced monocyte-derived macrophages are resistant to H2O2 via their high basal and inducible levels of catalase activity	J. Biol. Chem.	2001
Komuro	Human alveolar macrophages and GM-CSF-induced monocyte-derived macrophages are resistant to H2O2 via their high basal and inducible levels of catalase activity	J. Biol. Chem.	2001
Koriyama	Free radical-mediated tolbutamide desensitization of K+ATP channels in rat pancreatic beta-cells	Endocr. J.	2001
Kotani, T.	Knockout of mouse b1,4-galactosyltransferase-1 gene results in a dramatic shift of outer chain moieties of N-glycans from type 2 to type 1 chains in hepatic membrane and plasma glycoproteins	Biochem. J.	2001
Kouji M.	Adenovirus-mediated MUC1 gene transduction into human blood-derived dendritic cells	J. Immunotherapy	2001
Kourouki	Polyglutamine aggregates stimulate ER stress signals and caspase-12 activation	Human Mol. Genet.	2001
Kozyrev	Construction of SIV/HIV-1 chimeric viruses having the IL-5 gene and determination of their ability to replicate and produce IL-5	Arch. Virol.	2001
Kozyrev	Characterization of less pathogenic infectious molecular clones derived from acute-pathogenic SHIV-B9.6P stock virus	Virology	2001
Kuge O.	Enhancement of transport-dependent decarboxylation of phosphatidylserine by S100B protein in permeabilized Chinese hamster ovary cells	J. Biol. Chem.	2001
Kumai T.	Tyrosine hydroxylase antisense gene therapy causes hypotensive effects in the spontaneously hypertensive rats	J. Hypertens.	2001
Kumatori	Human T-cell leukemia virus type I oncogene Tax represses Smad-dependent trans	Blood	2001
Kunisawa	Pharmacotherapy by intracellular delivery of drugs using fusogenic liposomes: application to vaccine development	Adv. Drug Del. Rev.	2001

創薬

著者名	タイトル	雑誌名	年
Kunisawa	Sendai virus fusion protein mediates simultaneous induction of MHC class I/II-dependent mucosal and systemic immune responses via the nasopharyngeal-associated lymphoreticular tissue immune system	J. Immunol.	2001
Kusagawa	Isolation and characterization of a full-length molecular DNA clone of ghanian HIV type 1 intersubtype A/G recombinant CRF02_AG, which is replication competent in a restricted host range	AIDS Res. Hum. Retroviruses	2001
Kusuhashi	Efflux transport systems for drugs at the blood-brain barrier and blood-cerebrospinal fluid barrier (Part 1)	Drug Discov. Today	2001
Kusuhashi	Efflux transport systems for drugs at the blood-brain barrier and blood-cerebrospinal fluid barrier (Part 2)	Drug Discov. Today	2001
Kuwata, S.	Chimeric simian and human immunodeficiency virus for development of an anti-HIV-1 live attenuated vaccine	Trends Microbiol.	2001
Kwofie	Cytokine kinetics in the plasma of monkeys infected with pathogenic and non-pathogenic simian and human immunodeficiency chimeric viruses at an early stage of infection	Microbiol. Immunol.	2001
Kyuwa, T.	The severity of hepatic lesion after intraperitoneal JHMV infection in IFN-gamma deficient mice is parallel to viral replication in hepatocytes <i>in vitro</i>	Adv. Exp. Med. Biol.	2001
Kyuwa, T.	The severity of hepatic lesion after intraperitoneal JHMV infection in IFN-gamma deficient mice is parallel to viral replication in hepatocytes <i>in vitro</i>	Adv. Exp. Med. Biol.	2001
L. Myint,	Contribution of accumulated Gag and protease mutations towards recovery of the fitness and the virus particle formation in the protease inhibitor-resistant HIV-1 with	Antiviral Therapy	2001
Lin KH,	Genetic analysis of recent Taiwanese isolates of a variant of coxsackievirus A24	J. Med. Virol.	2001
M. Tsuda	Determination of Catecholamines and their 3-O-Methyl Metabolites in Mouse Plasma	Biomed. Chromatogr.	2001
Machida	Inhibition of cytochrome C release in Fas-mediated signaling pathway by hepatitis C viral proteins in transgenic mice liver	J. Biol. Chem.	2001
Makioka	Entamoeba invadens: Enhancement of encystation and metacystic development by cytochalasin D	Exp. Parasitol.	2001
Makioka	Inhibition of encystation of Entamoeba invadens by wortmannin	Exp. Parasitol.	2001
Masuoka	Spiruchostatins A and B, novel gene expression-enhancing substances produced by <i>Pseudomonas</i> sp.	Tetrahedron Letters	2001
Masuoka	Phoenistatin, a new gene expression-enhancing substance produced by <i>Acromonium fusigerum</i>	J. Antibiotics	2001
Matano	Rapid appearance of secondary immune responses and protection from acute CD4 depletion after a highly pathogenic immunodeficiency virus challenge in macaques vaccinated with a DNA-prime/Sendai viral vector-boost regimen	J. Virol.	2001
Matsuda	Statistical and probabilistic approaches to confidence intervals of linear calibration in liquid chromatography	Analyst	2001
Matsuda	Inhibition of cloned human cardiac Kv1.5 potassium channel current by a novel antiarrhythmic agent NIP-142	Life Sci.	2001
Matsuura	U73122 inhibits the dephosphorylation and translocation of cofilin in activated macrophage-like U937 cells	Cell. Signalling	2001
Matsuna	Glycated high-density lipoprotein induces apoptosis of endothelial cells via a mitochondrial dysfunction	Biochem. Biophys. Res. Commun.	2001
Matsuna	Modulation of reactive oxygen species in endothelial cells by peroxynitrite-treated lipopolysaccharides	J. Biochem. (Tokyo)	2001
Matsuoka	A multiplex PCR method of detecting recombinant DNAs from five lines of genetically modified maize	J. Food Hyg. Soc. Japan	2001
Matsuura	Characterization of Pseudotype VSV Possessing HCV Envelope Proteins	Virology	2001
Meng, Q.	Genomic structure and chromosomal localization of the gene encoding TRAX	J. Hum. Genet.	2001
Mimuro	Recombinant adeno-associated virus vector-transduced vascular endothelial cells express the thrombomodulin transgene under the regulation of enhanced plasminogen activator inhibitor-1 promoter	Gene Ther.	2001
Misumi	A cyclic dodecapeptide-multiple antigen-peptide-conjugate from undecapeptidyl arch (from Arg188 to Cys178) of extracellular loop2 in CCR5 as a novel HIV-1 vaccine	J. Virol.	2001
Misumi	Down-regulation of N-myristoyl transferase expression in human T-cell line CEM by human immunodeficiency virus type-I infection	FEBS Lett.	2001
Misumi	Evidence as a HIV-1 self-defense vaccine of cyclic chimeric dodecapeptide warped from undecapeptidyl arch of extracellular loop 2 in both CCR5 and CXCR4	Biochem. Biophys. Res. Commun.	2001
Miura, T.	Effect of 6-Hydroxydopamine on host resistance against Listeria monocytogenes infection	Infect. Immun.	2001
Miyazaki	Spontaneous and flow-induced Ca2+ transients in retracted regions in endothelial cells	Biochem. Biophys. Res. Commun.	2001

著者名	タイトル	雑誌名	年
Miyazato	Identification of myelodysplastic syndrome-specific genes by DNA microarray analysis with purified hematopoietic stem cell fraction.	Blood	2001
Mizoguchi	Effect of chronic stress on cholinergic transmission in rat hippocampus	Brain Res.	2001
Mizuno	TNF-alpha-induced cell death in immunodeficiency virus-infected cells is mediated by the caspase cascade.	Virology	2001
Mizuta K	Colectomy for uncontrolled hemorrhagic cecal ulcers due to primary cytomegalovirus infection in living-related liver transplantation	Medicine of the Americas	2001
Mochida T	Interleukin-10 Contributes Development of Macrophage Suppressor Activities by Macrophage Colony-Stimulating Factor, but not by Granulocyte-Macrophage Colony-Stimulating Factor.	Cell. Immunol.	2001
Monoda S	Induction of Tumour Necrosis Factor- α and Interleukin-6 in Mice in vivo and in Murine Peritoneal Macrophages and Human Whole Blood Cells in vitro by Micrococcus luteus Teichoic Acids	J. Med. Microbiol.	2001
Morawie	Induction of the oxLDL receptor LOX-1 by endothelin-1 in human endothelial cells.	Biochem Biophys Res Commun	2001
Mori K	A quintuple deglycosylated mutant of SIV in rhesus macaques. Robust primary replication, tightly contained chronic infection and elicitation of potent immunity against the wild type strain.	J. Virol.	2001
Mori, M.	Foam cells containing lipid droplets enriched with free cholesterol by hyperlipidemic serum	J. Lipid Res.	2001
Morita, I	Functional characterization of rat organic anion transporter 2 in LLC-PK1 cells.	J. Pharmacol. Exp. Ther.	2001
Moshkin	Social behavior in male mice deficient in genes for interleukin-1.	Med. Immunol.	2001
Motohashi	Effects of tacrolimus and cyclosporin A on peptide transporter PEPT1 in Caco-2 cells.	Pharm Res.	2001
Motohashi	Expression of peptide transporter following intestinal transplantation in the rat	J. Surg. Res.	2001
Muhama	Enhancement of Chondrogenic Differentiation of Human Articular Chondrocytes by Biodegradable Polymers	Tissue Engineering	2001
Muhammadi	In vitro culture of human chondrocytes(I): A novel enhancement action of ferrous sulfate on the differentiation of human chondrocytes.	Cytotechnology	2001
Mukae H	Clinicoradiologic features of pleuropulmonary Paragonimus westermani on Kyushu Island, Japan	Chest	2001
Murakami	Roridin L, M and verrucarin N, new macrocyclic trichothecene group antitumor antibiotics from Myrothecium verrucaria	J. Antibiotics	2001
Murayama	Expression of CYP2A6 in tumor cells augments cellular sensitivity to tegafur.	Jpn. J. Cancer Res.	2001
Muroya	Lowering glucose concentrations increases cytosolic Ca ²⁺ in orexin neurons of the rat lateral hypothalamus.	Neurosci. Lett.	2001
N. Fujii	Peptide-lead CXCR4 Antagonists with High Anti-HIV Activity	Current Opinion in Investigational	2001
N. Matsubara	The c-type lectin-like NK cell receptor Ly49A recognizes surface of MHC class I ligand composed of three domains	Int. Immunol.	2001
N. Matsubara	The functional binding site for the c-type lectin-like NK cell receptor Ly49A spans three domains of its MHC class I ligand	J. Exp. Med.	2001
N. Matsubara	The NK cell MHC class I receptor Ly49A detects mutations on H-2Dd inside and outside of the peptide-binding groove	J. Immunol.	2001
N. Muraoka	Spider silk has an ice nucleation activity	Naturwissenschaften	2001
N. Okiyama	BF3-Methanol as a Cyclization/Cleavage/Conversion Reagent for Suppression of Amino Acid Racemization in Edman Sequencing and D/L-Configuration Determination	Anal. Chim. Acta.	2001
Nagase	Improvement of some pharmaceutical properties of DY-9760e by sulfobutyl ether of beta-cyclodextrin	International Journal of	2001
Nagase	Redox-sensitive regulation of LOX-1 gene expression in vascular endothelium.	Biochem Biophys Res Commun	2001
Nakae	Interleukin-1 β , but not interleukin-1 α , is required for T cell-dependent antibody production	Immunology	2001
Nakae	IL-1 enhances T cell-dependent antibody production through induction of CD40L and OX40 on T cells	J. Immunol.	2001
Nakae	IL-1 α , but not IL-1 β , is required for contact-allergen-specific T cell activation during the sensitization phase in contact hypersensitivity	Int. Immunol.	2001
Nakabayashi	Discovery of a novel compound: insight into mechanisms for acrylamide-induced axonopathy and myocardial damage	Brain Res.	2001
Nakajima	Lecithinized copper zinc superoxide dismutase ameliorates ischemia-induced myocardial damage	Life Science	2001
Nakamura	Clinical features of paragonimiasis cases recently found in Japan: Parasite-specific immunoglobulin M and G antibodies	Clin Infect Dis	2001

著者名	タイトル	雑誌名	年
Nakano	Surface-Linked Liposomal Antigen Induces IgE-Selective Unresponsiveness Regardless of the Lipid Components of Liposomes	Bioconjugate Chemistry	2001
Nakao, A	Impact of tacrolimus and bone marrow augmentation on intestinal allograft survival and intragraft cytokine expression in rats	J. Med.	2001
Nakao, A	Orthotopic intestinal transplantation cuff method in rats using: A histopathological evaluation of the anastomosis	Microsurgery	2001
Nakayama	Studies on transcriptional regulation of Cyp3a16 gene in mouse livers by application of direct DNA injection method	Biochem. Biophys. Res. Commun.	2001
Nakai O	Efficient antigen gene transduction using Arg-Gly-Asp fiber-mutant adenovirus vectors can potentiate anti-tumor vaccine efficacy and maturation of murine dendritic cells	Cancer Res.	2001
Nakai O	Efficient gene delivery into dendritic cells by fiber-mutant adenovirus vectors	Biochem. Biophys. Res. Commun.	2001
Naoya K	Efficient Gene Transfer by Fiber-Mutant Adenoviral Vectors Containing RGD Peptide	Biochem. Biophys. Acta	2001
Narita, T	Assignment of the SH3KBP1 to human chromosome band Xp22.1-p21.3 by in situ hybridization Cytogenet.	Cell Genet.	2001
Nishimura	α -adrenoreceptor stimulation-mediated negative inotropism and enhancement of Na ⁺ -Ca ²⁺ exchange in mouse ventricle	Am. J. Physiol.	2001
Nishimura	Characterization of the Human Fc γ RIB Gene Promoter: Human Zinc-Finger Proteins (ZNF140 and ZNF91) that Bind to Different Regions Function as Transcription	Int. Immunol.	2001
Noguchi	Analysis of the spatial, temporal and tissue-specific transcription of gamma-sarcoglycan gene using a transgenic mouse	FEBS Letters	2001
Nohara	Amelioration of experimental autoimmune encephalomyelitis with anti-OX40 ligand monoclonal antibody: a critical role for OX40 ligand	J. Immunol.	2001
Noroza	Organ infectivity of <i>Toxoplasma gondii</i> in interferon- γ knockout mice	J. Parasitol.	2001
Nukaya	Aryl hydrocarbon receptor-mediated suppression of expression of the low-molecular-weight prickleinogen gene in mice	Biochem. Biophys. Res. Commun.	2001
Obika, S	A 2',4'-Bridged nucleic acid containing 2-pyridone as a nucleobase: Efficient recognition of a G-C interruption by triplex formation with acridimid motif	Angew. Chem. Int. Ed.	2001
Obika, S	2',4'-BNA bearing unnatural nucleobases: Toward the expansion of the target sequence of double-strand DNA in triplex formation	Nucleic Acids Res. Sunol.	2001
Obika, S	Inhibition of ICAM-1 gene expression by antisense 2',4'-BNA oligonucleotides	Nucleic Acids Res. Sunol.	2001
Obuchi	Identification of MICA alleles with a long Leu-repeat in the transmembrane region and no cytoplasmic tail due to a frameshift deletion in exon 4	Tissue Antigens	2001
Ohara N	Recombinant BCG vaccines	Vaccine	2001
Ohata H	Physiological and pharmacological role of lysophosphatidic acid as modulator in mechanotransduction	Jpn. J. Pharmacol.	2001
Ohata, H	Visualization of elementary mechanosensitive Ca ²⁺ -influx events, Ca ²⁺ spots, in bovine lens epithelial cells	J. Physiol. (London)	2001
Ohata, H	Lysophosphatidic acid positively regulated the fluid flow-induced local Ca ²⁺ influx in bovine aortic endothelial cells	Circ. Res.	2001
Ohba H	An immunodominant neutralization epitope on the thumb subdomain of HIV-1 reverse transcriptase revealed by chiba display antibodies	J. Gen. Virol.	2001
Ohki, K.	Lipopoly saccharide (LPS) and zymosan-resistant mutant isolated from a macrophage-like cell line WEHI-3 with a defective response to LPS under serum-free conditions	Immunol. Cell Biol.	2001
Ohmori	Characterization of stage progression in chronic myeloid leukemia by DNA microarray with purified hematopoietic stem cells	Oncogene	2001
Ohmori	The Y-family of DNA polymerases	Molecular Cell	2001
Ohnishi, N	N-linked glycosylation at Asn-28 and Asn-114 of human MD-2 are required for Toll-like receptor-mediated activation of NF- κ B by lipopolysaccharide	J. Immunol.	2001
Ohta, M	Selective glycopeptide mapping of erythropoietin by on-line high-performance liquid chromatography-electrospray ionization mass spectrometry	J. Chromatogr. A.	2001
Ohtani T	The membrane type collectin CL-PI1 is a scavenger receptor on vascular endothelial cells	J. Biol. Chem.	2001
Okada N	Efficient antigen gene transduction using Arg-Gly-Asp fiber-mutant adenovirus vectors can potentiate anti-tumor vaccine efficacy and maturation of murine dendritic cells	Cancer Res.	2001
Okada N	Efficient gene delivery into dendritic cells by fiber-mutant adenovirus vectors	Biochem. Biophys. Res. Commun.	2001
Okuma	Analysis of the molecules involved in human T-cell-leukemia virus type 1 entry by a vesicular stomatitis virus pseudotype bearing its envelope glycoproteins	J. Gen. Virol.	2001
Okumura	Cholesteryl Ester Transfer Protein-Deficiency Causes Slow Egg Embryonation of Schistosoma japonicum	Biochem. Biophys. Res. Commun.	2001
Omura	An Anthelmintic Compound, Nauredin, Shows Selective Inhibition of Complex I in Helminth Mitochondria	Proc. Natl. Acad. Sci. USA	2001
Otake, T	Analysis of N-linked Oligosaccharides Expressed in Human Sera from Healthy Controls and Patients with Non-small Cell Lung Cancer	J. Biochem.	2001