| | #17K | | |
|-------------|--|----------------------------------|------|
| 著者名(| 各 个人 | 維誌名 | 年 |
| Hiroyuki | Enhanced Anti-tumor Effect and Reduced Vector Dissemination with Fiber-modified Adenovirus Vectors Expressing Hernes Simplex Virus ThymidineKinase | Cancer Gene Ther | 2002 |
| Hiroyuki | Tet-Off System is More Effective than Tet-On System for Regulating Transgene Expression in Single Adenoviral Vector | J. Gene, Med. | 2002 |
| Hiroyuki | Adenovirus vectors containing chimeric type 5 and type 35 fiber proteins exhibit | Gene | 2002 |
| Hiroyuki | Evidence for singlet oxygen involvement in rat and human cytochrome P450- Ideoendent substrate oxidations | Drug Metabol | 2002 |
| Hojo, K., | Augmented growth inhibition of B16-BL6 melanoma by combined treatment with a salactive matrix metallogroteipase inhibitor, MMI-166, and cytotoxic agents | Anticancer Res. | 2002 |
| Hokozak | Mannose-binding lectin and the prognosis of fulminant hepatic failure caused by HBV linfaction. | Liver | 2002 |
| Honjo M | Statin inhibits leukocyte-endothelial interaction and prevents neuronal death included | Arch Ophthalmol | 2002 |
| Hori H, I | by ischemia-reperfusion in the rat retina. Analysis of the major epitope of the alpha 2 chain of bovine type I collagen in children | J. Clin. Allergy Clin Immunol | 2002 |
| Hori, H., | with hoving gelatic allergy. Biosynthesis of Hibarimicins, I. 13C-labeling experiments. | J. Antibiotics | 2002 |
| Horikost | Resting CD4+ T cells with CD38+CD62L+ produce interleukin-4 which contributes to | Virology | 2002 |
| Horiuchi | enhanced regilization of T-tropic human immunodeficiency virus type 1. ERCP features in 27 patients with autoimmune pancreatitis. | Gastrointest | 2002 |
| Horiuchi | Does a lack of reactivity to a-fodrin indicate the existence of primary | Am J | 2002 |
| Hoshi S, | autoimmuneoancreatitis cis-Elements Involved in Expression of Unspliced RNA in Moloney Murine Leukemia | Gastroenterol Biochem Biophys | 2002 |
| Hosoya | Virus Diagnosis of group A coxsackieviral infection using polymerase chain reaction | Res Commun. Arch Dis Child | 2002 |
| Hosoya | Application of polymerase chain reaction and subsequent phylogenetic analysis to the | J Clin Virol | 2002 |
| Hozumi | diamosis of enteroviral infection in the central nervous system Effects of anastrozole on lipid metabolism compared with tamoxifen in rats. | Breast Cancer | 2002 |
| Huang, I | Covalent attachment of novel poly(ethylene glycol)-poly(D, L-lactic acid) block | Res Treat Langmuir | 2002 |
| I. Petit, | consistence in the control of the co | Nature | 2002 |
| lgakura | regulating CXCR4 I. High frequencies of Th1 type CD4+ T-cells specific to HTLV-I Env and Tax proteins | limmunology | 2002 |
| Igarashi, | Biosynthesis of Hibarimicins. III. Structures of new hibarimicin-related metabolites | J. Antibiotics | 2002 |
| lgarashi, | oroduced by blocked mutants. Anicequal, a novel inhibitor for anchorage-independent growth of tumor cells from | J. Antibiotics | 2002 |
| lgarashi, | Penicillium aurantiogriseus Dierckx TP-F0213. Plant bioactive secondary metabolites of plant-associated Actinomycetes. | Regulation Plant | 2002 |
| liai, T., V | CD181+ T (NT) cells exist predominantly in human intestinal epithelium as well as in | Growth & Clin Exp. (mmunol. | 2002 |
| lkeda S, | liver. Up-regulation of SREBP-1c and lipogenic genes in skeletal muscles after exercise | Biochem, Biophys. | 2002 |
| lmanaka | training. Tenascin-C is a Useful Marker for Disease Activity in Myocarditis. | Res Commun J.Pathol. | 2002 |
| lmanishi | Oxidized low density lipoprotein potentiation of Fas-induced apoptosis through | Cira J. | 2002 |
| | lactio-like oxidized-low deposity linoprotein receptor-1 in human umbilical vascular BNAs: Novel nucleic acid analogs with a bridged sugar moiety | Chem. Commun. | 2002 |
| | Fibrate and Statin Synergistically Increase the Transcriptional Activities of | Biochem Biophys | 2002 |
| | PPARa/RXRa and Decrease the Transactivation of NFkB Effects on fetal thymocyte populations and postnatal T cell dependent immune | Res Commun J Toxicol Sci | 2002 |
| | Functions after maternal exposure to 5-fluorouracil during prepnancy in mice. Naive CD4+ T cells exhibit distinct expression patterns of cytokines and cell-surface | J. Immunol | 2002 |
| | Individual on their primary response to varying doses of antign. Characterization of human CYPIAI/IA2 induction by DNA microarray and alpha- | Biochem Biophys | 2002 |
| | naphthoflavone | Res Commun. FEBS Lett. | 2002 |
| | A role for the octameric ring protein, Translin, in mitotic cell division. | | 2002 |
| | A pivotal involvement of IFN- r in the pathogenesis of acetaminophen-induced acute | <u> </u> | 2002 |
| | Structural analysis of vaccinia virus DIs strain: application as a new replication- deficient viral vector. | Virology. | |
| Ishii K., | Mapping Interaction Sites of the A20R Protein, a Component of the Vaccinia Virus DNA Reglication Complex | Virology | 2002 |
| | | | |

| | 樹米 | | |
|--|---|--|--------------------------------------|
| 著者名(| 911·L | 雑誌名 | 年 |
| Ishii K., | | Virology | 2002 |
| Ishiko H | deficient viral vector Human Rhinovirus 87 Identified as Human Enterovirus 88 by VP4-Based Molecular | Intervirology | 2002 |
| | Olaznosis Molecular diagnosis of human enteroviruses by phylogeny-based classification by use | J Infect Dis | 2002 |
| | of the VP4 sequence | | |
| | Enhancement of anchorage-independent growth of human pancreatic carcinoma MIA PaGa-2 cells by signaling from PKC to MAP kinase. | Mol. Carcino. | 2002 |
| Itaka, K. | Evaluation by fluorescence resonance energy transfer of the stability on nonviral gene delivery vectors under obviological conditions. | Biomacro Implecutes | 2002 |
| Ito J, Na | Apolipoprotein-Mediated Cellular Lipid Release Requires Replenishment of Sphingomyelin in a Phosphatidylcholina-Specific Phosphalipase C-Degendent Manner. | J. Biol, Chem. | 2002 |
| Ito J, Na | Apolipoprotein A-I induces translocation of cholesterol, phospholipid and caveolin-1 | J. Biol, Chem, | 2002 |
| Ito M, Y | to cytosol in rat astrocytes In vitro Cre/loxP system in cells from developing gonads: Investigation of the Sry | Dev Growth Differ | 2002 |
| lto, A., Y | oromoter Distribution of organic anion-transporting polypeptide 2 (oatp2) and oatp3 in the rat | Invest Ophthalmol | 2002 |
| Itoh, S., | ratina Simultaneous microanalysis of N-linked oligosaccharides in a glycoprotein using | Vis Sci J. Chromatogr. A, | 2002 |
| Itoh. S. | microhore graphitized carbon column liquid chromatography/mass spectrometry Structural analysis of a glycoprotein by liquid chromatography/mass spectrometory | J. Chromatogr. A, | 2002 |
| 10011, 0., | and liquid chromatography with tandem mass spectrometry: Application to frecombinant human thrombomodulin | o. On onacogn. 7., | |
| Itoh,R.E. | Activation of Rac and Cdc42 video-imaged by FRET-based single-molecule probes in the membrane of living cells | Mol. Cell. Biol. | 2002 |
| lwakura, | Roles of IL-1 in the development of rheumatoid arthritis; Consideration from mouse | Cytokine Growth Factor Ray | 2002 |
| lwamoto | Rat encodes paralogous gene equivalent of human histo-blood group ABO gene: | J Biol Chem. | 2002 |
| J.Takad | association with antigen expression by overexpression of Human ARO transferase. Novel d- γ - tocopherol Derivative as a Prodrug for d- γ - tocopherol and a Two-step Productor S-γ - CEHO | J.of Lipid Res. | 2002 |
| Jeong U | Tumor-Promoting Activity of 48 kDa Molecular Mass Hyaluronic Acid. | Materials Transactions | 2002 |
| Jeong U | Increase of Gap Junctional Intercellular communication by High Molecular Weight Hyaluronic Acid Associated with FGF-2~and KGF-Production in Normal Human Dermal Fibroblasts | Tissue Engineering | 2002 |
| Jeong U | Increase in gap-junctional intercellular communications(GJIC) on normal human | J. Biomedical | 2002 |
| Jiko, M., | dermal fibroblasts(NHDE) on surfaces coated with high molecular weight hyaluronic. Evaluation of pharmacokinetic interaction between cyclosporin A and probucol in rats. | Materials Pharm Res | 2002 |
| Jono, T. | Lectin-like oxidized low density lipoprotein receptor-1 (LOX-1) serves as an endothelial recentor for advanced glycation and products (AGF) | FEBS Lett, | 2002 |
| Jule, E., | A surface plasmon resonance study on the interaction between lactose-installed poly(athylene glycol)-poly(D, L-lactide) block copolymer micelles and lectins immobilized on a gold surface. | Langmuir | 2002 |
| Jun-ich | Dissociation of genomic dimerization from packaging functions and virion maturation | J. Virol. | 2002 |
| K Ariyos | of human immunodeficiency virus type 1 Unique drug resistant mutation patterns found in HIV-1 CRF01 AE (subtype E) with | Antiviral Therapy | 2002 |
| K.Okabe | antiretorovical treatment failure. Development of Hydrophilic Fluorogenic Derivatization Reagents for Thiols: 4-(N- acetylaminosulfony):-7-fluoro-21.3-benzovadiazole and 4-(N- | J.Chromatogr.A | 2002 |
| Kaiiura | Biosynthesis of Hibarimicins. II. Elucidation of biosynthetic pathway by cosynthesis | J. Antibiotics | 2002 |
| | | | 2002 |
| | using blocked mutants Analysis of glycoproteins and the oligosaccharides thereof by high-performance | Biomed, | 2002 |
| Kakehi, | using blocked mutants Analysis of glycoproteins and the oligosaccharides thereof by high-performance capillary electrophoresis - Significance in regulatory studies - | Biomed, Chromatogr Auton Neurosci | |
| Kakehi, Kakei M | using blocked mutants Analysis of glycoproteins and the oligosaccharides thereof by high-performance capillary electrophoresis —Significance in regulatory studies — Glucagon-like peptide-1 evokes action potentials and increases cytosolic Ca2+ in rat nodosa ganglion neurons | Chromatogr | 2002 |
| Kakehi, Kakei M Kakizaw | using blocked mutants Analysis of glycoproteins and the oligosaccharides thereof by high-performance capillary electronhoresis —Significance in regulattory studies — Glucagon-like peptide—I evokes action potentials and increases cytosolic Ca2+ in rat nodosa ganglion neurons Block copolymer micelles for delivery of gene and related compounds. | Chromatogr Auton Neurosci Adv. Drug Deliv. Rev. | 2002 2002 2002 |
| Kakehi, Kakei M Kakizaw Kakizaw | using blocked mutants Analysis of glycoproteins and the oligosaccharides thereof by high-performance papillary electrophoresis - Significance in regulationy studies - Glucagon-like peptide-1 evokes action potentials and increases cytosolic Ca2+ in rat nodose ganglion neurons. Block copolymer micelles for delivery of gene and related compounds. Block copolymer self-assembly into monodispersive nanoparticles with hybrid core of antisense DNA and calcium obosohate | Chromatogr Auton Neurosci Adv. Drug Deliv. Rev. Langmuir | 2002 2002 2002 2002 |
| Kakehi, Kakei M Kakizaw Kakizaw Kakuta, | using blocked mutants Analysis of glycoproteins and the oligosaccharides thereof by high-performance capillary electronhoresis —Significance in regulattory studies — Glucagon-like peptide—I evokes action potentials and increases cytosolic Ca2+ in rat nodose ganglion neurons Block copolymer micelles for delivery of gene and related compounds. Block copolymer self-assembly into monodispersive nanoparticles with hybrid core of antisense DNA and calcium obosohate. Genomic structure of the mouse 2¹, 5¹-oligoadenylate synthetase gene family. | Chromatogr Auton Neurosci Adv. Drug Deliv. Rev. Langmuir J. Interferon Cytokine Res | 2002 2002 2002 2002 2002 |
| Kakehi, Kakei M Kakizaw Kakizaw Kakuta, | using blocked mutants Analysis of glycoproteins and the oligosaccharides thereof by high-performance capillary electronhoresis —Significance in regulattory studies — Glucagon-like peptide—I evokes action potentials and increases cytosolic Ca2+ in rat nodose ganglion neurons Block copolymer micelles for delivery of gene and related compounds. Block copolymer self-assembly into monodispersive nanoparticles with hybrid core of antisense DNA and calcium obosohate Genomic structure of the mouse 2', 5'—oligoadenylate synthetase gene family. | Chromatogr Auton Neurosci Adv. Drug Deliv. Rev. Langmuir J. Interferon | 2002 2002 2002 2002 |
| Kakehi, Kakei M Kakizaw Kakizaw Kakuta, Kakuta, | usine blocked mutants Analysis of glycoproteins and the oligosaccharides thereof by high-performance capillary electronhoresisSignificance in regulationy studies Glucagon-like peptide-1 evokes action potentials and increases cytosolic Ca2+ in rat nodose ganzlion neurons. Block copolymer micelles for delivery of gene and related compounds. Block copolymer self-assembly into monodispersive nanoparticles with hybrid core of antisense DNA and calcium phosphate. Genomic structure of the mouse 2', 5'-oligoadenylate synthetase gene family. Inhibition of B18 melanoma experimental metastasis by interferon-y through direct | Chromatogr Auton Neurosci Adv. Drug Deliv. Rev. Langmuir J. Interferon Cytokine Res | 2002 2002 2002 2002 2002 |

| | F 21 | I A K A L A | Dia. |
|-------------|---|---------------------------------------|------|
| 者者名(| タイトル | 雑誌名 | 年 |
| | Vav-induced activation of the human IFN~g gene promoter is mediated by upper particles of AP~1 activity | FEBS letter | 2002 |
| Kanaoka | A significant enhancement of therapeutic effect against hepatic metastases of M5076 in mice by a liposomal interleukin-2 (mixture) | J. Control Release | 2002 |
| Kano M, | Induction of HIV-1-specific neutralizing antibodies in mice vaccinated with a recombinant Sandai virus vactor | Jpn. J. Infect. Dis. | 2002 |
| Cano M, | Primary replication of a recombinant Sendai viral vector in macaques. | J. Gen. Virol. | 2002 |
| Kariya Y | Partially Fucose Branch-Remaining Sea Cucumber Glycosaminoglycans and Their Abilities to Enhance t-PA-mediated Plasminogen Activation | Connective Tissue | 2002 |
| (ariya Y | Enhancement of t-PA-Madiated Plasminogen Activation by Partially Defucosylated Glycosaminoglycans from the Sea Gucumber Stichonus ignoricus | J. Biochem | 2002 |
| Catayan | Analysis of the Complete Genome of 18 Norwalk-like Viruses | Virology | 2002 |
| | A protein-encapsulation technique by the sol-gel method for the preparation of monolithic columns for capillary electrochromatography. | Anal. Chem. | 2002 |
| √ato Y., | Chemical strucutre of an anthocyanain pigment isolated from "Myoga" (Zingiber | Food and Food | 2002 |
| | | Methods in | 2002 |
| | HLA DRB1*0405-DQB1*0401 haplotype is associated with autoimmune pancreatitis | Gastroenterology | 2002 |
| Kawabat | in the Jananese conulation. Capsazepine partially inhibits neurally mediated gastric mucus secretion following | Clin. Exp. Pharmacol | 2002 |
| Kawabe | activation of orotease-activated receptor 2 Cdc25C interacts with PCNA at G2/M transition. | Oncogene | 2002 |
| Kawada, | Hygrolidin induces p21 expression and abrogates cell cycle progression at G1 and S | Biochem. Biophys. | 2002 |
| | nhases Oral recombinant Mycobacterium bovis bacillus Calmette-Guerin (BCG) expressing HIV-1 antigen as a freeze-dried vaccine induces a long-term HIV-specific mucosal | Res. Commun Clinical Immunology | 2002 |
| | and systemic immunity. Combined intrarectal/intradermal inoculation of recombinant Mycobacterium bovis bacillus Calmette-Guerin (BCG) induces enhanced immune responses against the | Vaccine. | 2002 |
| | factor beta mRNA expression in primary Mycobacterium bovis BCG infection in guinea | Infect Immun. | 2002 |
| | pigs measured by a real-time fluorogenic reverse transcription-PCR assay. Oral recombinant Mycobacterium bovis bacillus Calmette-Querin (BCQ) expressing HIV-1 antigen as a freeze-dried vaccine induces a long-term HIV-specific mucosal and systemic immunity. | Clinical (mmunology | 2002 |
| Kawahar | Combined intrarectal/intradermal inoculation of recombinant Mycobacterium bacillus calmette-guerin (BCG) induces enhanced immune responses against the inserted | Vaccine | 2002 |
| Kawahar | HIV-1 V3 antigen. Dynamics of Camma Interferon, Interleukin-12 (IL-12), IL-10, and transforming growth factor beta mRNA wxpression in primary Mycobacterium bovis BCG infection. | Infect Immun. | 2002 |
| Kawahat | guinea pigs measured by a real-time fluorogenic reverse transcription-PCR Assay. A novel substance purified from Perilla frutescens Britton inhibits an early stage of | Antiviral Chemistry and | 2002 |
| (awahat | HIV-1 replication without blocking viral adsorption A novel substance purified from Perilla frutescens Britton inhibits an early stage of | Antiviral Chemistry and | 2002 |
| Kawai T | HIV-1 replication without blocking viral adsorption Molecular cloning of mouse Collectin Liver 1. | Biosci. Biotechnol. Biochem | 2002 |
| Kawai T | Isolation of a novel mouse variant of the drs tumor suppressor gene. | Cancer Lett. | 2002 |
| Kawamu | Association of CD8+ natural killer T cells in the liver with neonatal tolerance | Transplantation | 2002 |
| Kawana | nhenomenon An efficient and versatile mammalian viral vector system for major histocompatibility | J Virol. | 2002 |
| Kawasal | complex class Loeptide complexes. Structure analysis of sulfated N-linked oligosaccharides in erythropoletin | Glycobiology | 2002 |
| Kawasal | Usefulness of sugar-mapping by liquid chromatography /mass spectrometry in | Biologicals | 2002 |
| Kazuo Is | comparability assessments of elycoprotein products. Effect of γ -ray irradiated poly(L-lactide) on the differentiation of mouse osteoblast- | J. Biomater. Sci. Polymer Edo. | 2002 |
| | like MC3T3-E1 cells | | 2002 |
| | Chromatin remodelling factor encoded by init induces G1 arrest and apoptosis in init- deficient cells | Oncogene | |

| | 創樂 | | |
|-----------|--|--------------------------------------|------|
| 著者名(| 3161 | 雑誌名 | 年 |
| Kikuchi | G1-dependent prionproteinexprssionin human glioblastoma cell line T98G. | Biol. Pharm. Bull. | 2002 |
| Kim-Kar | Transcriptional activation of the c-fos gene by a LIM protein, Hic-5. | Biochem, Biophys. Res. Commun. | 2002 |
| Kinjyo I, | SQCS1/JAB Is a Negative Regulator of LPS-Induced Macrophage Activation. | Immunity | 2002 |
| Kinoshit | Determination of molecular mass of acidic polysaccharides by capillary | Biomed, | 2002 |
| Kiriazis | electrophoresis Hypertrophy and functional alterations in hyperdynamic phospholamban-knockout | Chromatoer Cardiovasc Res | 2002 |
| Kitamot | mouse hearts under chronic aortic stenosis Cross-reactivity among several recombinant calicivirus virus-like particles (VLPs) | J. Clin. Microbiol. | 2002 |
| Kitamur | with monoclonal antibodies obtained from mice immunized orally with one type of VI P 2002. First report of CRF03_AB recombinant HIV type 1 in injecting drug users in | AIDS Res. Hum. | 2002 |
| Kitaoka | Ukraine Nipradiol induces vasodilation of canine isolated posterior ciliary aetery via stimu lation | Retroviruses Life Sci | 2002 |
| Kitaura | of the guanylyl cyclase-cGMP pathway Changed activation of HIV-1 LTR in monocytoid cells by mycobacteria with temporal | New Microbiol. | 2002 |
| Kiyotani | progression of infection Twenty one novel single nucleotide polymorphisms (SNPs) of the CYP2A6 gene in | Drug Metab. | 2002 |
| Kiyotani | Japanese and Caucasians Novel mutations of the CYP2A6 gene in a Thai population with lowered capacity of | Pharmacokio Drug Metab. | 2002 |
| K-J Wo | cournarin 7-hydroxylation Increased Smooth Muscle Contractility of Intestine in the Genetic Null of the | Pharmacokin Gut | 2002 |
| Kobayas | Endothelin ETB Receptor, a Rat Model for Long-Segment Hirschsprung's Disease. Polymorphisms and haplotypes of the CD209L gene and their association with the | Jpn. J. Infect. | 2002 |
| Kobayas | clinical courses of HIV-positive Japanese natients. Regulation of inhibin β chains and follistatin mRNA levels during ret hepatocyte | Dis. Biol. Pharm. Bull. | 2002 |
| Kobayas | erowth induced by the neroxisome proliferator di-n-butyl phathalate Epididymis is a novel site of erythropoietin production in mouse reproductive organs | Biochem, Biophys. | 2002 |
| Koibuch | The first isolation of Nocardia nova from an HIV-1 infected individual in Japan. | Res Commun. J. Infect. | 2002 |
| Koide Y | Development of novel EDG3 antagonists using a 3D database search and their | Chemother. J. Med. Chem. | 2002 |
| Kojima S | structure-activity relationships Genogroup-specific PCR primers for detection of Norwalk-like viruses | J Virol Methods | 2002 |
| Kojima, | Modification of 5-hydroxytryptophan-evoked 5-Hydroxytryptamine formation of | Jpn. J. Pharmacol. | 2002 |
| Kojima, | guinea niz colonic mucosa by reactive oxygen species. Contractile response to a cannabimimetic eicosa-noid, 2-arachidonoyiglycerol, of | Eur. J. Pharmacol. | 2002 |
| Komoto | Inneitudinal smooth muscle from the guinea-nig distal colon in vitro Ability to induce p53 and caspase-mediated apoptosis in primary CD4+ T cells is | AIDS Research | 2002 |
| Konishi, | variable among primary isolates of human immunodeficiency virus type 1 IL-18 contributes to the spontaneous development of atopic dermatitis-like | and Human Proc. Natl. Acad. | 2002 |
| Koushi | inflammatory skin lesion independently of IgF/statfl under specific pathozen frame. Inhibitory effects of (-)-epigallocatechin gallate on the life cycle of human | <i>Sci USA</i> Antiviral Research | 2002 |
| Kozyrev | immunodeficiency virus type 1 (HIV-1) Co-expression of interleukin 5 enhances replication of simian/human | J. Gen. Virol, | 2002 |
| Kubota | immunodeficiency chimeric virus in vivo. Platelet-derived growth factor BB secreted from osteoclasts acts as an | J. Bone Miner. | 2002 |
| Kubota | osteoblastogenesis inhibitory factor. PDGF BB purified from osteoclasts acts as osteoblastogenesis inhibitory factor | Res. J. Biomolecular | 2002 |
| Kubota | (OBIF) Disruption of adiponectin causes insulin resistance and neointimal formation. | Techniques J. Biol. Chem. | 2002 |
| Kumaza | Supressed proliferative response of spleen T cells from metallothionein null mouse. | Microbiol. | 2002 |
| | Does high mobility group 1 protein function as a late mediator for LPS- or TNF- | J.Endotoxin Res. | 2002 |
| | induced shock in salactosamine-sensitized mice? Time and dose-dependent effect of fosfomycin on suppr3ession of infection-induced | Biol. Pharm. Bull. | 2002 |
| | endotoxin shock in mice. Disposition of a low dose of bisphenol A in male and female cynomolgus monkeys. | Toxicol Sci. | 2002 |
| Kurihar | Induction of p16/INK4a gane expression and cellular senescence by toyocamycin. | Biol. Pharm. | 2002 |
| | Isolation and characterization of replication-competent molecular DNA clones of HIV | Bullet AIDS Res. Hum | 2002 |
| | type 1 CRE01 AE with different coreceptor usages. Role of transporters in the tissue-selective distribution and elimination of drugs: | Retroviruses J. Control. Rel. | 2002 |
| | transporters in the liver kidney and brain. Infection of macaques with chimeric simian and human immunodeficiency viruses | Arch. Virol. | 2002 |
| L | containing Fox from subtype F | L | |

| 著者名(| タイトル | 雑誌名 | 年 |
|-----------|---|------------------------------------|--------------|
| Fujinaga | Molecular characterization of binding subcomponents of Clostridium botulinum type C prozenitor toxin for intestinal epithelial cells and erythrocytes | Microbiol. | in oras: |
| ijima S., | Phenotype of HIV-1 lacking Vpr-mediated nuclear import is unable to replicate in | Virology | in ores |
| vi. Hyug | Enhancement of Hepatocyte Growth Factor-induced Cell Scattering in N- Acetylglucosaminyltransferase III-transfected HepG2 Cells | Biol. Pharm. Bull. | in oraș |
| Nishikaw | The receptor and transporter for internalization of Clostridium Botulinum Type C Progenitor Toxin into HT-29 cells | Biochem. Biophysic Res | in ores |
| Jchida, | Binding of 14-3-3b but not 134-3-3s controls the cytoplasmic localization of CDC25B; binding site oreferences of 14-3-3 subtypes and the subcellular localization. | J. Cell Sci. | in ores |
| Aihara N | Morphological changes and the significance of Cladosporium contamination in food instruments | Int.Biodeterio. Biodegr | |
| | Chondroitin sulphate structure affects its immunological activities on murine solenocytes sensitized with ovalumin | Biochemical J | |
| | Critical role of myeloperoxidase and NADPH-oxidase in high-burden systemic infection of mice with Candida albicans | J. Infect. Dis. | <u> </u> |
| | V1a receptor knockout mice exhibit impairment of spatial memory in an eight-arm radial maze. | Neurosci. Lett.(in oress) | |
| | Conditional mutagenesis by neural-tissue-restricted substitution of a single amino acid causes aberrant NMDAR activation in mice | (Submitted) | <u> </u> |
| | Gender difference in the urinary excretion of estradiol 17b-D-glucuronide in rats. | Am. J. Physiol., | |
| | Genetic diversity of Norovirus and Sapovirus in hospitalized infants with sporadeic cases of acute <u>asstroanterits</u> . Norovirus strains belongong to the Lordsdale virus cluster are a major cuase of acute | J Clin Microbiol J Clin Microbiol | <u> </u> |
| libi M., | socradic infantile gastroenteritis in Ho Chi Minh city Vietnam | Cytotechnology | <u> </u> |
| TIDL MI., | Dendritic cells from spleen, mesenteric lymph node and PeyerIs patch can induce both production of IL-4 and IFN- y of naive CD4+ T cells in their primary culture, depending on antigen doses | Cytotechnology | |
| irasawi | Free fatty acids regulate gut incretin glucagons-like peptide-1 secretion through GPR120 | (in submission) | |
| Torikawi | The potential for an interaction between MRP2 (ABCC2) and various therapeutic agents: Probenecid as a candidate inhibitor of the hillary excretion of irinotecan | Drug Metab. Dispos, in press | |
| | Application of T-lymphoma labeled with fluorescent quantum dots to cell tracing markers in mouse body. | 8.B.R.C. | |
| | The possible of actions of drugs: PPARa agonist, PPARg agonist, A HMG-CoA reductase inhibitor. ACF inhibitor, or Ca-antagonist on vascular endothelial cells as | Current Drug Target Journal of | |
| | 1H, 13C, 15N resonance assignments of the cytokine LECT2. | Biomolecular NMR Animal cell | <u> </u> |
| | Evaluation of the cornea cells affected by multi-purpose solutions for contact-lens. Murine T cell lines can change CD25 expression patterns as well as proliferation and | technology Cytotechnology | <u> </u> |
| | Regular to the sear change 6023 expression pacterns as well as proliferation and cell death natterns in resonner to interleukin. 2 Hepatic MK and NKT cells markedly decreased in two cases of drug-induced fulminant | - | <u> </u> |
| | hepatic failure rescued by living donor liver transplantation. Beta-Synemin localizes to regions of high stress in human skeletal myofibers. | Henat (In revision) | |
| | Lipopolysaccharide-mimmeric activities of Toll-like-receptor 2-stimulatory | Infect.Immun. | ├- |
| | Lipopolysaconarde-minmenc activities of foll-like-receptor 2-summatory substance(s) contained in Escherichia coli linonolysaccharide preparations Japanese encephalitis subunit vaccine composed of virus-like envelope antigen | Accented for Vaccine | |
| | Characterization of the epitopes specific for a monoclonal antibody 9F5-3a and | Annals of Clinical | \vdash |
| - | Onaracterization of the epicopes specific for a molecular amongs of 3 of a and onantification of oxidized-HDL in human plasma. N-linled glycosylation critical to the Toll-like receptor 4 function require the presence | Biochemistry | <u> </u> |
| | of MD-2. Identification of the leukocyte cell-derived chemotaxin2 (LECT2) as a direct target | Immunol Hepatology | ├- |
| | Sytosolic and microsomal activation of doxifluridine and tegafur to produce 5- | Cancer | ├- |
| | fluorouracii in humao liver Ethnic differences in genetic polymorphisms of CYP2D6, CYP2C19, CYP3As, and | Chemother Drug Metab. | - |
| | MORI/ARCRI Human astrovirus, Norovirus(Gl. Gil), and Sapovirus infections among diarrheal | Pharmacokinet J Med Virol | ┢ |
| | children in Pakistan. Evaluation of the immuno-protective effects of the new-type of bags using ELISA- | Animal cell | |
| | and FACS-analysis Different expression on Gap junctional protein connexin43 in two strains of mice after | Animal cell | +- |
| | one-month Implantation of Poly-L-Lactic acid. Increase of Hepatic NKT Cells in LECT2-Deficient Mice Contributes to Severe | J. Immunol. | ╂ |
| Ç2110, 1 | Concanavalin A-Induced Henatitis | I | 1 |

| 著者名(| 3.7F/L | 維誌名 | 年 |
|-----------|--|--|--------------|
| | | 92.27.2.295 | 325.30 |
| | Genetic variant Arg57His in human H+/peptide cotransporter 2 causes a complete loss of transport function | Biochem. Biophys. Res. Commun. | L |
| | Improvement in reliability of probabilistic test of significant differences in GeneChip | Analytical Sciences | 2004 |
| Tran T- | Genotype C of hepatitis B virus can be classified into at least two subgroups | J Gen Virol . | 2004 |
| Uchida, | Nuclear export signal in CDC25B. | Biochem. Biochhys Res | 2004 |
| Uemura | Triiodothyronine down-regulates the expression of sarcolipin mRNA in the atrial myocardium | FEBS Letters | 2004 |
| Ueno,T., | Nucleolin and the Packaging Signal, psi, Promote the Budding of Human | Microbiol, | 2004 |
| Uwai, Y, | Common single nucleotide polymorphisms of MDR1 gene have no influence on its mRNA expression level of normal kidney cortex and renal cell carcinoma in Japanese | J Hum Genet | 2004 |
| Wada, H | Two HLA-E Mutants Segregate the Inhibitory NK Receptor CD94/NKG2A and the Activating Recentor CD94/NKG2C. Both of Which Bind the Top of HLA-E | Euro. J. Immunol. | 2004 |
| Warachi | Determination of HIV-1 CRF01_AE gag p17 and env-V3 consensus sequences for HIV/AIDS vaccine design | AIDS Res. Hum. Retroviruses | 2004 |
| Watanat | Poly(ADP-ribose) polymerase~1 inhibits ATM kinase activity in DNA damage response | Biochem. Biophysic Res | 2004 |
| Y. Aso, | Molecular mobility-based prediction of the crystallization rate of amorphous nifedipine and phenobarbital in PVP solid dispersions | | 2004 |
| Y. Narito | and one nonarpiral in PVP solid dispersions. Utility of Microtiter Plate Assays for Human Cytochrome P450 Inhibition Studies in Drug Discovery: Application of Simple Method for Detecting Quasi-irreversible and Irreversible Inhibitors | Drug Metab. Pharmacokin. | 2004 |
| Yaguma | Crystallization and preliminary X-ray diffraction studies of DNA decamer d | Acta Crystallogr. | 2004 |
| Yamada | (CCAGGCCTGG) complexed with cobalt (III)—nenteromycin Antibody-dependent cellular cytotoxicity via a humoral immune epitope of Nef protein | D. Biol. J. Immunology | 2004 |
| Yamamo | expressed on the cell surface. Poly(vinylpyrrolidone-co-dimethyl maleic acid) as a novel renal targeting carrier. | J. Control. | 2004 |
| Yamasa | Identification and Characterization of an Oxidative Stress-Responsive Protein from | Release FEMS Microbial. | 2004 |
| Yamash | Campulphacter leiuni. Homologous to Rubredoxin Oxidoreductase/Rubrerythrin. Calpain Activation and Lysosomal Rupture Prevailing Apoptosis Cascade, Execute | Letters Hippocampus | 2004 |
| Yamash | Nacrosis of the Postischemic CA1 Naurons in Primates IKBL promoter polymorphism is strongly associated with resistance to type 1 diabetes in Japanese | Tissue Antigens | 2004 |
| Yasuda, | Blockade of erythropoietin signal at the early postimplantation period inhibits the | Congenital Anomalies | 2004 |
| Yokoma | Impaired processing and presentation of cytotoxic-T-lymphocyte (CTL) epitopes are major escape mechanisms from CTL immune pressure in human immunodeficiency virus type 1 infection. | J Virol. | 2004 |
| Yokoma | Impaired epitope processing and presentation as a major escape mechanism from CTL recognition in HIV-1 infection. | J. Virol. | 2004 |
| Yoneda, | | J. Biol. Chem. | 2004 |
| Yoshida | Determination of a novel haplotype of b2-adrenergic receptor in the Japanese population by the combination of the electronic microchip assay using the NanoChip system with allele-specific PCR | Drug Metab Pharmacokinet | 2004 |
| Yoshiok | Optimal site-specific PEGylation of mutant TNF-alpha improves its antitumor | Biochem, Biophys. Res. Commun. | 2004 |
| Yoshiok | | Biol, Pharm, Bull. | 2004 |
| Zhang H | Comprehensive examination of gene expression associated with long-term stable graft accentance by repai transplant recipients | Clin Transplant | 2004 |
| 1) Haya | 1) Differential expression of cyclooxygenase-2 (COX-2) in human bile duct epithelial | 1) Hepatology . | 1) |
| Kodama | cells and hile duct neonlasm. 4'-Ethynyl nucleoside analogs: Potent inhibitors active against multi-drug-resistant HIV variants in vitro. | 2) Int .I Mol Med Antimicrob. Agents | 2001 2001 |
| Tamamu | Development of specific CXCR4 inhibitors possessing high selectivity indexes as well | Bioorg. Med. | 2001 |
| Otaka A | las complete stability in serum based on an anti-HIV neptide T140 Remodeling of gp41-C34 peptide leads to highly effective inhibitors of the fusion of | | 2002 |
| Pal E, T | HIV-1 with target cells. Autonomic regulation of experimental autoimmune encephalomyelitis: | Ed Eng Neuroimmuno- | 2002- |
| Kohgo S | the role of interferon-ramma. Synthesis of 4*-C-ethynyl and 4*-C-cyano purine nucleosides from natural | modulation Nucleosides | 2003 2003 |
| Arimitsu | | Nucleotides Clin, Diagn, Lab. | in |
| | type C and D neurotoxins | lmmunol | oress. |

| | #1X | | |
|----------|--|-------------------------------------|------|
| 著者名(| 9/h/L | 雑誌名 | 年 |
| Satoh E | Cytokine requirement for the GM-CSF independent development of human dendritic cells (DC) by in vitro culturing of hematogoeitic stem cell | Transplantation | 2004 |
| Satoh E | Cytokine requirement fro the generation of a large number of rat dendritic cells (DC) by in vitro culturing of bone marrow cells and its selection of CD161 (NKR-P1A) | Transplantation Proceeding | 2004 |
| Satoh E | Generation of GM-CSF independent myeloid dendritic cells (DC) from bonemarrow calls (BMC) in GM-CSF recentor deficient mouse | Transplantation | 2004 |
| Shibanu | A LIM protein, Hic-5, functions as a potential coactivator for Sp1. | J. Cell. Biochem. | 2004 |
| Shibasa | Interaction of ATP sensor, cAMP sensor, Ca2+ sensor, and voltage-dependent Ca2+ channel in insulin granule exocytosis | J. Biol. Chem. | 2004 |
| Shibata, | An efficient method for mapping and characterizing structures of deletion mutations in got delta mice using Southern blot analysis with oligo DNA probes | Env. Mol. Mutagen. | 2004 |
| Shimizu | Molecular epidemiology of enterovirus 71 infection in the Western Pacific Region | Pediatrics International | 2004 |
| Songok | Active generation and selection for intersubtype A/D recombinant forms of HIV in a dually infected patient in Kenya | AIDS Res Hum Retroviruses | 2004 |
| Sugahar | Identification of a protective CD4+ T-cell epitope in the p15gag of Friend murine leukemia virus and the role of the MA protein targeting to the plasma membrane for its immunogenicity. | J. Virol | 2004 |
| Sugimot | An inhibitor of acylCoA: cholesterol acyl- transferase increases expression of ATP-binding cassette transporter A1 and thereby enhances the ApoA-I-mediated release of cholesterol from macrophages | Biochim. Biophys. Acta | 2004 |
| Sugita-l | Preventive effect of sialglycopeptide-non-digestive polysaccharide conjugates on Salmonell infection | J.Agrical.Food. Chem | 2004 |
| Sugiura, | Structure of human translin at 2.2 A resolution. | Acta Crystallogr D Biol Crystallogr | 2004 |
| Suzuki i | Impact of CYP2C9 genetic polymorphism on the pharamacokinetics and blood | Diabetes Research | 2004 |
| Suzuki F | Both insulin signaling defects in the liver and obesity contribute to insulin resistance and cause diabetes in Irs2-/- mice | J. Biol. Chem. | 2004 |
| Suzuki S | Verapamil increases the apolipoprotein-mediated release of cellular cholesterol by induction of ABCA1 expression via an LXR-independent mechanism. | Arterioscler. Thromb_Vasc | 2004 |
| T. Mori, | CXCR4 antagonist inhibits stromal cell-derived factor 1-induced migration and invasion of human pancreatic cancer. | Molecular Cancer Therapeutics | 2004 |
| T. NISH | Growth Kinetics of Vibrio parahaemolyticus O3:K6 under Varying Conditions of pH, NaCl Concentration and Temperature | J. Food Hyg. Soc. Jan | 2004 |
| T. Niwa, | Effect of Nilvadipine, a Dihydropyridine Calcium Antagonist, on Cytochrome P450 Activities in Human Henatic Microsomes | Biol. Pharm. Bull. | 2004 |
| T. Niwa, | Effect of Cefixime and Cefdinir, Oral Cephalosporins, on Cytochrome P450 Activities in Human Henatic Microsomes | Biol. Pharm. Bull. | 2004 |
| Tahara, | Both T and non-T cells with proliferating potentials are effective in inducing suppression of allograft responses by alloantigen-specific intravenous presensitization combined with suboptimal doses of 15-deoxyspergualin. | Transplant Immunol. | 2004 |
| Tajima, | Augmentation of NK cell-mediated cytotoxicity to tumor cells by inhibitory NK cell recentor blockers | Int. Immunol. | 2004 |
| Takahar | Induction of myofibroblast MMP-9 transcription in 3 dimensional collagen I gel cultures: regulation by NF-kB AP-1 and SP-1 | Int J Biochem Cell Biol | 2004 |
| Takahas | Expression of 53BP2 and ASPP2 proteins from TP53BP2 gene by alternative splicing. | Biochem Biophys Res Commun | 2004 |
| Takahas | Elevated tacrolimus blood concentration by lansoprazole in a transplant recipient. | Ann. Pharmacother | 2004 |
| Takahas | Topoisomerase I dissociates human immunodeficiency virus type I reverse | Biochem. Biophys. Res. Commun. | 2004 |
| Takamu | transcriptase from genomic RNAs DNA vaccine-encapsulated virus-like particles from an orally transmissible virus | Gene Ther. | 2004 |
| Takemu | stimulates immune resonoses by oral administration Application of Fmoc-amino Acid Carrying an Unmasked Carbohydrate to the Synthesis of the Foidermal Growth Factor-like Domain of Bovine Blood Coagulation | Org. Biomot. Chem. | 2004 |
| Takena | optimum formulation for sustained-release insulin | Inter J Pharm | 2004 |
| Takeuc | Decreased function of genetic variants, Pro283Leu and Arg287Gly, in human organic cation transporer hOCT1. | Drug Metab. Pharmacokin | 2004 |
| Takizaw | | Vaccine | 2004 |
| Takizaw | The normalization of guinea pig leukocyte fractions and lymphocyte subsets in blood and lymphoid tissues using a flow cytometric procedure. | Experimental Animals | 2004 |
| Tanaka | | Bioconj Chem | 2004 |
| Tanoue | The Vasopressin VIb receptor critically regulates hypothalamic-pituitary-adrenal axis activity under both stress and resting conditions. | J. Clin. Invest. | 2004 |
| L | TACHARA DESCRIPTION STRESS AND LESSING PROBLEMS | | |

| 著者名(| 91hu | 雑誌名 | 年 |
|---------|--|----------------------------------|------|
| ∕lano N | Analysis of the Antigen Binding Site of Anti-Deoxycholate Monoclonal Antibody Using | Biochemistry | 2004 |
| lasuda | a Novel Affinity Labeling Reagent. Acyl Adenylate Tacrolimus therapy according to mucosal MDRI levels in recipients of small bowel | Clin Pharmacol | 2004 |
| lasumiy | transolantation Lack of action potential-prolonging effect of terfenadine on rabbit myocardial | The Biol, Pharm, Bull, | 2004 |
| atsuda | oregarations Expression profiling with arrays of randomly disrupted genes in mouse embryonic stem | | 2004 |
| atsuo | cells leads to in vivo functional analysis Selective adsorption of human CD4+ T cells. | Sci. USA Therap Apher Dial | 2004 |
| atsuo | Update on HIV/AIDS in Japan, 2003. | AIDS in Asia 2004 | 2004 |
| atsush | A sequential immunization of the V3 peptides from field HIV-1 produces broadly cross-peutralizing antibodies against CCR5-tropic primary isolates | J. Immunol. | 2004 |
| kkaich | Isolation and characterization of a digoxin transporter and its rat homologue | Proc Natl Acad Sci U.S.A | 2004 |
| isao N | A novel function of N-cadherin and Connexin43; marked enhancement of alkaline phosphatase activity in rat calvarial esteeblast exceed to sulfated hyaluronan | Biochem, Biophys. Res Commun | 2004 |
| ishima | Characteristic of behavioral abnormalities in alpha 1D adrenoceptors deficient mice. | Behav. Brain. Res | 2004 |
| | Zn2+ binding to cysteine-rich domain of extracellular human Immunodeficiency virus | AIDS Res. Hum. Retroviruses | 2004 |
| | Blocking of Human Immunodeficiency Virus Type-1 Virion Autolysis by Autologous | J. Biochem. | 2004 |
| | Proteomics of HiV-1 virion. | BIOMEDICAL AND | 2004 |
| | Endogenous glucocorticoids are essential for maintaining prefrontal cortical cognitive function | J. Neurosci | 2004 |
| | Alternatively spliced transcripts of Fas mRNAs in feline lymphoid cells. | Eur. J. Immunosanatics | 2004 |
| | Antitumor effect of b2-microglubulin in leukemic cell-bearing mice via apoptosis- inducing activity: activation of casoase-3 and nuclear factor~kB | Cancer Res. | 2004 |
| uroya | Orexins(Hypocretins) Directly Interacts with Neuropeptide Y, POMC and Glucose- Responsive Neurons to Regulate Ca2+ Signaling in a Reciprocal Manner to Leptin: | Eur J Neurosci | 2004 |
| Hatar | Orexigenic Neuronal Pathways in the Mediobasal Hypothalamus. Two argininesin the cytoplasmic C-terminal domains are essential for voltage- | J. Biol. Chem., | 2004 |
| Yama | dependent regulation of A-type K+ current in the Ky4 channel subfamily. HIV protease inhibitor, nelfinavir, inhibits replication of SARS-associted coronavirus. | | 2004 |
| akao R | Establishment of animal model for initial adhesion of oral streptococci using | Res Commun Immunology | 2004 |
| akayar | recombinant NOD R10 D2 mice. Clinical Diagnostic Laboratory. A CCR2-V64I polymorphism affects stability of CCR2A isoform. | AIDS. | 2004 |
| hashi, | Novel missense mutation found in Japanese patient with myeloperoxidase deficiency. | Gene | 2004 |
| kada Y | | Biochim. Biophys. | 2004 |
| kutani | RGD fiber-mutant adenovirus vector for preexisting murine melanoma Nationwide survey of Listeria monocytogenes infection in Japan. | Acta Epidemiology and | 2004 |
| kutani | Overview of Listeria monocytogenes contamination in Japan. | Infection International | 2004 |
| shikaw | Vasopressin stimulates insulin release from islet cells through V1b receptors: A | Journal of Food Moi Pharmacol | 2004 |
| Yana | combined pharmacological/knockout approach Indium-mediated Atom-transfer and Reductive Radical Cyclizations of Iodoalkynes: | J. Org. Chem. | 2004 |
| aito K, | Synthesis and Riological Evaluation of HIV-Protease Inhibitors Infection-induced upregulation of the costimulatory molecule 4-188 in osteoblastic | J Biol Chem | 2004 |
| aito S, | cells and its inhibitory effect on M-CSE/RANKI -induced in vitro estenciastorenesis. Deregulation and mislocalization of the cytokinesis regulator ECT2 activate the Rho | J. Biol. Chem. | 2004 |
| ikuma | signaling pathways leading to malignant transformation. Lympho-myeloid chimerism achieved by spleen graft of green fluorescent protein | Transplant | 2004 |
| kurai, | transgenic rat in a combined pancreas transplant Model. Regulation of human T-cell leukemia virus type-1 (HTLV-1) budding by ubiquitin | Immunol Microbes and | 2004 |
| akurai, | lizase Nedd4 Expression levels of renal organic anion transporters (OATs) and their correlation | Infection Pharm. Res. | 2004 |
| ato Y, | with anionic drug excretion in patients with renal diseases. Gene expression profiles of cardiomyocytes treated with dilodothyropropionic acid, an | FEBS Letters . | 2004 |
| atoh E | inctrony-selective thyroid hormone analogue Transgenic enhanced green fluorescence protein (EGFP) and beta galactosidase (b- | Transplantation | 2004 |
| | gal) genes behave as minor histocompatibility antigens | Proceeding | L.— |