

労働

著者名(3名)	タイトル	雑誌名	年
Hiroyuki Yan	The effects of IT revolution on team communication and leader behaviors in a Japanese organization	Kyushu University Psychological	2002
S. Hanayasu	Statistical Damage Modeling and Analysis of Industrial Accidents and its Application to Industrial Safety Problems	Proceedings of the 9th	2003
Nishimura M	Suicide and occupation: further supportive evidence for their relevance.	Progress in Neuro-	2004

食品

著者名(タイトル)	雑誌名	年
Akiyama An analytical method for aflatoxins B1, B2, G1 and G2 in spices using a multifunctional column clean-up	J.Chromatogr.A	2001
Belliot C Characterization of capsid genes, expressed in the baculovirus system, of three new genetically distinct strains of "Norwalk-like viruses"	Journal of Clinical Microbiology	2001
Fukuda Prevalence of Norwalk viruses in Southern and Northern parts of Hiroshima Prefecture, Japan in 2000/2001 season, Jan	J Infect Dis	2001
Hara-Ku Improved method for detection of <i>Vibrio parahaemolyticus</i> in seafoods.	Applied and Environmental J Gen Virol	2001
Jonasse Comparison of capsid sequences from human and animal astroviruses	J Gen Virol	2001
Kadoi K. Isolation of Cosackievirus B5 from Pigs	Microbiologica	2001
Kubota Ginkgo biota extract-induced relaxation of rat aorta is associated with increase in endothelial intracellular calcium level	Life Sci. .	2001
Kudo S, Molecular characterization in the VP7, VP4 and NSP4 genes of human rotavirus serotype 4(G4) isolated in Japan	Microbiol Immunol	2001
Matsuura Effects of dioxins and polychlorinated biphenyls (PCBs) on thyroid function in infants born in Japan-The second report from research on environmental health	Chemosphere	2001
Oishi Y, The effect of amino acid spacers on the antigenicity of dimeric peptide-inducing cross-reacting antibodies to a cell surface protein antigen of <i>Streptococcus mutans</i>	Oral Microbiol Immunol	2001
Ono K, F Seasonal distribution of enteropathogens detected from diarrheal stool and water samples collected in Kathmandu, Nepal	Southeast Asian J Trop Med Public	2001
Takizawa Modifying effects of flumequine on dimethylnitrosamine-induced hepatocellular proliferative lesions in heterozygous p53 deficient CBA mice	J. Toxicol. Pathol.	2001
Wang Q Genetic Analysis of the Capsid Region of Astroviruses	J Med Virology	2001
Yoshii K Simultaneous determination of residues of emamectin and its metabolites, and milbemectin, ivermectin, and abamectin in crons by liquid chromatography with	J. AOAC. Int.	2001
Zhou Y, Characterization of human rotavirus serotype G9 isolated in Japan and Thailand from 1995 to 1997	J Med Virol	2001
Abe K, Y Economic Impact of an <i>Escherichia coli</i> 157:H7 outbreak in Japan.	Journal of Food Protection	2002
Adah MI Detection of Human Group C Rotaviruses in Nigeria and Sequence Analysis of Their Genes Encoding VP4, VP8, VP7 Proteins	J Med Virol	2002
Amakura Comparison of sulfuric acid treatment and multi-layer silica gel column chromatography in cleanup methods for determination of PCDDs, PCDFs and dioxin-	J. Food Hyg. Soc. Japan	2002
Fujimoto Outbreak of Central Nervous System Disease Associated with Hand, Foot, and Mouth Disease in Japan during the Summer of 2000: Detection and Molecular Epidemiology of Enterovirus 71	Microbiol Immunol	2002
H. Ishiwara Estimation of concentration of antifungal agents allowed as food additives in foods and their daily intake based on official inspection results in Japan in fiscal year 1998	J. Food Hyg. Soc. Japan	2002
Hanada Cloning and nucleotide sequence analysis of the <i>Streptococcus sobrinus</i> gtfU gene that produces a highly branched water-soluble glucan	Biochim Biophys Acta	2002
Hara-Ku Evaluation of a chromogenic agar medium for isolation of <i>Escherichia coli</i> O26.	Food Control	2002
Hirota K Immune complex transfer enzyme immunoassay for anti-ovalbumin IgA in serum.	Ann Clin Biochem	2002
Iritani N Prevalence of 'Norwalk-like virus' infections in outbreaks of acute nonbacterial gastroenteritis observed during the 1999-2000 season in Osaka City, Japan	Journal of Medical Virology	2002
Ishida S Characterization of human CYP1A1/2 induction by DNA microarray and alpha-naphthoflavone	Biochem. Biophys. Res. Commun	2002
Ishiwata Daily intake of food additives in Japan in five age groups estimated by the market method	Eur Food Res Technol	2002
Iwami Y, Intracellular and extracellular pHs of <i>Streptococcus mutans</i> after addition of acids: loading and efflux of a fluorescent pH indicator in streptococcal cells	Oral Microbiol Immunol	2002
Kashida Mechanistic study on flumequine hepatocarcinogenicity focusing on DNA damage in mice	Toxicol. Sci.	2002
Kikuchi Cadmium concentration in current Japanese foods and beverages.	J Occup Health	2002
Kurebay Disposition of a low dose bisphenol A in male and female cynomolgus monkeys.	Toxicol. Sci.	2002
Miyauchi Promoting effects of combined antioxidant and sodium nitrite treatment on forestomach carcinogenesis in rats after initiation with MNNG	Cancer Lett.	2002
N. Sugimura Structure of acid-stable carmine	J. Food Hyg. Soc. Japan	2002
Nakamura Effects of grape seed polyphenols on serum and hepatic lipid contents and fecal steroid excretion in normal and hypercholesterolemic rats	J. Health Sci.	2002
Nakamura Analysis of proanthocyanidins in grape seed extracts, health foods and grape seed oils	J. Health Sci.	2002
Nakamura Gene expression profiling of Ca ²⁺ -ATPase inhibitor DTBHQ and antigen-stimulated RBL-2H3 mast cells	Inflamm. Res.	2002

著者名	タイトル	雑誌名	年
Nakamu	Effect of dialkyl phthalates on the degranulation and Ca ²⁺ response of RBL-2H3 mast cells	Immunol. Lett.	2002
Nakatan	Mechanism for peroxisome proliferator-activated receptor- α activator-induced up-regulation of UCP2 mRNA in rodent hepatocytes	J. Biol. Chem.	2002
Nomiyar	Short-term changes in cadmium in feces, blood and urine after dietary cadmium intake in young Japanese females	J Occup Health	2002
Nomura	Identification of the peptide motifs that interact with HLA-DR8 (DRB1*0802) in <i>Streptococcus mutans</i> proteins	Oral Microbiol Immunol	2002
Nomura	Survey of dental hygienists and healthcare workers for microorganisms in the oral cavity	J Infect Chemother	2002
Ojima M	Hygiene measures considering actual distributions of microorganisms in Japanese households	Journal of Applied Microbiology	2002
Okada Y	Cloning of rel from <i>Listeria monocytogenes</i> as an osmotolerance involvement gene	Appl Environ Microbiol	2002
Sakemi	Comparative toxicokinetic/toxicodynamic study of rubber antioxidants, 2-mercaptobenzimidazole and its methyl substituted derivatives, by repeated oral administration in rats	Arch. Toxicol.	2002
Sato Y,	<i>Streptococcus mutans</i> binding to solid phase dextran mediated by the glucan-binding protein G	Oral Microbiol Immunol	2002
Senpuku	Reproducibility of oral bacterial isolation in the elderly.	Jpn J Infect Dis	2002
Shinji Fu	An application of microplate hybridization assay for the confirmation and probe typing of "Norwalk-like viruses"	Microbiol Immunol	2002
Shinoz	Safety dietary supplement: chronotropic and inotropic effects on isolated rat atria	Biol. Pharmaceut Bull	2002
Shinoz	Feeding of Ginkgo biloba extract (GBE) enhances gene expression of hepatic cytochrome P-450 and attenuates the hypertensive effect of nicardipine in	Life Sci.	2002
Sugieda	Viruses detected in the Cecum Contents of healthy pigs representing a new genetic cluster in serogroup II of the genus Norwalk-like viruses	V Research	2002
Suzuki S	Lack of modification of MeIQx-induced hepatocarcinogenesis in rats by fenbendazole - a CYP1A2 inducer	Cancer Lett.	2002
Tada A,	The relation between tube feeding and <i>Pseudomonas aeruginosa</i> detection in the oral cavity	J Gerontol A Biol Sci Med Sci	2002
Tada A,	Oral bacteria influenced by the functional status of the elderly people and the type and quality of facilities for the bedridden	J Appl Microbiol	2002
Tada H,	Proteolysis of CD14 on human gingival fibroblasts by arginine-specific cysteine proteinases from <i>Porphyromonas gingivalis</i> leading to down-regulation of lipopolysaccharide-induced interleukin-8 production.	Infect Immun.	2002
Takahas	Fish oil feeding alters liver gene expressions to defend against PPAR α activation and ROS production	Am. J. Physiol. Gastrointest	2002
Takahas	Dipeptide utilization by the periodontal pathogens <i>Porphyromonas gingivalis</i> , <i>Prevotella intermedia</i> , <i>Prevotella nigrescens</i> and <i>Fusobacterium nucleatum</i>	Oral Microbiol Immunol	2002
Tanaka,	Determination and confirmation of aflatoxins by HPLC and LC-MS analyses	Mycotoxins	2002
Tsukaha	Effects of iron-deficiency anemia on cadmium uptake or kidney dysfunction are essentially nil among women in general population in Japan	Tohoku J Exp Med	2002
Tsumura	Phthalates, adipates, citrate and some of the other plasticizers detected in Japanese retail foods: a survey	J. Health Science	2002
Ueda F,	Swift and definite serotyping for isolated <i>Listeria monocytogenes</i> strains	New Microbiol.	2002
Umegaki	Ginkgo biloba extract markedly induces pentooxyresorufin o-dealkylase activities in rats	Jpn. J. Pharmacology	2002
Yoneyar	Surveillance of Poliovirus-Isolates in Japan, 2001	JJID	2002
Amakura	Activation of the aryl hydrocarbon receptor by some vegetable constituents determined using in vitro reporter gene assay	Biol. Pharm. Bull.	2003
Amakura	Levels of congener distributions of PCDDs, PCDFs and Co-PCBs in Japanese retail fresh and frozen vegetables	J. Food Hyg. Soc. Japan	2003
Amakura	Contamination levels and congener distributions of PCDDs, PCDFs and Co-PCBs in several fast foods in Japan	J. Food Hyg. Soc. Japan	2003
Amakura	Modification of cleanup methods for dioxin analysis in green leafy vegetables and comparison of packing methods for a multi-layer silica gel column	J. Food Hyg. Soc. Japan	2003
Amakura	Screening of the inhibitory effect of vegetable constituents on the aryl hydrocarbon receptor-mediated activity induced by 2,3,7,8-tetrachlorodibenzo-p-dioxin	Biol. Pharm. Bull.	2003
Amakura	Cleanup of food samples with pre-packed multi-layer silica gel column for the analysis of PCDDs, PCDFs and dioxin-like PCBs	J. Food Hyg. Soc. Japan	2003
Ding X,	Present state of hepatitis E virus epidemiology in Tokyo, Japan	Hepatol. Res.	2003
Doan LT	Epidemiological features of rotavirus infection among hospitalized children with gastroenteritis in Ho Chi Minh City, Vietnam	J Med Virol	2003

著者名	タイトル	雑誌名	年
Ezaki T,	No clear-cut evidence for cadmium-induced tubular dysfunction among over 10,000 women in the Japanese general population: a nationwide large-scale survey	Int Arch Occup Environ Health	2003
Ezaki T,	Analysis for threshold levels of cadmium in urine that induce tubular dysfunction among women in non-polluted areas in Japan	Int Arch Occup Environ Health	2003
Goto T,	Simple and rapid determination of <i>N</i> -methyl carbamate pesticides in citrus fruits by electrospray ionization tandem mass spectrometry	Analytica Chimica Acta	2003
Hara-Ku	Increased sensitivity in PCR detection of TDH-producing <i>Vibrio parahaemolyticus</i> in seafood using purified template DNA	Journal of Food Protection	2003
Hara-Ku	Prevalence of Pandemic TDH-producing <i>Vibrio parahaemolyticus</i> O3:K6 in Seafood and the Coastal Environment in Japan	Applied and Environmental Microbiol.	2003
Hirano N	Evidence for widespread infection of hepatitis E virus among wild rats in Japan	Hepatol. Res.	2003
Hirano N	Prevalence of antibody against hepatitis E virus in various species of non-human primates: Evidence of widespread infection in Japanese monkeys (<i>Macaca fuscata</i>)	Jpn. J. Infect. Dis.	2003
Hirose K	DNA-based diagnosis method for typhoid fever and paratyphoid fever, and the screening method for <i>Salmonella enterica</i> serovar Typhi and serovar Paratyphi A with decreased susceptibility to fluoroquinolones by PCR-restriction fragment length	Res Adv Microbiology	2003
Huy T T	Prevalence of hepatitis virus types B through E and genotypic distribution of HBV and HCV in Ho Chi Minh City, Vietnam	Hepatology Research	2003
Ikeda M,	Threshold levels of urinary cadmium in relation to increases in urinary β_2 -microglobulin among general Japanese populations	Toxicol Lett	2003
Ikeda M,	Bias induced by the use of creatinine-corrected values in evaluation of β_2 -microglobulin levels	Toxicol Lett	2003
Inaba D,	Intraoral effects of phosphoryl-oligosaccharide calcium on remineralization of enamel lesions	J Dent. Health	2003
Iritani N,	Prevalence of Norwalk-like virus infections in cases of viral gastroenteritis among children in Osaka City, Japan	Journal of Clinical Microbiology	2003
Ito Y., G	Simple and rapid determination of thiabendazole, imazalil and <i>o</i> -phenylphenol in citrus fruit using flow-injection electrospray ionization tandem mass spectrometry	J. Agric. Food Chem.	2003
Kageyan	broadly reactive and highly sensitive assay for Norwalk-like viruses by based on real-time quantitative reverse transcription-PCR	Journal of Clinical Microbiology	2003
Kikuchi	Uptake of cadmium in meals from the digestive tract of young non-smoking Japanese female volunteers	J Occup Health	2003
Kikuchi	Changes of intestinal flora of young Japanese females resulting from two-week common diet and living in the same dormitory	Bioscience Microflora	2003
Kimura K	Keratoconjunctivitis caused by echovirus type 13 in Japanese children	Pediatr Infect Dis J	2003
Komoriy	The development of sensitive latex agglutination tests for detecting astroviruses (serotype 1 and 3) from clinical stool specimen	JARMAN	2003
Kubota	Interaction of Ginkgo biloba extract (GBE) with hypertensive agent, nicardipine, in rats	In vitro	2003
Matin K,	Role of stromal-cell derived factor-1 in the development of autoimmune diseases in non-obese diabetic mice	Immunology	2003
Moriguc	Comparative evaluation of four urinary tubular dysfunction markers, with special references to the effects of aging and correction for creatinine concentration	Toxicol Lett	2003
Moto M,	Absence of in vivo genotoxicity and liver initiation activity of dicyclanil	J. Toxicol. Sci.	2003
Nakamu	Method for analysis of tannic acid and its metabolites in biological samples: application to tannic acid metabolism in the rat	J. Agric. Food Chem.	2003
Nakamu	Metabolism of grape seed polyphenol in the rat	J. Agric. Food Chem.	2003
Nakatan	A low fish oil inhibits SREBP-1 proteolytic cascade, while a high-fish-oil feeding decreases SREBP-1 mRNA in mice liver: relationship to anti-obesity	J. Lipid. Res.	2003
Nishida	Detection, quantitation, and phylogenetic analysis of noroviruses in Japanese oysters	Appl Environ Microbiol	2003
Nishimu	Oral streptococci exhibit diverse susceptibility to human beta-defensin-2: antimicrobial effects of hBD-2 on oral streptococci	Curr Microbiol.	2003
Okama	Evaluation of a newly developed immunochromatographic method for detection of Norovirus	J J A Infect Dis	2003
R.Ushar	Estimation of dietary intake of polychlorinated dibenzo-p-dioxins, polychlorinated dibenzofurans and coplanar polychlorinated biphenyls in Japanese infants	ORGANOHALOGEN COMPOUNDS	2003
Schrode	Emergence and disappearance of an immune molecule, an antimicrobial lectin, in basal metazoa: a tachylectin-related protein in the sponge <i>Suberites domuncula</i>	J Biol Chem	2003
Senpuku	Effects of human interleukin-18 and interleukin-12 treatment on human lymphocyte engraftment in NOD-acid mouse	Immunology	2003
Tada A,	Sexual differences in smoking behaviour and dental caries experience in young adults	Public Health	2003
Tran H	Prevalence of hepatitis virus types B through E and genotypic distribution of HBV and HCV in Ho Chi Minh City, Vietnam	Hepatol. Res.	2003
Tsukaha	No significant effect of iron deficiency on cadmium body burden or kidney dysfunction among women in the general population in Japan	Int Arch Occup Environ Health	2003

食品

著者名(タイトル)	雑誌名	年
Tsukahara Rice as the most influential source of cadmium intake among general Japanese population	Sci Total Environ	2003
Tsumura Estimated daily intake of plasticizers in one-week duplicate diet samples following regulation of DEHP-containing PVC gloves in Japan	Food Add. Contam. Analyst	2003
Tsutsun Validation of the CALUX bioassay for the screening of PCDD/Fs and dioxin-like PCBs in retail fish	Anal. Bioanal. Chem	2003
Tsutsun Evaluation of an aqueous KOH digestion followed by hexane extraction for analysis of PCDD/Fs and dioxin-like PCBs in retail fish	Cong. Anom.	2003
Watanabe The effects of dietary vitamin B12 deficiency on sperm maturation in developing and growing male rats	Jpn. J. Cancer Res	2003
Yada H. Effects of antioxidant HTHQ or ascorbic acid on carcinogenesis induced by administration of aminopyrine and sodium nitrite in a rat multi-organ carcinogenesis	J Virol Methods	2003
Yan H. M. Detection of norovirus (GI, GII), sapovirus and astrovirus in fecal samples using reverse transcription single-round multiplex PCR	FEMS Microbiol Lett	2003
Yano A. Real-time PCR for quantification of Streptococcus mutans.	Vaccine	2003
Yano A. RGD motif enhances immunogenicity and adjuvanticity of peptide antigens following intranasal immunization	J Dent Res	2003
Yoshihara Association between Serum Albumin and Root Caries in Community-dwelling Older Adults	Jpn J Infect Dis	2003
Young H. Multiplex polymerase chain reaction assay for selective detection of Salmonella enterica serovar Typhimurium	Microbiol Immunol	2003
Zhou Y. Distribution of Human Rotaviruses, especially G9 Strains, in Japan from 1996 to 2000	J Clin Pathol	2004
Adhikari V. AK. Characterization of hexon and fiber genes of a novel strain of adenovirus involved in epidemic keratoconjunctivitis	Natural Medicines	2004
Amakura Interaction of some plant food extracts with aryl hydrocarbon receptor determined by in vitro receptor gene assay	Journal of Agricultural and	2004
Ashizuka Daily intake of polybrominated diphenyl ethers (PBDEs) in western Japan estimated by total diet study and duplicated diet study(仮題)	Journal of Agricultural and	2004
Ashizuka Determination of polybrominated diphenyl ethers (PBDEs) and polybrominated dibenzo-p-dioxins, dibenzofurans (PBDDs/DFs) in marine products(仮題)	Journal of Clinical Microbiology	2004
Hansma Genetic Diversity of Norovirus and Sapovirus in Hospitalized Infants with Sporadic Cases of Acute Gastroenteritis in Thailand	Toxicol Appl Pharmacol	2004
Horiguchi Comprehensive study of the effects of age, iron deficiency, diabetes mellitus, and cadmium burden on dietary cadmium absorption in cadmium-exposed female	Environ Res.	2004
Horiguchi Environmental exposure to cadmium at a level insufficient to induce renal tubular dysfunction does not affect bone density among female Japanese farmers	Environ Res.	2004
Horiguchi Dietary exposure to cadmium at close to the current provisional tolerable weekly intake does not affect renal function among female Japanese farmers	Int Arch Occup Environ Health	2004
Ikeda M. Dietary cadmium intake in polluted and non-polluted areas in Japan in the past and in the present	J. Appl. Glycosci.	2004
Kamasaka Application of phosphoryl oligosaccharides of calcium (Pos-Ca) for oral health	Toxicology	2004
Kashida Gene expression analysis in the liver of mice on tumor-promoting effects of flumequine	Journal of Food Protection	2004
Kasuga Archiving of Food Samples from Restaurants and Caterers- Quantitative Profiling of Outbreaks of Foodborne Salmonellosis in Japan	Journal of Food Protection	2004
Kishimoto Ribotyping and a Study of Transmission of Staphylococcus aureus Collected from Food Preparation Facilities	Microbiology and Immunology	2004
Kobayashi Immunomagnetic capture RTR-PCR for detection of Norovirus from foods implicated in a foodborne outbreak	Vaccine	2004
Li T-C. Protection of cynomolgus monkeys against HEV infection by oral administration of recombinant hepatitis E virus-like particles		2004
Moriguchi Decrease in urine specific gravity and urinary creatinine in elderly women.		2004
Moriguchi Effects of aging on cadmium and tubular dysfunction markers in urine from adult women in non-polluted areas		2004
Nishina Growth Kinetics of Vibrio parahaemolyticus O3:K6 under Varying Conditions of pH, NaCl Concentration and Temperature	Journal of Food Hygiene Society International	2004
Okutani Overview of Listeria monocytogenes contamination in Japan	Journal of Food Epidemiology and Infection	2004
Okutani Nationwide survey of Listeria monocytogenes infection in Japan.	J. Pharmacy Pharmacol	2004
Shinoz Pretreatment of Ginkgo biloba extract weakens hypnosis action of phenobarbital and its plasma concentration in rats	Food Chem Toxicol	2004
Shinoz Induction and recovery of hepatic drug metabolizing enzymes in rats treated with Ginkgo biloba extract	Toxicol. Lett.	2004
Teshima Effect of two nitrogenous diphenyl ether pesticides on mast cell activation.		

食品

著者名(タイトル)	雑誌名	年
Tsukahara No effects of hematuria and proteinuria in school days, and probably current pregnancy and current lactation also, as risk factors of cadmium-induced renal tubular dysfunction among adult women in general populations in Japan.	Arch Environ Contam Toxicol	2004
Tung PC Human astrovirus, Norovirus (GI, GII), and Sapovirus infections among diarrheal children in Pakistan	J Med Virol	2004
Watanabe Gender-related difference, geographical variation and time trend in dietary cadmium intake in Japan	Sci Total Environ	2004
Yoshiki K Simultaneous determination of emamectin, its metabolites, milbemectin, ivermectin and abamectin in tomato, Japanese radish and tea by LC/MS	J. Health Sci.	2004
Hansma Norovirus strains belonging to the Lordsdale virus cluster are a major cause of acute sporadic infantile gastroenteritis in Ho Chi Minh city, Vietnam	J Clin Microbiol	
Li L, Nis Characterizations of Adenovirus Type 41 isolates from children with acute gastroenteritis in Japan, Vietnam and Korea	J Clin Microbiol	
Phan PC Human astrovirus, Norovirus (GI, GII), and Sapovirus infections among diarrheal children in Pakistan	J Med Virol	