

著者名(タイトル)	雑誌名	年
A. Kamiya Oncostatin M and hepatocyte growth factor induce hepatic maturation via distinct signaling pathways	FEBS Letters	2001
Hamano Recovery of function and mass of endogenous beta-cells in streptozotocin-induced diabetic rats treated with islet transplantation	Biochem Biophys Res Comm	2001
Kamata Adenovirus-mediated gene therapy for corneal clouding in mice with mucopolysaccharidosis type VII	Mol Ther	2001
Kataoka A set of Hox proteins interact with the Maf oncoprotein to inhibit its DNA binding, transactivation and transforming activities	J Biol Chem	2001
Kataoka Maf and Jun nuclear oncoproteins share downstream target genes for inducing cell transformation	J Biol Chem	2001
Kosuga Widespread distribution of adenovirus-transduced monkey amniotic epithelial cells after local intracerebral injection: Implication for cell-mediated therapy for lysosome storage disorders	Cell Transplant	2001
Nagama Adenovirus-mediated preproinsulin gene transfer into adipose tissues ameliorates hyperglycemia in obese diabetic KKAv mice	FEBS Lett	2001
Shihara Synergistic effect of polymorphisms of uncoupling protein 1 and beta3-adrenergic receptor	Int J Obes	2001
A. Saito Sequence analysis and expressional regulation of mRNAs encoding b-subunits of follicle-stimulating hormone and luteinizing hormone in the red-bellied newt	Cynops pyrhogaster Biol Diabetes	2002
Ban N. Hepatocyte Nuclear Factor-1 Recruits the Transcriptional Co-activator p300 on the GLUT2 Gene Promoter	Hepatology	2002
Enomoto Hepatoma-derived growth factor is highly expressed in developing liver and promotes fetal hepatocyte proliferation	Hepatology	2002
Fujimoto Prior exposure to high glucose augments depolarization-induced insulin release by mitigating the decline of ATP level in rat islets	Endocrinology	2002
Fujino M T-cell apoptosis triggered by FTY720 via mitochondrial pathway.	Transplant Proc	2002
H. Nishii Small heterodimer partner, an orphan nuclear receptor, augments PPAR γ transactivation	J Biol Chem	2002
I. Yoshida Identification of a gain-of-function mutation in the HNF-1b gene in a Japanese family with MODY	Diabetologia	2002
Ikebukur Treatment of streptozotocin-induced diabetes mellitus by transplantation of islet cells plus bone marrow cells via portal vein in rats	Transplantation	2002
Inoue S. Mutation analysis in PKD1 of Japanese autosomal dominant polycystic kidney disease patients	Hum Mutat	2002
J. Jiang Cultivation of fetal liver cells in a three-dimensional poly-L-lactic acid scaffold in the presence of oncostatin M	Cell Transplant.	2002
Kajikawa Ouabain suppresses glucose-induced mitochondrial ATP production and insulin release by generating reactive oxygen species in pancreatic islets	Diabetes	2002
Kamiya Maturation of fetal hepatocytes in vitro by extracellular matrices and Oncostatin M; Induction of tyrosinase expression	Hepatology	2002
Kataoka MafA is a glucose-regulated and pancreatic β -cell-specific transcriptional activator for the insulin gene	J Biol Chem	2002
Kondo K Hair cell development in vivo and in vitro: analysis using a monoclonal antibody specific to hair cells in the chick inner ear	J Comp. Neurol	2002
Kuroe A Impaired β -cell function and insulin sensitivity in Japanese subjects with normal glucose tolerance	Diabetes Res Clin Pract	2002
Kurosaki Elschinig pearl formation along the neodymium:YAG laser posterior capsulotomy margin	J Cataract Refract Surg	2002
Matsui K-Ras mediates cytokine-induced formation of E-cadherin-based adherens junctions during liver development	EMBO J	2002
Matsui STAT3 down-regulates the expression of cyclin D during liver development.	J Biol Chem.	2002
Mineharu Macrophage-colony stimulating factor modulates the development of hematopoiesis by stimulating the differentiation of endothelial cells in the AGM region	Blood	2002
Miyawaki Inhibition of gastric inhibitory polypeptide signaling prevents obesity	Nat Med	2002
N. Tono High frequencies of mutations in the HNF-1a gene in non-obese patients with diabetes of youth in Japanese and identification of a case of digenic inheritance	Diabetologia	2002
Nakayama A novel nuclear zinc finger protein EZ1 enhances nuclear retention and transactivation of STAT3	EMBO J.	2002
Oyadom Targeted disruption of the Chop gene delays endoplasmic reticulum stress-mediated diabetes	J. Clin. Invest	2002
S. Hisan Expression of inorganic phosphate/ vesicular glutamate transporters (BNPI/VGLUT1 and DNPI/VGLUT2) in the cerebellum and neocerebellar nuclei of the rat	Mol. Brain Res	2002
S. Sanyal Differential regulation of the orphan nuclear receptor SHP gene promoter by orphan nuclear receptor ERR isoforms	J Biol Chem	2002
Sano Y. Non-cleavable mutant Fas ligand transfection of donor cornea abrogates ocular immune privilege	Exp Eye Res	2002

著者名(タイトル)	雑誌名	年
Shang W Effect of high dietary fat on insulin secretion in genetically diabetic Goto-Kakizaki rats	Pancreas	2002
Takeuchi Cultivation of AGM-derived hematopoietic stem cells in the fetal liver microenvironment amplifies long-term reconstituting activity and enhances homing to bone marrow	Blood	2002
Tamura In vitro differentiation of stem cells in the aorta-gonad-mesonephros region of mouse embryo and adult bone marrow	Exp. Hematol.	2002
Tamura Developmental expression pattern of oncostatin M receptor b in mice	Mech Dev.	2002
Taniguchi C-reactive protein and insulin resistance in non-obese Japanese type 2 diabetic patients	Metabolism	2002
Y. Mimura Differential expression of two distinct vesicular glutamate transporters in the rat retina	Neuroreport	2002
Y. Sakai Enhanced in vitro maturation of fetal mouse liver cells with oncostatin M, nicotinamide and dimethylsulfoxide	Cell Transplant.	2002
Anzai H Impaired differentiation of fetal hepatocytes in homozygous jumonji mice	Mech. Dev	2003
Araki E. Endoplasmic reticulum stress and diabetes mellitus	Intern. Med.	2003
Azuma Mutation of PAX6 gene detected in patients with congenital optic nerve anomalies.	European Society of Ophthalmology	2003
Azuma Mutations of the PAX6 gene detected in patients with a variety of optic nerve malformations	Am J Hum Genet	2003
Fujimoto Type-1 diabetes mellitus with insufficient serum immunoreactive insulin elevation after subcutaneous NPH-insulin injection	Diabetes Res Clin Pract	2003
Hamano Beneficial effect of pretreatment of islets with fibronectin on glucose tolerance after islet transplantation	Horm Metab Res	2003
Hanada Enhanced in vitro maturation of subcultivated fetal human hepatocytes in three dimensional culture using poly-L-lactic acid scaffolds in the presence of oncostatin M	Int J Artif Organs	2003
J. Lin, H Expression profile of mRNAs from human pancreatic islet tumors.	J. Mol. Endocrinol	2003
Kamata Long-term normalization in the central nervous system, ocular manifestations, and skeletal deformities by a single systemic adenovirus injection into neonatal mice with congenital diabetes	Gene Ther	2003
Kishimoto Different Properties of SEK1 and MKK7 in Dual Phosphorylation of Stress-induced Activated Protein Kinase SAPPK/JNK in Embryonic Stem Cells	J Biol Chem	2003
M. Haya Secretory granule-mediated co-secretion of L-glutamate and glucagon triggers glutamatergic signal transmission in islets of Langerhans	J. Biol. Chem	2003
N.Tanim Isolation of hepatoblasts based on the expression of Dlk/Pref-1.	J Cell Sci	2003
Ohtake Phenotype of cytochrome P4501B1 gene (CYP1B1) mutations in Japanese patients with primary congenital glaucoma	Br J Ophthalmol	2003
Oya M. Effects of an aldose reductase inhibitor on gastroenteropathy in streptozotocin-diabetic rats	Diabetes Res Clin Pract	2003
Pamir N Glucose-dependent insulinotropic polypeptide receptor null mice (GIPR $^{-/-}$) exhibit compensatory changes in the enteroinsular axis	Am J Physiol	2003
Q. Zhu, T1301 mutation in HNF-4 α gene is a loss-of-function mutation in hepatocytes and is associated with late-onset Type II diabetes mellitus in Japanese subjects	Diabetologia	2003
Siozawa Histological study of the hypertrophic placentas and open eyelid observed in cloned fetuses	J Reprod. Dev	2003
Sugawara The role of the TSC-22 (-396) A/G variant in the development of diabetic nephropathy	Diabetes Res Clin Pract	2003
T. Tanai Genomewide linkage and linkage disequilibrium analyses pinpoint the ossification of the posterior longitudinal ligament of the spine to COL1A1 locus on chromosome 21	Am. J. Hum. Genet	2003
Tanaka Targeted disruption of Oncostatin M receptor results in altered hematopoiesis	Blood	2003
Taniguchi Porphyromonas gingivalis infection is associated with carotid atherosclerosis in non-obese Japanese type 2 diabetic patients	Metabolism	2003
Taniguchi High prevalence of autoantibodies against carbonic anhydrase II and lactoferrin in type 1 diabetes: concept of autoimmune exocrinopathy and endocrinopathy of the pancreas in Japanese	Pancreas	2003
Y. Horike Genetic variations in CAPN10 are not a major factor in the occurrence of type 2 diabetes in Japanese	J. Clin. Endocrinol. Metab	2003
Inada A. Overexpression of inducible cyclic AMP early repressor inhibits transactivation of genes and cell proliferation in pancreatic β cells	Mol Cell Biol	2004
J. Jinlar Cultivation and induction of fetal liver cells in poly-L-lactic acid scaffolds	Mat. Sci. Eng. C	2004
Nakamura Hepatocyte proliferation and tissue remodeling is impaired after liver injury in oncostatin M receptor knockout mice	Hepatology	2004
Rump A Binding of ovarian cancer antigen CA125/MUC16 to mesothelin mediates cell adhesion	J. Biol. Chem	2004
Suzuki H Factors responsible for development from normal glucose tolerance to isolated postchallenge hyperglycemia	Diabetes Care	2004

著者名(タイトル)	雑誌名	年
Tanaka Purification, Molecular Cloning, and Expression of a Novel Growth Promotive Factor for Retinal Pigment Epithelial Cells, REF-1/TEP 1-2	Invest Ophthal Vis Sci	2004
Y. Shima Inhibitory effect of small heterodimer partner hepatocyte nuclear factor-4 mediates bile acid-induced repression of human angiotensinogen gene	J. Biol. Chem	2004
Hansotia Double incretin receptor knockout (DIRKO) mice reveal an essential role for the enteroinsular axis in transducing the glucoregulatory action of DPP-IV inhibitors	Diabetes	
J-H. Kim Orphan nuclear receptor SHP, a novel corepressor for a basic Helix-Loop-Helix (bHLH) transcription factor, BETA2/NeuroD	Mol. Endocrinol	
Kataoka Differentially expressed Maf family transcription factors, c-Maf and MafA, activate glucagon and insulin gene expression in pancreatic islet α - and β -cells	J Mol Endocrinol	
M. Enya Depressive state and paresthesia dramatically improved by intravenous MgSO4 in Gitelman's syndrome	Intern. Med.	
N. Shiha Identification of a de novo case of hepatocyte nuclear factor-1 deficiency with highly varied phenotypes	Diabetologia	
Nishina [review] Activation Mechanism and Physiological Roles of Stress-Activated Protein Kinase/c-Jun NH2-Terminal Kinase in Mammalian Cells	J Biol Regul Homeost Agents	
Obazawa Comparable Analysis of Porcine Optineurin and Meshwork Cells and Astrocytes from Otic Nerve Head	Invest Ophthal Vis Sci	
Suzuki H IGT with fasting hyperglycemia is more strongly associated with microalbuminuria than IGT without hyperglycemia	Diabetes Res Clin Pract	
Umeda S Molecular Cloning of ELOVL4 Gene and exclusion as a candidate gene for early onset macular degeneration in Cynomolgus Monkey (Macaca fascicularis).	Exp. Anim.	

著者名(3名 タイトル)	雑誌名	年
Fujiwara H, Relaxation Behavior of Laser-Polarized 129Xe Gas: Size Dependency and Wall Effect of the T1 Relaxation time in Glass and Gelatin Bulbs	Journal of Magnetic	2001
Issei Mori, T The CdTe detector module and its imaging performance	Ann Nucl Med	2001
Kashikura K Temporal characteristics of event-related BOLD response and visual-evoked potentials from checkerboard stimulation of human V1: A comparison between different control features.	Magn Reson Med	2001
Kashikura K Hyperoxia modified activation-induced blood oxygenation level-dependent response of human visual cortex (V1): an event-related functional magnetic resonance imaging	Neurosci Lett	2001
Satoru Ohno Selection of optimal projection angles in three dimensional myocardial SPECT.	Conference Record of IEEE	2001
Ikeda Y, Tak A family-based study of hyperinsulinemia and hepertriglyceridemia in heterozygous lipoprotein lipase deficiency	Clin. Chim. Acta	2002
Iwasa H, Kur Twenty single-nucleotide polymorphisms in four genes encoding cardiac ion channels.	J Hum Genet	2002
K. Ogawa, N Proposing a new myocardial SPECT system	IEEE Nuclear Science	2002
Kaneda H, C Heme oxygenase-1 gene promoter polymorphism is associated with coronary artery disease in Japanese patients with coronary risk factors	Arterioscler Thromb Vasc	2002
Sata M, Saii Hematopoietic stem cells differentiate into vascular cells that participate in the pathogenesis of atherosclerosis	Nat Med.	2002
Shindo T, Im Kruppel-like zinc-finger transcription factor KLF5/BTEB2 is a target for angiotensin II signaling and an essential regulator of cardiovascular remodeling	Nature Medicine	2002
Yamashita K Electrochemical hybridization assay of a heterozygous deficiency of lipoprotein lipase gene with ferrocenylanthralene diimide	Bioconjugate Chem	2002
Fukutomi J, Analysis of the effect of foreign gases in the production of hyperpolarized 129Xe gas on a simple system working under atmospheric pressure	J Magn Reson	2003
Fukutomi J, Analysis of the Effect of Foreign Gases in the Production of hyperpolarized 129Xe Gas on a Simple System working under Atmospheric Pressure.	J Magn Reson	2003
Harada T, Im A common Ile823Met variant of ATP-binding cassette transporter A1 gene (ABCA1) alters high density lipoprotein cholesterol level in Japanese population	Atherosclerosis	2003
Hayashi T, M A theoretical model of oxygen delivery and metabolism for physiological interpretation of quantitative CBF and CMRO2	J Cereb Blood Flow Metab	2003
Inoue H, J.-Y Development of Virtual Histology and Virtual Biopsy Using Laser-scanning Confocal Microscopy	Scand J Gastroenterol	2003
Koshikawa N Constitutive upregulation of hypoxia-inducible factor-1 α mRNA occurring in highly metastatic lung carcinoma cells leads to vascular endothelial growth factor overexpression upon hypoxic exposure.	Oncogene	2003
Miyamoto S Positive and negative regulation of the cardiovascular transcription factor KLF5 by p300 and the oncogenic regulator SET through interaction and acetylation on the DNA binding domain.	Mol Cell Biol	2003
Nojima T, Ya Direct detection of single nucleotide polymorphism (SNP) with genomic DNA by the ferrocenylanthralene diimide-based electrochemical hybridization assay (FND-FHA)	Anal. Sci.	2003
Nojiri T, Mo Genetic Variations of Matrix Metalloproteinase-1 and -3 Promoter Regions and their Associations with Susceptibility to Myocardial Infarction in Japanese	Int J Cardiol	2003
Norihiko Kob Evaluation of data acquisition scheme in a new myocardial SPECT system	IEEE Nuclear Science	2003
Saito K, Kim The study of Xe adsorption behavior in meso-size pores of carbon black materials using laser-polarized 129Xe NMR spectroscopy	Magn Reson Imaging	2003
Sakashita M Virtual Histology of Colorectal Lesions Using Laser-Scanning Confocal Microscopy	Endoscopy	2003
Tachibana M Expression of Apolipoprotein A1 in Colonic Adenocarcinoma.	Anticancer Research	2003
Wakai A, Ke Magnetic resonance spectra of hyperpolarized 129Xe in human blood and living rat chest	MRMS	2003
Enmi J, Hay Measurement of Cerebral blood flow with dynamic susceptibility contrast MRI and comparison with O-15 Positron Emission Tomography. (in Quantitation in Biomedical Imaging with PET and MRI; eds by iida H, Hayashi T, Watabe H and Shah N.J)	Elsevier Science (Amsterdam)	2004
Enmi J, Hay Measurement of cerebral blood flow with dynamic susceptibility contrast MRI and comparison with 15O Positron Emission Tomography.	Magn Reson Med	2004
Fujiwara H, Hyperpolarized 129Xe as a Novel Probe Agent of Lung Functions in MRI and MRS. Experimental Results with Mice at 9.4T. (in Quantitation in Biomedical Imaging with PET and MRI; eds by iida H, Hayashi T, Watabe H and Shah N.J)	Elsevier Science (Amsterdam)	2004
Kawata Y, K Practical Application of NMR spectra of 129Xe dissolved in Red Blood Cell. (in Quantitation in Biomedical Imaging with PET and MRI; eds by iida H, Hayashi T	Elsevier Science (Amsterdam)	2004
Kusakai G, SARK5 expression in colorectal cancer and its implications for tumor progression.	Am J Pathol.	2004

萌芽

著者名(3名)	タイトル	雑誌名	年
Narazaki M,	MRS of Hyperpolarized ¹²⁹ Xe in the Chest of Mouse. Effect of Contrast Agents on the MRS. (in Quantitation in Biomedical Imaging with PET and MRI eds by Iida H.	Elsevier Science (Amsterdam)	2004
Norihiko Kobayashi	The performance of data acquisition scheme in a new myocardial SPECT system	Medical Imaging Technology	2004
Sato H, Enomoto	Dynamic Spectroscopy of Hyperpolarized Xe-129 in Rat Lung. (in Quantitation in Biomedical Imaging with PET and MRI eds by Iida H, Hayashi T, Watabe H and Shah	Elsevier Science (Amsterdam)	2004

トランス

著者名(3名)	タイトル	雑誌名	年
Misaki Y, Ezaki	Gene-transferred oligoclonal T cells predominantly persist in peripheral blood from an adenosine deaminase-deficient patient during gene therapy	Molecular Therapy	2001
Egashira K	Clinical importance of endothelial function in arteriosclerosis and ischemic heart disease	Jpn Circ J	2002
Egashira K,	Importance of Monocyte Chemoattractant Protein-1 Pathway in Neointimal Hyperplasia After Peri-arterial Injury in Mice and Monkeys	Circulation Research	2002
Ikeda Y, Yorikane	Anti-monocyte Chemoattractant Protein-1 Gene Therapy Attenuates Pulmonary Arteriosclerosis in Hypertensive Rats	Am J Physiol-Heart C	2002
Inoue S, Egashira K	Anti-Monocyte Chemoattractant Protein-1 Gene Therapy Limits Progression and Destabilization of Established Atherosclerosis in Angiopoietin E-Knockout Mice	Circulation	2002
Kitamoto S,	Gene Therapy Targeting Monocyte Chemoattractant Protein-1 for Vascular Disease.	J Atherosclerosis and Thrombosis	2002
Mori E, Komuro	Essential Role of Monocyte Chemoattractant Protein-1 in the Development of Restenotic Changes (Neointimal Hyperplasia and Constrictive Remodeling) After Balloon Angioplasty in Hypercholesterolemic Rabbits	Circulation	2002
Otsu M, Herzig	Flow cytometry analysis of adenosine deaminase(ADA) expression: A simple and reliable tool for the assessment of ADA-deficient patients before and after gene therapy	Human Gene Ther	2002
Usui M, Egashira K	Anti-Monocyte Chemoattractant Protein-1 Gene Therapy Inhibits Restenotic Changes (Neointimal Hyperplasia) After Balloon Injury in Rats and Monkeys	FASEB J	2002
Zhao QW, Egashira K	Vascular Endothelial Growth Factor is Necessary in the Development of Arteriosclerosis by Recruiting/Activating Monocytes in a Rat Model of Long-Term Inhibition of Nitric Oxide Synthesis.	Circulation	2002
Egashira K	Molecular Mechanisms Mediating Inflammation in Vascular Disease -- special Reference to Monocyte Chemoattractant Protein-1 --	Hypertension	2003
Furuichi K, Vlodavets	Gene therapy expressing amino-terminal truncated monocyte chemoattractant protein-1 prevents renal ischemia-reperfusion injury	J Am Soc Nephrol	2003
Hayashidani	Anti-monocyte chemoattractant protein-1 gene therapy attenuates left ventricular remodeling and failure after experimental myocardial infarction	Circulation	2003
Kajihara N, Kitamoto S	Transfection with a Dominant-Negative Inhibitor of Monocyte Chemoattractant Protein-1 Gene Improves Cardiac Function after 8 hours of Cold Preservation	Circulation	2003
Kitamoto S,	Anti-monocyte chemoattractant protein-1 gene therapy for cardiovascular diseases.	Expert Review of Cardiovascular	2003
Kitamoto S,	Stress and Vascular Responses: Anti-inflammatory Therapeutic Strategy against Atherosclerosis and Restenosis after Coronary Intervention	J Pharm Sci	2003
Platten M, Krieger	Monocyte chemoattractant protein-1 increases microglial infiltration and aggressiveness of gliomas	Annal Neurol	2003
Shimizu H, Egashira K	Anti-monocyte chemoattractant protein-1 gene therapy attenuates renal injury induced by protein-overload proteinuria	J Am Soc Nephrol	2003
Tsutsumi C,	The critical role of ocular-infiltrating macrophages in the development of choroidal neovascularization	J Leukoc Biol	2003
Hiasa K, Egashira K	Bone marrow mononuclear cell therapy limits myocardial infarct size through vascular endothelial growth factor	Basic Research in Cardiology	2004
Hiasa K, Ishihara	Gene Transfer of Stromal Cell-Derived Factor-1 α Enhances Ischemic Vasculogenesis and Angiogenesis via VEGF/eNOS-Related Pathway: Next-Generation Chemokine Therapy for Therapeutic Neovascularization	Circulation	2004
Inoshima I, Kawanishi	Anti-monocyte chemoattractant protein-1 gene therapy attenuates pulmonary fibrosis in mice	Am J Physiol Lung Cell Mol	2004
Ishibashi M,	Critical role of Monocyte Chemoattractant Protein-1 Receptor CCR2 on Monocytes in Hypertension-Induced Vascular Inflammation and Remodeling	Circulation Research	2004
Kitamoto S,	Endothelial Dysfunction and Coronary Atherosclerosis.	Durr Drug Targets Cardiovasc	2004
Ni W, Kitamoto S	Monocyte Chemoattractant Protein-1 is an essential inflammatory mediator in angiotensin II-induced progression of established atherosclerosis in	Arterioscler Thromb Vas Biol	2004
Ohtani K, Egashira K	Inhibition of neointimal hyperplasia after balloon injury by cis-element decoy of early growth response gene-1 in hypercholesterolemic rabbits	Gene Ther.	2004
Ohtani K, Usui M	Anti-Monocyte Chemoattractant Protein-1 Gene Therapy Reduces Experimental In-Stent Restenosis in Hypercholesterolemic Rabbits and Monkeys	Gene Therapy	2004
Wada T, Furuta	Gene therapy via blockade of MCP-1 for renal fibrosis.	J Am Soc Nephrol	2004