

資 料

表1 2003(平成15)年に報告されたHIV感染者及びAIDS患者の内訳

診断区分	項目	区分	日本国籍			外国国籍			合計		
			2003	2002	差	2003	2002	差	2003	2002	差
HIV	合計		557	521	36	83	93	-10	640	614	26
感染経路	異性間の性的接触		132	160	-28	46	43	3	178	203	-25
	同性間の性的接触*1		340	305	35	16	24	-8	356	329	27
	静注薬物濫用		4	1	3	0	0	0	4	1	3
	母子感染		0	1	-1	0	2	-2	0	3	-3
	その他*2		17	4	13	1	1	0	18	5	13
	不明		64	50	14	20	23	-3	84	73	11
性別	男		525	481	44	48	55	-7	573	536	37
	女		32	40	-8	35	38	-3	67	78	-11
感染地	国内		472	439	33	27	35	-8	499	474	25
	海外		25	33	-8	21	30	-9	46	63	-17
	不明		60	49	11	35	28	7	95	77	18
報告地	北海道・東北		16	17	-1	1	4	-3	17	21	-4
(ブロック*3)	関東・甲信越*4		104	87	17	28	33	-5	132	120	12
	東京		234	250	-16	28	25	3	262	275	-13
	東海		52	47	5	9	14	-5	61	61	0
	北陸		2	6	-4	2	1	1	4	7	-3
	近畿		109	84	25	10	12	-2	119	96	23
	中国・四国		18	11	7	3	3	0	21	14	7
	九州		22	19	3	2	1	1	24	20	4
	不明		0	0	0	0	0	0	0	0	0
AIDS	合計		271	252	19	65	58	9	336	308	28
感染経路	異性間の性的接触		104	109	-5	27	24	3	131	133	-2
	同性間の性的接触*1		91	81	10	5	3	2	96	84	12
	静注薬物濫用		2	1	1	0	1	-1	2	2	0
	母子感染		1	0	1	0	0	0	1	0	1
	その他*2		8	8	0	3	1	2	11	9	2
	不明		65	53	12	30	27	3	95	80	15
性別	男		252	232	20	39	36	3	291	268	23
	女		19	20	-1	26	20	6	45	40	5
感染地	国内		206	180	26	9	6	3	215	186	29
	海外		26	40	-14	25	23	2	51	63	-12
	不明		39	32	7	31	27	4	70	59	11
報告地	北海道・東北		16	10	6	2	0	2	18	10	8
(ブロック*3)	関東・甲信越*4		92	97	-5	29	27	2	121	124	-3
	東京		81	80	1	16	13	3	97	93	4
	東海		21	14	7	9	6	3	30	20	10
	北陸		3	2	1	1	1	0	4	3	1
	近畿		31	35	-4	6	3	3	37	38	-1
	中国・四国		11	5	6	1	3	-2	12	8	4
	九州		16	9	7	1	3	-2	17	12	5
	不明		0	0	0	0	0	0	0	0	0

*1 両性間性的接触を含む。

*2 輸血などに伴う感染例や推定される感染経路が複数ある例を含む。

*3 ブロック区分については、表10-1を参照。

*4 東京都を除く。

表2 2003(平成15)年末におけるHIV感染者及びAIDS患者の国籍別、性別、感染経路別累計

診断区分	感染経路	日本国籍			外国国籍			合計		
		男	女	計	男	女	計	男	女	計
HIV	異性間の性的接触	1,121	372	1,493	232	645	877	1,353	1,017	2,370
	同性間の性的接触*1	1,961	1	1,962	164	0	164	2,125	1	2,126
	静注薬物濫用	13	1	14	16	1	17	29	2	31
	母子感染	12	7	19	3	7	10	15	14	29
	その他*2	56	27	83	15	11	26	71	38	109
	不明	371	51	422	230	463	693	601	514	1,115
	HIV合計	3,534	459	3,993	660	1,127	1,787	4,194	1,586	5,780
AIDS*3	異性間の性的接触	890	107	997	170	124	294	1,060	231	1,291
	同性間の性的接触*1	644	1	645	61	2	63	705	3	708
	静注薬物濫用	7	1	8	11	0	11	18	1	19
	母子感染	9	3	12	1	3	4	10	6	16
	その他*2	40	12	52	15	8	23	55	20	75
	不明	418	45	463	221	99	320	639	144	783
	AIDS合計	2,008	169	2,177	479	236	715	2,487	405	2,892
凝固因子製剤による感染者*4	1,414	18	1,432	—	—	—	1,414	18	1,432	

*1 両性間性的接触を含む。

*2 輸血などに伴う感染例や推定される感染経路が複数ある例を含む。

*3 1999年3月31日までの病状変化によるAIDS患者報告数154件を含む。

*4 「血液凝固異常症全国調査」による2002年5月31日現在の凝固因子製剤による感染者数

(生存中のAIDS既発症者数168名及び死亡者数544名を含む)

表3-1 HIV感染者及びAIDS患者の年次推移(国籍別、性別)

診断区分	国籍	性別	1985	1986	1987	1988	1989	1990	1991	1992	1993	1994	1995	1996
HIV	日本	男	0	0	34	15	35	27	52	108	102	134	147	189
		女	0	0	11	4	18	10	17	16	22	32	19	41
		計	0	0	45	19	53	37	69	124	124	166	166	230
	外国	男	0	0	10	4	21	11	26	45	33	37	47	65
		女	0	0	0	0	6	18	105	273	120	95	64	81
		計	0	0	10	4	27	29	131	318	153	132	111	146
合計		0	0	55	23	80	66	200	442	277	298	277	376	
AIDS	日本	男	5	3	6	9	15	18	24	36	53	91	108	156
		女	0	0	3	2	2	3	0	1	5	9	11	15
		計	5	3	9	11	17	21	24	37	58	100	119	171
	外国	男	1	2	3	3	4	10	14	13	19	28	33	45
		女	0	0	2	0	0	0	0	1	9	8	17	18
		計	1	2	5	3	4	10	14	14	28	36	50	63
合計		6	5	14	14	21	31	38	51	86	136	169	234	

表3-2 HIV感染者及びAIDS患者の年次推移(国籍区分別)

診断区分	国籍区分	1985	1986	1987	1988	1989	1990	1991	1992	1993	1994	1995	1996
HIV	西ヨーロッパ	0	0	0	0	0	0	1	3	1	4	3	3
	北アフリカ・中近東	0	0	0	0	0	0	0	0	0	0	0	0
	サハラ以南アフリカ	0	0	0	0	0	1	5	6	4	5	15	20
	南アジア	0	0	0	0	0	0	2	4	2	3	7	12
	東南アジア	0	0	0	0	0	4	66	241	123	79	65	72
	東ヨーロッパ・中央アジア	0	0	0	0	0	0	0	0	0	0	0	0
	東アジア・太平洋地域(除く日本)	0	0	0	0	0	0	1	2	0	3	5	3
	オーストラリア・ニュージーランド	0	0	0	0	0	0	0	0	2	0	0	0
	北アメリカ	0	0	0	0	0	0	2	6	2	5	2	6
	カリブ海地域	0	0	0	0	0	0	0	1	0	0	0	1
	ラテンアメリカ	0	0	0	0	1	0	4	8	9	12	13	25
	日本	0	0	45	19	53	37	69	124	124	166	166	230
	不明	0	0	10	4	26	24	50	47	10	21	1	4
	合計		0	0	55	23	80	66	200	442	277	298	277
AIDS	西ヨーロッパ	0	0	0	0	0	0	0	2	0	1	0	0
	北アフリカ・中近東	0	0	0	0	0	0	0	0	0	1	0	0
	サハラ以南アフリカ	0	0	0	0	0	1	1	0	0	0	4	9
	南アジア	0	0	0	0	0	0	0	0	0	1	0	1
	東南アジア	0	0	0	0	0	0	2	2	12	16	27	32
	東ヨーロッパ・中央アジア	0	0	0	0	0	0	0	0	0	0	0	0
	東アジア・太平洋地域(除く日本)	0	0	0	0	0	0	0	0	0	0	2	4
	オーストラリア・ニュージーランド	0	0	0	0	0	0	0	0	0	0	0	0
	北アメリカ	0	0	0	0	0	1	3	1	0	5	0	0
	カリブ海地域	0	0	0	0	0	0	0	0	0	0	0	0
	ラテンアメリカ	0	0	0	0	0	0	2	7	16	11	16	15
	日本	5	3	9	11	17	21	24	37	58	100	119	171
	不明	1	2	5	3	4	8	6	2	0	1	1	2
	合計		6	5	14	14	21	31	38	51	86	136	169

診断区分	国籍	性別	1997	1998	1999	2000	2001	2002	2003	合計	合計の%
HIV	日本	男	234	261	379	336	475	481	525	3,534	61.1
		女	34	36	45	32	50	40	32	459	7.9
		計	268	297	424	368	525	521	557	3,993	69.1
	外国	男	49	58	39	53	59	55	48	660	11.4
		女	80	67	67	41	37	38	35	1,127	19.5
		計	129	125	106	94	96	93	83	1,787	30.9
合計		397	422	530	462	621	614	640	5,780	100	
AIDS	日本	男	170	158	212	239	221	232	252	2,008	69.4
		女	12	10	12	21	24	20	19	169	5.8
		計	182	168	224	260	245	252	271	2,177	75.3
	外国	男	39	42	46	41	61	36	39	479	16.6
		女	29	21	31	28	26	20	26	236	8.2
		計	68	63	77	69	87	56	65	715	24.7
合計		250	231	301	329	332	308	336	2,892	100	

診断区分	国籍区分	1997	1998	1999	2000	2001	2002	2003	合計	合計の%
HIV	西ヨーロッパ	2	2	3	1	2	1	0	26	0.4
	北アフリカ・中近東	0	0	0	0	0	1	0	1	0.0
	サハラ以南アフリカ	17	17	10	4	16	16	10	146	2.5
	南アジア	3	9	2	5	0	6	7	62	1.1
	東南アジア	76	64	56	35	33	18	22	954	16.5
	東ヨーロッパ・中央アジア	0	0	0	0	0	2	0	2	0.0
	東アジア・太平洋地域(除く日本)	6	7	5	7	9	13	5	66	1.1
	オーストラリア・ニュージーランド	0	0	1	2	0	0	0	5	0.1
	北アメリカ	3	0	0	3	2	3	2	36	0.6
	カリブ海地域	0	2	0	0	0	0	1	5	0.1
	ラテンアメリカ	22	20	15	19	17	11	19	195	3.4
	日本	268	297	424	368	525	521	557	3,993	69.1
	不明	0	4	14	18	17	22	17	289	5.0
	合計		397	422	530	462	621	614	640	5,780
AIDS	西ヨーロッパ	1	0	0	1	0	2	1	8	0.3
	北アフリカ・中近東	0	0	0	1	0	0	0	2	0.1
	サハラ以南アフリカ	8	11	9	8	7	4	9	71	2.5
	南アジア	4	5	2	3	5	2	1	24	0.8
	東南アジア	41	33	42	33	34	30	26	330	11.4
	東ヨーロッパ・中央アジア	0	0	0	0	1	0	0	1	0.0
	東アジア・太平洋地域(除く日本)	2	4	5	0	8	1	3	29	1.0
	オーストラリア・ニュージーランド	0	0	0	0	0	0	0	0	0.0
	北アメリカ	2	0	0	2	2	1	2	19	0.7
	カリブ海地域	0	0	0	0	0	0	0	0	0.0
	ラテンアメリカ	10	10	15	14	14	11	13	154	5.3
	日本	182	168	224	260	245	252	271	2,177	75.3
	不明	0	0	4	7	16	5	10	77	2.7
	合計		250	231	301	329	332	308	336	2,892

表4 HIV感染者及びAIDS患者の年次推移(国籍別、感染経路別)

診断区分	国籍	感染経路	1985	1986	1987	1988	1989	1990	1991	1992	1993	1994	1995	1996
HIV	日本	異性間の性的接触	0	0	17	6	25	11	43	70	57	82	90	102
		同性間の性的接触*1	0	0	20	8	22	16	21	36	41	71	60	90
		静注薬物濫用	0	0	0	0	0	1	1	0	0	0	1	1
		母子感染	0	0	0	0	0	2	0	1	0	0	1	6
		その他*2	0	0	6	5	5	3	1	5	4	0	0	2
		不明	0	0	2	0	1	4	3	12	22	13	14	29
		合計	0	0	45	19	53	37	69	124	124	166	166	230
	外国	異性間の性的接触	0	0	4	0	11	15	71	162	79	66	57	67
		同性間の性的接触*1	0	0	5	4	13	4	4	8	4	6	8	12
		静注薬物濫用	0	0	0	0	1	0	2	3	1	1	0	0
		母子感染	0	0	0	0	0	0	0	0	1	2	2	2
		その他*2	0	0	1	0	0	1	0	1	0	2	3	2
		不明	0	0	0	0	2	9	54	144	68	55	41	63
		合計	0	0	10	4	27	29	131	318	153	132	111	146
合計	異性間の性的接触	0	0	21	6	36	26	114	232	136	148	147	169	
	同性間の性的接触*1	0	0	25	12	35	20	25	44	45	77	68	102	
	静注薬物濫用	0	0	0	0	1	1	3	3	1	1	1	1	
	母子感染	0	0	0	0	0	2	0	1	1	2	3	8	
	その他*2	0	0	7	5	5	4	1	6	4	2	3	4	
	不明	0	0	2	0	3	13	57	156	90	68	55	92	
	合計	0	0	55	23	80	66	200	442	277	298	277	376	
AIDS	日本	異性間の性的接触	0	0	3	4	4	6	8	18	22	34	59	85
		同性間の性的接触*1	5	2	5	5	9	6	12	12	14	40	38	45
		静注薬物濫用	0	0	0	0	0	1	0	0	0	0	1	2
		母子感染	0	0	0	0	0	1	0	0	3	1	0	1
		その他*2	0	1	1	1	2	2	0	0	2	3	0	3
		不明	0	0	0	1	2	5	4	7	17	22	21	35
		合計	5	3	9	11	17	21	24	37	58	100	119	171
	外国	異性間の性的接触	0	0	2	2	0	2	1	3	12	12	21	33
		同性間の性的接触*1	1	2	3	1	3	4	6	2	2	5	2	4
		静注薬物濫用	0	0	0	0	0	0	0	0	1	2	0	2
		母子感染	0	0	0	0	0	0	1	0	0	1	0	0
		その他*2	0	0	0	0	0	0	0	1	0	1	2	2
		不明	0	0	0	0	1	4	6	8	13	15	25	22
		合計	1	2	5	3	4	10	14	14	28	36	50	63
合計	異性間の性的接触	0	0	5	6	4	8	9	21	34	46	80	118	
	同性間の性的接触*1	6	4	8	6	12	10	18	14	16	45	40	49	
	静注薬物濫用	0	0	0	0	0	1	0	0	1	2	1	4	
	母子感染	0	0	0	0	0	1	1	0	3	2	0	1	
	その他*2	0	1	1	1	2	2	0	1	2	4	2	5	
	不明	0	0	0	1	3	9	10	15	30	37	46	57	
	合計	6	5	14	14	21	31	38	51	86	136	169	234	

*1 両性間性的接触を含む。

*2 輸血などに伴う感染例や推定される感染経路が複数ある例を含む。

診断区分	国籍	感染経路	1997	1998	1999	2000	2001	2002	2003	合計	合計の%
HIV	日本	異性間の性的接触	122	125	160	127	164	160	132	1,493	37.4
		同性間の性的接触*1	111	122	195	203	301	305	340	1,962	49.1
		静注薬物濫用	0	2	1	0	2	1	4	14	0.4
		母子感染	2	0	2	3	1	1	0	19	0.5
		その他*2	3	1	10	7	10	4	17	83	2.1
		不明	30	47	56	28	47	50	64	422	10.6
		合計	268	297	424	368	525	521	557	3,993	100
外国		異性間の性的接触	64	54	47	42	49	43	46	877	49.1
		同性間の性的接触*1	10	12	6	15	13	24	16	164	9.2
		静注薬物濫用	2	3	2	1	1	0	0	17	1.0
		母子感染	0	1	0	0	0	2	0	10	0.6
		その他*2	5	1	3	3	2	1	1	26	1.5
		不明	48	54	48	33	31	23	20	693	38.8
		合計	129	125	106	94	96	93	83	1,787	100
合計		異性間の性的接触	186	179	207	169	213	203	178	2,370	41.0
		同性間の性的接触*1	121	134	201	218	314	329	356	2,126	36.8
		静注薬物濫用	2	5	3	1	3	1	4	31	0.5
		母子感染	2	1	2	3	1	3	0	29	0.5
		その他*2	8	2	13	10	12	5	18	109	1.9
		不明	78	101	104	61	78	73	84	1,115	19.3
		合計	397	422	530	462	621	614	640	5,780	100
AIDS	日本	異性間の性的接触	97	85	121	131	107	109	104	997	45.8
		同性間の性的接触*1	33	44	53	66	84	81	91	645	29.6
		静注薬物濫用	0	0	0	1	0	1	2	8	0.4
		母子感染	2	1	1	1	0	0	1	12	0.6
		その他*2	2	2	3	7	7	8	8	52	2.4
		不明	48	36	46	54	47	53	65	463	21.3
		合計	182	168	224	260	245	252	271	2,177	100
外国		異性間の性的接触	29	19	44	31	32	24	27	294	41.1
		同性間の性的接触*1	2	2	2	7	7	3	5	63	8.8
		静注薬物濫用	2	2	1	0	0	1	0	11	1.5
		母子感染	0	0	0	1	1	0	0	4	0.6
		その他*2	1	0	3	5	4	1	3	23	3.2
		不明	34	40	27	25	43	27	30	320	44.8
		合計	68	63	77	69	87	56	65	715	100
合計		異性間の性的接触	126	104	165	162	139	133	131	1,291	44.6
		同性間の性的接触*1	35	46	55	73	91	84	96	708	24.5
		静注薬物濫用	2	2	1	1	0	2	2	19	0.7
		母子感染	2	1	1	2	1	0	1	16	0.6
		その他*2	3	2	6	12	11	9	11	75	2.6
		不明	82	76	73	79	90	80	95	783	27.1
		合計	250	231	301	329	332	308	336	2,892	100

表5 HIV感染者及びAIDS患者の年次推移(国籍別、性別、感染経路別)

診断区分	国籍	性別	感染経路	1985	1986	1987	1988	1989	1990	1991	1992	1993	1994	1995	1996	
HIV	日本	男	異性間の性的接触	0	0	11	5	11	6	27	56	42	51	74	67	
			同性間の性的接触*1	0	0	20	8	22	16	21	36	41	71	60	90	
			静注薬物濫用	0	0	0	0	0	1	1	0	0	0	0	1	1
			母子感染	0	0	0	0	0	0	0	0	1	0	0	0	4
			その他*2	0	0	3	2	2	0	1	3	1	0	0	0	2
			不明	0	0	0	0	0	0	4	2	12	18	12	12	25
		合計	0	0	34	15	35	27	52	108	102	134	147	189		
		女	異性間の性的接触	0	0	6	1	14	5	16	14	14	15	31	16	35
			同性間の性的接触*1	0	0	0	0	0	0	0	0	0	0	0	0	0
			静注薬物濫用	0	0	0	0	0	0	0	0	0	0	0	0	0
			母子感染	0	0	0	0	0	2	0	0	0	0	0	1	2
			その他*2	0	0	3	3	3	3	0	2	3	0	0	0	0
	不明		0	0	2	0	1	0	1	0	4	1	2	4		
	合計	0	0	11	4	18	10	17	16	22	32	19	41			
	外国	男	異性間の性的接触	0	0	4	0	6	3	10	13	15	15	18	25	
			同性間の性的接触*1	0	0	5	4	13	4	4	8	4	6	8	12	
			静注薬物濫用	0	0	0	0	1	0	2	3	1	1	0	0	
			母子感染	0	0	0	0	0	0	0	0	0	1	0	0	
			その他*2	0	0	1	0	0	0	0	1	0	2	3	1	
			不明	0	0	0	0	1	4	10	20	13	12	18	27	
		合計	0	0	10	4	21	11	26	45	33	37	47	65		
		女	異性間の性的接触	0	0	0	0	5	12	61	149	64	51	39	42	
			同性間の性的接触*1	0	0	0	0	0	0	0	0	0	0	0	0	
			静注薬物濫用	0	0	0	0	0	0	0	0	0	0	0	0	
母子感染			0	0	0	0	0	0	0	0	1	1	2	2		
その他*2			0	0	0	0	0	1	0	0	0	0	0	1		
不明	0		0	0	0	1	5	44	124	55	43	23	36			
合計	0	0	0	0	6	18	105	273	120	95	64	81				
AIDS	日本	男	異性間の性的接触	0	0	1	2	3	5	8	17	19	31	49	77	
			同性間の性的接触*1	5	2	5	5	9	6	12	12	14	40	38	45	
			静注薬物濫用	0	0	0	0	0	1	0	0	0	0	1	2	
			母子感染	0	0	0	0	0	0	0	0	3	0	0	1	
			その他*2	0	1	0	1	1	1	0	0	1	1	0	3	
			不明	0	0	0	1	2	5	4	7	16	19	20	28	
		合計	5	3	6	9	15	18	24	36	53	91	108	156		
		女	異性間の性的接触	0	0	2	2	1	1	0	1	3	3	10	8	
			同性間の性的接触*1	0	0	0	0	0	0	0	0	0	0	0	0	
			静注薬物濫用	0	0	0	0	0	0	0	0	0	0	0	0	
			母子感染	0	0	0	0	0	1	0	0	0	1	0	0	
			その他*2	0	0	1	0	1	1	0	0	1	2	0	0	
	不明		0	0	0	0	0	0	0	0	1	3	1	7		
	合計	0	0	3	2	2	3	0	1	5	9	11	15			
	外国	男	異性間の性的接触	0	0	0	2	0	2	1	3	7	8	12	25	
			同性間の性的接触*1	1	2	3	1	3	4	6	2	2	5	2	4	
			静注薬物濫用	0	0	0	0	0	0	0	0	1	2	0	2	
			母子感染	0	0	0	0	0	0	1	0	0	0	0	0	
			その他*2	0	0	0	0	0	0	0	1	0	1	2	1	
			不明	0	0	0	0	1	4	6	7	9	12	17	13	
		合計	1	2	3	3	4	10	14	13	19	28	33	45		
		女	異性間の性的接触	0	0	2	0	0	0	0	0	5	4	9	8	
			同性間の性的接触*1	0	0	0	0	0	0	0	0	0	0	0	0	
			静注薬物濫用	0	0	0	0	0	0	0	0	0	0	0	0	
母子感染			0	0	0	0	0	0	0	0	0	1	0	0		
その他*2			0	0	0	0	0	0	0	0	0	0	0	1		
不明	0		0	0	0	0	0	0	1	4	3	8	9			
合計	0	0	2	0	0	0	0	1	9	8	17	18				

*1 両性間性的接触を含む。

*2 輸血などに伴う感染例や推定される感染経路が複数ある例を含む。

診断区分	国籍	性別	感染経路	1997	1998	1999	2000	2001	2002	2003	合計	合計の%	
HIV	日本	男	異性間の性的接触	93	91	122	101	128	130	108	1,121	31.7	
			同性間の性的接触*1	111	122	195	203	300	305	340	1,961	55.5	
			静注薬物濫用	0	2	1	0	2	1	3	13	0.4	
			母子感染	2	0	1	2	1	1	0	12	0.3	
			その他*2	2	1	7	7	8	1	16	56	1.6	
			不明	26	45	53	23	38	43	58	371	10.5	
			合計	234	261	379	336	475	481	525	3,534	100	
			女	異性間の性的接触	29	34	38	26	38	30	24	372	81.0
				同性間の性的接触*1	0	0	0	0	1	0	0	1	0.2
	静注薬物濫用	0		0	0	0	0	0	1	1	0.2		
	母子感染	0		0	1	1	0	0	0	7	1.5		
	その他*2	1		0	3	0	2	3	1	27	5.9		
	不明	4		2	3	5	9	7	6	51	11.1		
	合計	34		36	45	32	50	40	32	459	100		
	外国	男		異性間の性的接触	15	18	12	16	25	19	18	232	35.2
				同性間の性的接触*1	10	12	6	15	13	24	16	164	24.8
			静注薬物濫用	2	3	1	1	1	0	0	16	2.4	
			母子感染	0	1	0	0	0	1	0	3	0.5	
その他*2			2	0	2	1	0	1	1	15	2.3		
不明			20	24	18	20	20	10	13	230	34.8		
合計			49	58	39	53	59	55	48	660	100		
女			異性間の性的接触	49	36	35	26	24	24	28	645	57.2	
			同性間の性的接触*1	0	0	0	0	0	0	0	0	0.0	
	静注薬物濫用	0	0	1	0	0	0	0	1	0.1			
	母子感染	0	0	0	0	0	1	0	7	0.6			
	その他*2	3	1	1	2	2	0	0	11	1.0			
	不明	28	30	30	13	11	13	7	463	41.1			
	合計	80	67	67	41	37	38	35	1,127	100			
	AIDS	日本	男	異性間の性的接触	88	79	114	116	93	97	91	890	44.3
				同性間の性的接触*1	33	44	53	66	83	81	91	644	32.1
静注薬物濫用				0	0	0	1	0	0	2	7	0.3	
母子感染				2	1	0	1	0	0	1	9	0.4	
その他*2				2	2	3	5	4	7	8	40	2.0	
不明				45	32	42	50	41	47	59	418	20.8	
合計				170	158	212	239	221	232	252	2,008	100	
女				異性間の性的接触	9	6	7	15	14	12	13	107	63.3
				同性間の性的接触*1	0	0	0	0	1	0	0	1	0.6
		静注薬物濫用	0	0	0	0	0	1	0	1	0.6		
		母子感染	0	0	1	0	0	0	0	3	1.8		
		その他*2	0	0	0	2	3	1	0	12	7.1		
		不明	3	4	4	4	6	6	6	45	26.6		
		合計	12	10	12	21	24	20	19	169	100		
		外国	男	異性間の性的接触	15	13	23	15	18	11	15	170	35.5
				同性間の性的接触*1	2	2	2	7	7	2	4	61	12.7
静注薬物濫用				2	2	1	0	0	1	0	11	2.3	
母子感染				0	0	0	0	0	0	0	1	0.2	
その他*2	0			0	1	2	4	1	2	15	3.1		
不明	20			25	19	17	32	21	18	221	46.1		
合計	39			42	46	41	61	36	39	479	100		
女	異性間の性的接触			14	6	21	16	14	13	12	124	52.5	
	同性間の性的接触*1			0	0	0	0	0	1	1	2	0.8	
	静注薬物濫用	0	0	0	0	0	0	0	0	0.0			
	母子感染	0	0	0	1	1	0	0	3	1.3			
	その他*2	1	0	2	3	0	0	1	8	3.4			
	不明	14	15	8	8	11	6	12	99	41.9			
	合計	29	21	31	28	26	20	26	236	100			

表6-1 年齢階級別の年次推移(HIV感染者、AIDS患者)

診断区分	年齢階級	1985	1986	1987	1988	1989	1990	1991	1992	1993	1994	1995	1996
HIV	10歳未満	0	0	0	0	1	2	0	1	1	2	3	8
	10-14	0	0	0	0	0	0	0	0	0	0	0	0
	15-19	0	0	0	1	1	3	23	38	10	8	6	6
	20-24	0	0	6	5	9	10	76	176	89	65	44	52
	25-29	0	0	14	4	20	17	33	111	65	76	75	90
	30-34	0	0	11	5	13	9	24	33	43	41	53	89
	35-39	0	0	13	0	10	7	10	30	21	33	25	46
	40-44	0	0	5	4	11	8	14	23	20	32	20	30
	45-49	0	0	3	1	6	5	9	9	13	17	20	20
	50-54	0	0	2	0	1	1	5	9	6	8	17	14
	55-59	0	0	1	1	2	2	2	4	5	8	6	11
	60歳以上	0	0	0	2	5	1	3	5	4	7	6	10
	不明	0	0	0	0	1	1	1	3	0	1	2	0
	合計	0	0	55	23	80	66	200	442	277	298	277	376
AIDS	10歳未満	0	0	0	0	0	1	1	0	3	2	0	1
	10-14	0	0	0	0	0	0	0	0	0	0	0	0
	15-19	0	0	0	0	0	0	0	0	1	0	1	0
	20-24	0	0	0	4	1	0	2	2	7	5	7	9
	25-29	0	0	3	1	6	4	2	10	10	23	28	38
	30-34	2	2	5	2	4	12	7	11	13	22	19	38
	35-39	2	2	1	1	3	3	11	6	8	22	25	29
	40-44	1	0	4	2	5	5	5	9	11	23	22	31
	45-49	0	0	1	3	1	3	7	3	11	15	33	27
	50-54	1	1	0	1	0	0	1	6	12	10	19	23
	55-59	0	0	0	0	1	2	2	3	7	3	7	20
	60歳以上	0	0	0	0	0	1	0	1	3	11	8	18
	不明	0	0	0	0	0	0	0	0	0	0	0	0
	合計	6	5	14	14	21	31	38	51	86	136	169	234

診断区分	年齢階級	1997	1998	1999	2000	2001	2002	2003	合計	合計の%
HIV	10歳未満	2	1	2	3	1	3	0	30	0.5
	10-14	0	0	0	0	0	1	0	1	0.0
	15-19	3	6	5	4	7	6	8	135	2.3
	20-24	50	40	56	52	68	59	65	922	16.0
	25-29	102	107	129	96	153	153	136	1,381	23.9
	30-34	75	101	98	108	134	134	126	1,097	19.0
	35-39	45	48	64	64	90	75	110	691	12.0
	40-44	38	22	51	26	49	53	62	468	8.1
	45-49	34	28	53	35	41	42	47	383	6.6
	50-54	16	21	30	22	35	36	30	253	4.4
	55-59	16	21	22	22	17	28	28	196	3.4
	60歳以上	16	25	20	30	26	24	28	212	3.7
	不明	0	2	0	0	0	0	0	11	0.2
合計		397	422	530	462	621	614	640	5,780	100
AIDS	10歳未満	2	1	1	2	1	0	1	16	0.6
	10-14	0	0	0	0	0	0	0	0	0.0
	15-19	0	0	1	0	0	0	1	4	0.1
	20-24	15	5	10	10	8	5	8	98	3.4
	25-29	22	22	33	27	39	25	29	322	11.1
	30-34	55	41	49	53	55	45	51	486	16.8
	35-39	34	29	35	43	56	47	61	418	14.5
	40-44	26	30	43	40	44	48	36	385	13.3
	45-49	31	41	35	40	48	33	45	377	13.0
	50-54	33	22	35	50	31	43	49	337	11.7
	55-59	17	22	27	34	25	29	22	221	7.6
	60歳以上	15	18	32	30	25	33	33	228	7.9
	不明	0	0	0	0	0	0	0	0	0.0
合計		250	231	301	329	332	308	336	2,892	100

表6-2 国籍別、性別、年齢階級別の年次推移(HIV感染者)

国籍	性別	年齢階級	1985	1986	1987	1988	1989	1990	1991	1992	1993	1994	1995	1996
日本	男	10歳未満	0	0	0	0	1	0	0	1	0	0	0	4
		10-14	0	0	0	0	0	0	0	0	0	0	0	0
		15-19	0	0	0	0	0	0	1	2	0	1	1	2
		20-24	0	0	2	4	0	2	4	12	20	13	11	22
		25-29	0	0	9	3	8	4	8	18	15	19	35	31
		30-34	0	0	7	4	8	4	10	14	15	20	25	38
		35-39	0	0	10	0	7	4	5	20	10	20	13	25
		40-44	0	0	2	2	5	6	9	16	17	23	18	23
		45-49	0	0	2	1	1	5	6	7	11	17	18	16
		50-54	0	0	1	0	1	0	4	9	6	6	14	11
		55-59	0	0	1	1	1	1	2	4	4	7	6	8
		60歳以上	0	0	0	0	3	1	3	5	4	7	5	9
		不明	0	0	0	0	0	0	0	0	0	1	1	0
		合計	0	0	34	15	35	27	52	108	102	134	147	189
		日本	女	10歳未満	0	0	0	0	0	2	0	0	0	0
10-14	0			0	0	0	0	0	0	0	0	0	0	0
15-19	0			0	0	1	0	0	1	3	1	3	2	0
20-24	0			0	4	1	5	3	4	4	2	7	3	7
25-29	0			0	3	0	6	2	7	3	8	11	3	15
30-34	0			0	2	0	2	0	3	2	5	3	3	6
35-39	0			0	1	0	1	1	0	1	3	3	3	2
40-44	0			0	0	0	0	2	1	2	1	2	0	1
45-49	0			0	1	0	2	0	0	1	1	0	1	2
50-54	0			0	0	0	0	0	1	0	0	2	2	3
55-59	0			0	0	0	1	0	0	0	1	1	0	2
60歳以上	0			0	0	2	1	0	0	0	0	0	1	1
不明	0			0	0	0	0	0	0	0	0	0	0	0
合計	0			0	11	4	18	10	17	16	22	32	19	41
外国	男			10歳未満	0	0	0	0	0	0	0	0	0	1
		10-14	0	0	0	0	0	0	0	0	0	0	0	0
		15-19	0	0	0	0	0	0	0	0	0	0	0	0
		20-24	0	0	0	0	1	0	4	10	2	6	4	3
		25-29	0	0	2	1	5	4	7	14	10	9	16	21
		30-34	0	0	2	1	3	3	4	10	13	10	16	23
		35-39	0	0	2	0	2	2	4	6	6	6	7	11
		40-44	0	0	3	2	6	0	4	4	2	5	1	4
		45-49	0	0	0	0	3	0	3	1	0	0	1	2
		50-54	0	0	1	0	0	1	0	0	0	0	1	0
		55-59	0	0	0	0	0	1	0	0	0	0	0	1
		60歳以上	0	0	0	0	1	0	0	0	0	0	0	0
		不明	0	0	0	0	0	0	0	0	0	0	1	0
		合計	0	0	10	4	21	11	26	45	33	37	47	65
		外国	女	10歳未満	0	0	0	0	0	0	0	1	1	2
10-14	0			0	0	0	0	0	0	0	0	0	0	0
15-19	0			0	0	0	1	3	21	33	9	4	3	4
20-24	0			0	0	0	3	5	64	150	65	39	26	20
25-29	0			0	0	0	1	7	11	76	32	37	21	23
30-34	0			0	0	0	0	2	7	7	10	8	9	22
35-39	0			0	0	0	0	0	1	3	2	4	2	8
40-44	0			0	0	0	0	0	0	1	0	2	1	2
45-49	0			0	0	0	0	0	0	0	1	0	0	0
50-54	0			0	0	0	0	0	0	0	0	0	0	0
55-59	0			0	0	0	0	0	0	0	0	0	0	0
60歳以上	0			0	0	0	0	0	0	0	0	0	0	0
不明	0			0	0	0	1	1	1	3	0	0	0	0
合計	0			0	0	0	6	18	105	273	120	95	64	81

国籍	性別	年齢階級	1997	1998	1999	2000	2001	2002	2003	合計	合計の%
日本	男	10歳未満	2	0	1	2	1	1	0	13	0.4
		10-14	0	0	0	0	0	0	0	0	0.0
		15-19	1	1	3	4	2	4	6	28	0.8
		20-24	19	20	37	34	49	43	55	347	9.8
		25-29	55	58	79	61	128	122	108	761	21.5
		30-34	33	55	65	72	96	112	98	676	19.1
		35-39	25	28	45	45	64	47	87	455	12.9
		40-44	27	16	43	20	37	43	52	359	10.2
		45-49	32	23	47	31	30	32	41	320	9.1
		50-54	13	19	26	21	28	31	27	217	6.1
		55-59	15	17	16	17	16	23	25	164	4.6
		60歳以上	12	23	17	29	24	23	26	191	5.4
		不明	0	1	0	0	0	0	0	3	0.1
		合計	234	261	379	336	475	481	525	3,534	100
女	10歳未満	0	0	1	1	0	0	0	7	1.5	
		10-14	0	0	0	0	0	0	0	0	0.0
		15-19	2	3	2	0	4	1	2	25	5.4
		20-24	8	5	6	5	13	5	4	86	18.7
		25-29	6	11	10	9	7	8	7	116	25.3
		30-34	6	2	9	6	9	6	4	68	14.8
		35-39	2	4	2	2	5	5	7	42	9.2
		40-44	2	1	1	1	4	6	1	25	5.4
		45-49	0	4	3	2	3	4	1	25	5.4
		50-54	3	2	3	1	4	1	1	23	5.0
		55-59	1	2	5	4	1	4	3	25	5.4
		60歳以上	4	2	3	1	0	0	2	17	3.7
		不明	0	0	0	0	0	0	0	0	0.0
		合計	34	36	45	32	50	40	32	459	100
外国	男	10歳未満	0	1	0	0	0	1	0	3	0.5
		10-14	0	0	0	0	0	1	0	1	0.2
		15-19	0	1	0	0	0	0	0	1	0.2
		20-24	2	1	4	6	0	2	2	47	7.1
		25-29	11	15	12	9	11	14	8	169	25.6
		30-34	17	24	9	19	18	8	14	194	29.4
		35-39	11	10	7	12	15	15	12	128	19.4
		40-44	6	4	3	5	6	4	7	66	10.0
		45-49	2	1	2	1	5	4	4	29	4.4
		50-54	0	0	1	0	3	4	1	12	1.8
		55-59	0	1	1	1	0	1	0	6	0.9
		60歳以上	0	0	0	0	1	1	0	3	0.5
		不明	0	0	0	0	0	0	0	1	0.2
		合計	49	58	39	53	59	55	48	660	100
女	10歳未満	0	0	0	0	0	1	0	7	0.6	
		10-14	0	0	0	0	0	0	0	0	0.0
		15-19	0	1	0	0	1	1	0	81	7.2
		20-24	21	14	9	7	6	9	4	442	39.2
		25-29	30	23	28	17	7	9	13	335	29.7
		30-34	19	20	15	11	11	8	10	159	14.1
		35-39	7	6	10	5	6	8	4	66	5.9
		40-44	3	1	4	0	2	0	2	18	1.6
		45-49	0	0	1	1	3	2	1	9	0.8
		50-54	0	0	0	0	0	0	1	1	0.1
		55-59	0	1	0	0	0	0	0	1	0.1
		60歳以上	0	0	0	0	1	0	0	1	0.1
		不明	0	1	0	0	0	0	0	7	0.6
		合計	80	67	67	41	37	38	35	1,127	100

表6-3 国籍別、性別、年齢階級別の年次推移(AIDS患者)

国籍	性別	年齢階級	1985	1986	1987	1988	1989	1990	1991	1992	1993	1994	1995	1996
日本	男	10歳未満	0	0	0	0	0	0	0	0	3	0	0	1
		10-14	0	0	0	0	0	0	0	0	0	0	0	0
		15-19	0	0	0	0	0	0	0	0	0	0	0	0
		20-24	0	0	0	1	1	0	1	0	1	0	2	2
		25-29	0	0	0	0	5	2	1	4	4	10	7	13
		30-34	1	1	2	1	2	7	1	5	2	13	10	20
		35-39	2	2	0	1	2	2	8	5	7	16	12	17
		40-44	1	0	3	2	4	4	4	9	9	18	20	26
		45-49	0	0	1	3	0	1	6	3	8	12	30	23
		50-54	1	0	0	1	0	0	1	6	10	9	16	22
		55-59	0	0	0	0	1	2	2	3	6	3	6	17
		60歳以上	0	0	0	0	0	0	0	1	3	10	5	15
		不明	0	0	0	0	0	0	0	0	0	0	0	0
		合計			5	3	6	9	15	18	24	36	53	91
日本	女	10歳未満	0	0	0	0	0	1	0	0	0	1	0	0
		10-14	0	0	0	0	0	0	0	0	0	0	0	0
		15-19	0	0	0	0	0	0	0	0	0	0	0	0
		20-24	0	0	0	0	0	0	0	1	1	0	1	1
		25-29	0	0	1	1	1	0	0	0	1	1	1	2
		30-34	0	0	0	1	0	0	0	0	2	2	1	2
		35-39	0	0	1	0	0	1	0	0	0	1	1	1
		40-44	0	0	1	0	1	0	0	0	1	2	1	1
		45-49	0	0	0	0	0	0	0	0	0	0	1	1
		50-54	0	0	0	0	0	0	0	0	0	1	2	1
		55-59	0	0	0	0	0	0	0	0	0	0	0	3
		60歳以上	0	0	0	0	0	1	0	0	0	1	3	3
		不明	0	0	0	0	0	0	0	0	0	0	0	0
		合計			0	0	3	2	2	3	0	1	5	9
外国	男	10歳未満	0	0	0	0	0	0	1	0	0	0	0	0
		10-14	0	0	0	0	0	0	0	0	0	0	0	0
		15-19	0	0	0	0	0	0	0	0	0	0	0	0
		20-24	0	0	0	3	0	0	1	1	2	3	2	3
		25-29	0	0	1	0	0	2	1	6	3	9	10	18
		30-34	1	1	2	0	2	5	6	5	8	7	6	13
		35-39	0	0	0	0	1	0	3	1	1	3	10	8
		40-44	0	0	0	0	0	1	1	0	1	3	1	1
		45-49	0	0	0	0	1	2	1	0	2	3	2	2
		50-54	0	1	0	0	0	0	0	0	1	0	1	0
		55-59	0	0	0	0	0	0	0	0	1	0	1	0
		60歳以上	0	0	0	0	0	0	0	0	0	0	0	0
		不明	0	0	0	0	0	0	0	0	0	0	0	0
		合計			1	2	3	3	4	10	14	13	19	28
外国	女	10歳未満	0	0	0	0	0	0	0	0	0	1	0	0
		10-14	0	0	0	0	0	0	0	0	0	0	0	0
		15-19	0	0	0	0	0	0	0	0	1	0	1	0
		20-24	0	0	0	0	0	0	0	0	3	2	2	3
		25-29	0	0	1	0	0	0	0	0	2	3	10	5
		30-34	0	0	1	0	0	0	0	1	1	0	2	3
		35-39	0	0	0	0	0	0	0	0	0	2	2	3
		40-44	0	0	0	0	0	0	0	0	0	0	0	3
		45-49	0	0	0	0	0	0	0	0	1	0	0	1
		50-54	0	0	0	0	0	0	0	0	1	0	0	0
		55-59	0	0	0	0	0	0	0	0	0	0	0	0
		60歳以上	0	0	0	0	0	0	0	0	0	0	0	0
		不明	0	0	0	0	0	0	0	0	0	0	0	0
		合計			0	0	2	0	0	0	1	9	8	17

国籍	性別	年齢階級	1997	1998	1999	2000	2001	2002	2003	合計	合計の%
日本	男	10歳未満	2	1	0	1	0	0	1	9	0.4
		10-14	0	0	0	0	0	0	0	0	0.0
		15-19	0	0	0	0	0	0	1	1	0.0
		20-24	4	1	3	6	7	2	6	37	1.8
		25-29	10	8	11	14	20	15	21	145	7.2
		30-34	20	15	23	30	35	26	31	245	12.2
		35-39	24	14	19	24	31	31	35	252	12.5
		40-44	20	24	36	26	27	34	25	292	14.5
		45-49	28	38	33	38	36	26	33	319	15.9
		50-54	31	18	33	45	25	42	48	308	15.3
		55-59	17	21	23	30	20	27	20	198	9.9
		60歳以上	14	18	31	25	20	29	31	202	10.1
		不明	0	0	0	0	0	0	0	0	0.0
合計			170	158	212	239	221	232	252	2,008	100
女		10歳未満	0	0	1	0	0	0	0	3	1.8
		10-14	0	0	0	0	0	0	0	0	0.0
		15-19	0	0	1	0	0	0	0	1	0.6
		20-24	1	0	0	1	0	1	1	8	4.7
		25-29	1	2	5	1	6	2	1	26	15.4
		30-34	4	1	1	2	4	1	1	22	13.0
		35-39	1	4	0	2	3	3	6	24	14.2
		40-44	1	0	2	5	2	6	3	26	15.4
		45-49	1	0	0	1	5	1	3	13	7.7
		50-54	2	2	1	2	2	0	1	14	8.3
		55-59	0	1	0	3	2	2	1	12	7.1
		60歳以上	1	0	1	4	0	4	2	20	11.8
		不明	0	0	0	0	0	0	0	0	0.0
合計			12	10	12	21	24	20	19	169	100
外国	男	10歳未満	0	0	0	0	0	0	0	1	0.2
		10-14	0	0	0	0	0	0	0	0	0.0
		15-19	0	0	0	0	0	0	0	0	0.0
		20-24	2	1	0	1	0	0	0	19	4.0
		25-29	5	8	8	5	6	3	4	89	18.6
		30-34	22	16	16	16	7	11	9	153	31.9
		35-39	4	8	13	8	16	10	11	97	20.3
		40-44	4	5	4	6	15	7	6	55	11.5
		45-49	2	2	1	1	6	4	8	37	7.7
		50-54	0	2	1	3	3	1	0	13	2.7
		55-59	0	0	3	1	3	0	1	10	2.1
		60歳以上	0	0	0	0	5	0	0	5	1.0
		不明	0	0	0	0	0	0	0	0	0.0
合計			39	42	46	41	61	36	39	479	100
女		10歳未満	0	0	0	1	1	0	0	3	1.3
		10-14	0	0	0	0	0	0	0	0	0.0
		15-19	0	0	0	0	0	0	0	2	0.8
		20-24	8	3	7	2	1	2	1	34	14.4
		25-29	6	4	9	7	7	5	3	62	26.3
		30-34	9	9	9	5	9	7	10	66	28.0
		35-39	5	3	3	9	6	3	9	45	19.1
		40-44	1	1	1	3	0	1	2	12	5.1
		45-49	0	1	1	0	1	2	1	8	3.4
		50-54	0	0	0	0	1	0	0	2	0.8
		55-59	0	0	1	0	0	0	0	1	0.4
		60歳以上	0	0	0	1	0	0	0	1	0.4
		不明	0	0	0	0	0	0	0	0	0.0
合計			29	21	31	28	26	20	26	236	100

表7 HIV感染者及びAIDS患者の年次推移(国籍別、性別、感染地別)

診断区分	国籍	性別	感染地	1985	1986	1987	1988	1989	1990	1991	1992	1993	1994	1995	1996	
HIV	日本	男	国内	0	0	0	0	12	18	28	64	70	93	109	141	
			海外	0	0	0	0	21	5	20	30	18	21	18	19	
			不明	0	0	34	15	2	4	4	14	14	20	20	29	
			合計	0	0	34	15	35	27	52	108	102	134	147	189	
		女	国内	0	0	0	0	10	5	16	12	13	24	13	30	
			海外	0	0	0	0	3	5	1	3	7	4	3	9	
			不明	0	0	11	4	5	0	0	1	2	4	3	2	
			合計	0	0	11	4	18	10	17	16	22	32	19	41	
	外国	男	国内	0	0	0	0	0	0	2	1	2	4	4	10	
			海外	0	0	0	0	12	10	20	29	23	20	21	31	
			不明	0	0	10	4	9	1	4	15	8	13	22	24	
			合計	0	0	10	4	21	11	26	45	33	37	47	65	
		女	国内	0	0	0	0	0	0	0	2	5	12	16	14	16
			海外	0	0	0	0	2	10	75	126	31	20	13	19	
			不明	0	0	0	0	4	8	28	142	77	59	37	46	
			合計	0	0	0	0	6	18	105	273	120	95	64	81	
AIDS	日本	男	国内	0	0	0	0	2	6	14	17	23	44	51	89	
			海外	0	0	0	0	7	9	7	13	14	23	28	30	
			不明	5	3	6	9	6	3	3	6	16	24	29	37	
			合計	5	3	6	9	15	18	24	36	53	91	108	158	
		女	国内	0	0	0	0	1	2	0	1	2	7	8	8	
			海外	0	0	0	0	0	1	0	0	2	2	3	2	
			不明	0	0	3	2	1	0	0	0	1	0	0	5	
			合計	0	0	3	2	2	3	0	1	5	9	11	15	
	外国	男	国内	0	0	0	0	0	1	1	0	0	1	0	2	
			海外	0	0	0	0	1	5	11	6	16	14	16	32	
			不明	1	2	3	3	3	4	2	7	3	13	17	11	
			合計	1	2	3	3	4	10	14	13	19	28	33	45	
		女	国内	0	0	0	0	0	0	0	0	0	1	0	1	1
			海外	0	0	0	0	0	0	0	0	0	4	2	8	6
			不明	0	0	2	0	0	0	0	0	1	4	6	8	11
			合計	0	0	2	0	0	0	0	0	1	9	8	17	18

診断区分	国籍	性別	感染地	1997	1998	1999	2000	2001	2002	2003	合計	合計の%
HIV	日本	男	国内	175	197	297	273	415	412	452	2,756	78.0
			海外	32	22	26	29	24	29	21	335	9.5
			不明	27	42	56	34	36	40	52	443	12.5
		合計	234	261	379	336	475	481	525	3,534	100	
		女	国内	27	26	38	23	35	27	20	319	69.5
			海外	2	5	3	5	9	4	4	67	14.6
	不明		5	5	4	4	6	9	8	73	15.9	
	外国	男	国内	8	14	9	11	24	23	17	129	19.5
			海外	23	19	13	12	14	17	7	271	41.1
			不明	18	25	17	30	21	15	24	260	39.4
		合計	49	58	39	53	59	55	48	660	100	
		女	国内	15	16	12	6	10	12	10	146	13.0
海外			19	15	21	11	12	13	14	401	35.6	
不明	46		36	34	24	15	13	11	580	51.5		
AIDS	日本	男	国内	105	105	147	174	172	169	190	1,308	65.1
			海外	31	26	34	30	21	35	26	334	16.6
			不明	34	27	31	35	28	28	36	366	18.2
		合計	170	158	212	239	221	232	252	2,008	100	
		女	国内	6	5	7	15	13	11	16	102	60.4
			海外	3	4	3	1	6	5	0	32	18.9
	不明		3	1	2	5	5	4	3	35	20.7	
	外国	男	国内	2	1	8	4	11	2	6	39	8.1
			海外	18	19	25	21	19	17	12	232	48.4
			不明	19	22	13	16	31	17	21	208	43.4
		合計	39	42	46	41	61	36	39	479	100	
		女	国内	4	1	3	1	6	4	3	25	10.6
海外			10	8	20	14	10	6	13	101	42.8	
不明	15		12	8	13	10	10	10	110	46.6		
合計	29	21	31	28	26	20	26	236	100			