

参考文献

- Adami H, Lipworth L, Titus-Ernstoff L, Hsieh C, Hanberg A, Ahlborg U, Baron J & Trichopoulos D (1995) Organochlorine compounds and estrogen-related cancers in women. *Cancer Causes Control*, 6:551-566.
- Adami H, Bergstrom R, Mohmer M, Zatonski W, Storm H, Ekobom A, Tretli S, Teppo L, Ziegler H, Rahu M, Guerevicius R & Stengrevics A (1994) Testicular cancer in nine Northern European countries. *Int J Cancer*, 59:33-38.
- Adamopoulos DA, Pappa A, Nicopoulou S, Andreou E, Karametzanis M, Mievhopoulos J, Deglianni V & Simon M (1996) Seminal volume and total sperm number trends in men attending subfertility clinics in the greater Athens area during the period 1977-1993. *Hum Reprod*, 11:1936-1941.
- Adams SM, Crumby WD, Greely MS, Shugart LR & Saylor CF (1992) Responses of fish populations and communities to pulp mill effluents: A holistic approach. *Ecotoxicol Environ Saf*, 24:347-360.
- Adamson RH, Hart MM & Reagan R (1973) The effects of isomers of DDD on the ACTH-induced steroid output, histology and ultrastructure of the dog adrenal cortex. *Toxicol Appl Pharmacol*, 24:101-113.
- Addison RF & Zinck ME (1986) PCBs have declined more than DDT-group residues in Arctic ringed seals (*Phoca hispida*) between 1972 and 1981. *Environ Sci Technol*, 20:253-256.
- Adkins EK (1979) Effect of embryonic treatment with estradiol or testosterone on sexual differentiation of the quail brain: Critical period and dose-response relationships. *Neuroendocrinol*, 29:178-185.
- Adkins-Regan E, Mansukhani V, Seiwert C & Thompson R (1994) Sexual differentiation of brain and behavior in the Zebra Finch: Critical periods for effects of early estrogen treatment. *J Neurobiol*, 25:865-877.
- Adler JH & Grebenok RJ (1995) Biosynthesis and distribution of insect-molting hormones in plants: A review. *Lipids*, 30:257-262.
- Adler M & Ziglio E (1996) *Gazing into the Oracle*. London, UK: Jessica Kingsley Publishers.
- Adlerkruetz H (1988) Lignans and phytoestrogens: Possible preventative role in cancer. *Front Gastrointest Res*, 14:165-176.
- Adlerkruetz H & Mazur W (1997) Phyto-oestrogens and Western diseases. *Ann Med*, 29(2):95-120.
- Aldrich T & Griffith J (1993) *Environmental Epidemiology and Risk Assessment*. New York: Van Nostrand Reinhold.
- Aguilar A & Borell A (1994) Abnormally high polychlorinated biphenyl levels in striped dolphins (*Stella coeruleoalba*) affected by the 1990-1992 Mediterranean epizootic. *Sci Total Environ*, 154:237-247.
- Ahel M, McEvoy J & Giger W (1993) Bioaccumulation of the lipophilic metabolites of nonionic surfactants in freshwater organisms. *Environ Pollut*, 79:243-248.
- Ahel M, Giger W & Koch M (1994) Behaviour of alkylphenol polyethoxylate surfactants in the aquatic environment. I: Occurrence and transformation in sewage treatment. *Water Research*, 28:1131-1142.
- Afonso LO, Iwama GK, Smith J & Donaldson EM (1999) Effects of the aromatase inhibitor Fadrozole on plasma sex steroid secretion ovulation rate in female coho salmon, *Oncorhynchus kisutch*, close to final maturation. *Gen Comp Endocrinol*, 113:221-229.
- Afonso LO, Iwama GK, Smith J & Donaldson EM (2000) Effects of the aromatase inhibitor Fadrozole on reproduction steroids and spermiation on male coho salmon (*Oncorhynchus kisutch*) during sexual maturation. *Aquacult*, 188:175-187.
- Ahlborg UG, Becking GC, Birnbaum LS, Brower A, Derks HJGM, Feeley M, Golor G, Hanberg A, Larsen JL, Liem AKD, Safe SH, Schatter C, Waern F, Younes M & Yrjänheikki E (1994) Toxic equivalency factors for dioxin-like PCBs. *Chemosphere*, 28:1049-1067.
- Aho M, Koivisto AM, Tammela TL & Auvinen A (2000) Is the incidence of hypospadias increasing? Analysis of Finnish hospital discharge data 1970-1994. *Environ Health Perspect* 108:463-465.
- Akaike MH, Kato H, Ohno H & Kobayashi T (1991) Hyperactivity and spatial maze learning impairment of adult rats with temporary neonatal hypothyroidism. *Neurotoxicol Teratol*, 13:317-322.
- Akre O, Cnattingius S, Bergstrom R, Kvist U, Trichopoulos D & Ekobom A (1999a) Human fertility does not decline: Evidence from Sweden. *Fertil Steril*, 71:1066-1069.
- Akre O, Lipworth L, Cnattingius S, Sparen P & Ekobom A (1999b) Risk factor patterns for cryptorchidism and hypospadias. *Epidemiol*, 10:364-369.
- Allan BB, Brant R, Seidel JE & Jarrell JF (1997) Declining sex ratios in Canada. *Can Med Assoc J*, 156:37-41.
- Allen Y, Scott AP, Matthiessen P, Haworth S, Thain JE & Feist S (1999a) Survey of estrogenic activity in United Kingdom estuarine and coastal waters and its effects on gonadal development of the flounder *Platichthys flesus*. *Environ Toxicol Chem*, 18:1791-1800.
- Allen Y, Matthiessen P, Scott AP, Haworth S, Feist S & Thain JE (1999b) The extent of oestrogenic contamination in the UK estuarine and marine environments—further surveys of flounder. *Sci Total Environ*, 233:5-20.
- Altenkirch H, Stoltenburg G, Haller D, Hoppmann D & Walter G (1996) Clinical data on three cases of occupationally induced PCB intoxication. *Neurotoxicol*, 17:639-644.
- Alzieu C (1991) Environmental problems caused by TBT in France: Assessment, regulations, prospects. *Mar Environ Res*, 32:7.
- Ambrus A (1999) Quality of residue data. In: Brooks GT, Roberts TR, eds. *Pesticide Chemistry and Bioscience: The Food-Environment Challenge*. Cambridge, UK: Royal Society of Chemistry, pp. 339-350.
- Anderson HA, Falk C, Hanrahan L, Olson J, Burse VW, Needham L, Paschal D, Patterson DJ & Hill RHJ (1998) Profiles of Great Lakes critical pollutants: A sentinel analysis of human blood and urine. The Great Lakes Consortium. *Environ Health Perspect*, 106:279-289.
- Andersson A, Linder CE, Olsson M, Reutergårdh L, Uvemo UB & Wideqvist U (1988) Spatial differences and temporal trends of organochlorine compounds in biota from the Northwestern hemisphere. *Arch Environ Contam Toxicol*, 17:755-765.
- Andersson Ö, Linder C-E, Olsson M, Reutergårdh L, Uvemo U-B & Wideqvist U (1988a) Spatial differences and temporal trends of organochlorine compounds in biota from the Northwestern Hemisphere. *Arch Environ Contam Toxicol*, 17:755-765.
- Andersson Ö & Wartanian A (1992) Levels of polychlorinated camphenes (toxaphene), chlorinated compounds and polybrominated diphenyl ethers in seals from Swedish waters. *Ambio*, 21:550-552.
- Andersson T, Förllin L, Hårdig J & Larsson Å (1988b) Physiological disturbances in fish living in coastal water polluted

- with bleached kraft pulp mill effluents. *Can J Fish Aquat Sci*, 45:1525-1536.
- Andolz P, Bischa MA & Vila J (1999) Evolution of semen quality in North-Eastern Spain: A study in 22,759 infertile men over a 36 year period. *Hum Reprod*, 14:731-735.
- Ankley GT, Johnson RD, Toth G, Folmar LC, Detenbeck NE & Bradbury SP (1997) Development of a research strategy for assessing the ecological risk of endocrine disruptors. *Revs Toxicol*, 1:71-106.
- Ankley G T, Mihaich E, Stahl R, Tillitt D, Colborn T, McMaster S, Miller R, Bantle J, Campbell P, Denslow N, Dickerson R, Folmar L, Fry M, Geisy J, Gray LE, Guiney P, Hutchinson T, Kennedy S, Kramer V, LeBlanc G, Mayes M, Nimrod A, Patino R, Peterson R, Purdy R, Ringer T, Touart L, Van Der Kraak G & Zacharewski T (1998a) Overview of a workshop on screening methods for detecting potential (anti-) estrogenic/androgenic chemicals in wildlife. *Environ Toxicol Chem*, 17:68-87.
- Ankley GT, Tietge JE, DeFoe DL, Jensen KM, Holcombe GW, Durhan EJ & Diamond SA (1998b) Effects of ultraviolet light and methoprene on survival and development of *Rana pipiens*. *Environ Toxicol Chem*, 17:2530-2542.
- Ankley GT & Giesy JP (1998c) Endocrine disruptors in wildlife: A weight of evidence perspective. In: Kendall R, Dickerson R, Suk W & Giesy J, eds. Principles and Processes for Assessing Endocrine Disruption in Wildlife. Pensacola, FL: SETAC Press, pp. 349-368.
- Ankley GT, Jensen KM, Kahl MD, Korte JJ & Makynen EA (2001) Description and evaluation of a short-term reproduction test with the fathead minnow (*Pimephales promelas*). *Environ Toxicol Chem*, 20:1296-1303.
- Ansell PE, Bennett V, Bull D, Jackson MB, Pike LA, Pike MC, Chilvers CED, Dudley NE, Gough MH, Griffiths DM, Redman C, Wilkinson AR, Macfarlane A & Coupland CAC (1992) Cryptorchidism: A prospective study of 7500 consecutive male births. *Arch Dis Child*, 67:892-899.
- Arbuckle T & Sever L (1999) Pesticide exposure and fetal death: A review of the epidemiologic literature. *Crit Rev Toxicol*, 28:229-270.
- Arbuckle TE, Savitz DA, Mery LS & Curtis KM (1999) Exposure to phenoxy herbicides and the risk of spontaneous abortion. *Epidemiol*, 10:1-9.
- Aribarg A, Kenkeerati W, Vorapaiboonsak V, Leepipatpaiboon S & Farley TMM (1986) Testicular volume, semen profile and serum hormone levels in fertile Thai males. *Int J Androl*, 9:170-180.
- Arnold DL, Nera EA, Stapley R, Tolnai G, Claman P, Hayward S, Tryphonas H & Bryce F (1996) Prevalence of endometriosis in rhesus (*Macaca mulatta*) monkeys ingesting PCB (Arochlor 1254): Review and evaluation. *Fund Appl Tox*, 31:42-55.
- Aronson KL, Miller AB, Woolcott CG, Sterns EE, McCready DR, Lickley LA, Fish EB, Hiraki GY, Holloway C, Ross T, Hanna WM, SenGupta SK & Weber JP (2000) Breast adipose tissue concentrations of polychlorinated biphenyls and other organochlorines and breast cancer risk. *Cancer Epidemiol Biomarkers Prev*, 9:55-63.
- Ashby J (1998) Issues associated with the validation of *in vitro* and *in vivo* methods for assessing endocrine disrupting chemicals. *Pure and Applied Chemistry*, 70(9):1735-1745.
- Ashby J, Tinwell H & Haseman J (1999) Lack of effects for low dose levels of bisphenol A and diethylstilbestrol on the prostate gland of CFI mice exposed *in utero*. *Regul Toxicol Pharmacol*, 30:156-166.
- Ashby J (2000) Getting the problem of endocrine disruption into focus: The need for a pause for thought. *APMIS*, 108:805-813.
- Ashengrau A & Monson RR (1989) Paternal military service and risk of spontaneous abortion. *J Occup Med*, 31:618-623.
- Ashengrau A & Monson RR (1990) Paternal military service in Vietnam and the risk of late adverse pregnancy outcomes. *Am J Pub Health*, 80:1218-1224.
- Ashfield LA, Pottinger TG & Sumpter JP (1998) Exposure of female juvenile rainbow trout to alkylphenolic compounds results in modification to growth and ovosomatic index. *Environ Toxicol Chem*, 17:679-686.
- Asman DC, Takimoto C, Pitot HC, Dunn TJ & Linndahl R (1993) Organization and characterization of the rat class 3 aldehyde dehydrogenase gene. *J Biol Chem*, 268:12530-12536.
- Asplund L, Athanasiadou M, Sjödin A, Bergman Å & Börjesson H (1999) Organohalogen substances in muscle, egg and blood from healthy Baltic salmon (*Salmo salar*) and Baltic salmon that produced offspring with the M74 syndrome. *Ambio*, 28:67-76.
- Asplund L, Malmvärn A, Marsh G, Athanasiadou M, Bergman Å & Kautsky L (2001) Hydroxylated brominated diphenyl ethers in salmon (*Salmo salar*), mussels (*Mytilus edulis*) and the red alga (*Ceramium tenuicorne*) from the Baltic Sea-Natural product in Baltic Sea biota. *Organohalogen Compounds*, 52:189-194.
- Astolfi P & Zonta LA (1999) Reduced male births in major Italian cities. *Hum Reprod*, 14:3116-3119.
- Astroff B, Rowlands C, Dickerson R & Safe S (1990) 2,3,7,8-Tetrachlorodibenzo-*p*-dioxin inhibition of 17 β -estradiol-induced increase in rat uterine EGF receptor binding activity and gene expression. *Mol Cell Endocrinol*, 72:247-252.
- Atuma SS, Aune M, Bergh A, Wicklund-Glynn A, Darnerud PO, Larsson L, Olsson M & Sandstrom O (1998) Polychlorinated biphenyls in salmon (*Salmo salar*) from the Swedish East coast. *Organohalogen Compounds*, 36:153-156.
- Auger J & Jouannet P (1997) Evidence for regional differences of semen quality among fertile French men. *Fédération Francaise des Centres d'Etude et de Conservation des Oeufs et du Sperme humains*. *Hum Reprod*, 12:740-745.
- Auger J, Kunstmann JM, Czyglik F & Jouannet P (1995) Decline in semen quality among fertile men in Paris during the past 20 years. *New Engl J Med*, 332:281-285.
- Aumuller G, Enderle-Schmidt U, Seitz J, Muntzing J & Chandler JA (1987) Ultrastructure and immunohistochemistry of the lateral prostate in aged rats. *The Prostate*, 10:245-256.
- Ayotte P, Dewailly E, Ryan JJ, Bruneau S & Lebel G (1997) PCBs and dioxin-like compounds in plasma of adult Inuit living in Nunavik (Arctic Quebec). *Chemosphere*, 34:1459-1468.
- Bagga D, Anders KH, Wang HJ, Roberts E & Glaspy JA (2000) Organochlorine pesticide content of breast adipose tissue from women with breast cancer and control subjects. *J Natl Cancer Inst*, 92(9):750-753.
- Baker VA, Hepburn PA, Kennedy SJ, Jones PA, Lea LJ, Sumpter JP & Ashby J (1999) Safety evaluation of phytoesterol esters. Part I: Assessment of oestrogenicity using a combination of *in vivo* and *in vitro* assays. *Food and Chemical Toxicology* 37(1):13-22.
- Balaguer P, Joyeux A, Denison MS, Vincent R, Gillesby BE & Zacharewski T (1996) Assessing the estrogenic and dioxin-like activities of chemicals and complex mixtures using *in vitro* recombinant receptor-reporter gene assays. *Can J Physiol Pharmacol*, 74(2):216-222.
- Baldwin, WS, Bailey R, Long KE & Klaine S (2001) Incomplete ecdysis is an indicator of ecdysteroid exposure in *Daphnia magna*. *Environ Toxicol Chem*, 20:1564-1569.
- Ball HA, Reinhard M & McCarty P (1989) Biotransformation of

- halogenated and nonhalogenated octylphenol polyethoxylate residues under aerobic and anaerobic conditions. *Environmental Science Technology*, 23:951-961.
- Barnes S (1995) Effect of genistein on *in vitro* and *in vivo* models of cancer. *J Nutr*, 125:777S-783S.
- Barnes S (1997) The chemopreventive properties of soy isoflavonoids in animal models of cancer. *Breast Cancer Res Treat*, 46:169-179.
- Barnes S (1998a) Phytoestrogens and breast cancer. *Clin Endocrinol Metab*, 12:559-579.
- Barnes S (1998b) Phytoestrogens and breast cancer. In: Adlercreutz H, ed. *Phytoestrogens*. Bailliere's Clinical Endocrinology and Metabolism. London: Bailliere Tindall, pp. 605-624.
- Barr DB, Barr JR, Driskell WJ, Hill RHJ, Ashley DL, Needham LL, Head SL & Sampson EJ (1999) Strategies for biological monitoring of exposure for contemporary-use pesticides. *Toxicol Ind Health*, 15:168-179.
- Barter RA & Klaassen CD (1992) UDP-glucuronosyltransferase inducers reduce thyroid hormone levels in rats by an extrathyroidal mechanism. *Toxicol Appl Pharmacol*, 113:36-42.
- Barthold JS, Kryger JV, Derusha AM, Duel BP, Jednak R & Skafar DF (1999) Effects of an environmental endocrine disruptor on fetal development, estrogen receptor (alpha) and epidermal growth factor receptor expression in the porcine male genital tract. *J Urol*, 162:864-871.
- Bates GW (1998) Normal and abnormal puberty. In: Carr BR & Blackwell RE, eds. *Textbook of Reproductive Medicine*. Stamford, CT: Appleton and Lange, pp. 93-111.
- Bates MN, Buckland SJ, Ellis EK, Garrett N, Needham LL, Patterson DG Jr, Turner WE, Russell D, Wilson N & Duncan A (1999) PCDDs and PCDFs in the serum of the non-occupationally exposed New Zealand population. *Organohalogen Compounds*, 44:17-21 Dioxin '99.
- Batty J & Lim R (1999) Morphological and reproductive characteristics of male mosquitofish (*Gambusia affinis holbrooki*) inhabiting sewage-contaminated waters in New South Wales, Australia. *Arch Environ Contam Toxicol*, 36:301-307.
- Batty J, Levitt RA, Biondi N & Polin D (1990) An ecotoxicological study of the white footed mouse (*Peromyscus leucomus*) inhabiting a polychlorinated biphenyls-contaminated area. *Arch Environ Contam Toxicol*, 19:283-290.
- Bayne C, Donnelly F, Ross M & Habib F (1999) *Serenoa repens* (Permixon): A 5alpha reductase types I and II inhibitor—new evidence in a coculture model of BPH. *Prostate*, 40:232-241.
- Becher H, Flesch-Janys D, Kaupinen T, Kigevinas M, Steindorf K, Manz A & Wahrendorf J (1996) Cancer mortality in German male workers exposed to phenoxy herbicides and dioxins. *Cancer Causes Control*, 7(3):312-321.
- Becker KL (1995) *Principles and Practice of Endocrinology and Metabolism*, Second Edition. Philadelphia, PA: Lippincott.
- Becker S & Berhane K (1997) A meta-analysis of 61 sperm count studies revisited. *Fertil Steril*, 67:1103-1108.
- Beeson MD, Driskell WJ & Barr DB (1999) Isotope dilution highperformance liquid chromatography/tandem mass spectrometry method for quantifying urinary metabolites of atrazine, malathion, and 2,4-dichlorophenoxyacetic acid. *Anal Chem*, 71:3526-3530.
- Behringer RR (1995) The Mullerian inhibitor and mammalian sexual development. *Philos Trans R Soc Lond B Biol Sci*, 350:285-288.
- Bellido C, Gaytaan F, Aguilar R, Pinilla L & Aguilar E (1985) Prepubertal reproductive defects in neonatal estrogenized male rats. *Biol Reprod*, 33:381-387.
- Bellingham DL, Sar M & Cidlowski JA (1992) Methotrexate-induced overexpression of functional glucocorticoid receptors in Chinese hamster ovary cells. *Mol Cell Endocrinol*, 83:153-171.
- Ben Shlomo I, Franks S & Adashi EY (1995) The polycystic ovary syndrome: Nature or nurture? *Fertil Steril*, 63:953-954.
- Bengtsson B-E, Hill C, Bergman Å, Brandt I, Johansson N, Magnhagen C, Södergren A & Thulin J (1999) Reproductive disturbances in Baltic fish: A synopsis of the FiRe project. *Ambio*, 28:2-8.
- Benirschke K (1981) Hermaphrodites, freemartins, mosaics, and chimeras in animals. In: Austin CR & Edwards RG, eds. *Mechanisms of Sex Differentiation in Animals and Man*. London: Academic Press, pp. 421-463.
- Bennett ER & Metcalfe CD (1998) Distribution of alkylphenol compounds in Great Lakes sediments, United States and Canada. *Environ Toxicol Chem*, 17:1230-1235.
- Bennett LM, McAllister KA, Malphurs J, Ward T, Collins NK, Seely JC, Gowen LC, Koller BH, Davis BJ & Wiseman RW (2000) Mice heterozygous for a *Brca1* or *Brca2* mutation display distinct mammary gland ovarian phenotypes in response to diethylstilbestrol. *Cancer Res*, 60:3461-3469.
- Bennett RS, Williams BA, Schmedding DW & Bennett JK (1991) Effects of dietary exposure to methyl parathion on egg laying and incubation in mallards. *Environ Toxicol Chem*, 10:501-507.
- Bennetts HW, Underwood EJ & Shier FL (1946) A specific breeding problem of sheep on subterranean clover pastures in Western Australia. *Aust Vet J*, 22:2-12.
- Bennie DT, Sullivan CA, Lee H-B, Peart TE & Maguire RJ (1997) Occurrence of alkylphenols and alkylphenol mono- and diethoxylates in natural waters of the Laurentian Great Lakes basin and the upper St. Lawrence River. *Sci Total Environ*, 193:263-275.
- Bennie DT, Sullivan CA, Lee H-B & Maguire RJ (1998) Alkylphenol polyethoxylate metabolites in Canadian sewage treatment plant effluent streams. *Water Qual. Res J Can*, 33:231-252.
- Bennie DT, Sullivan CA, Lee H-B & Maguire RJ (1999) Alkylphenol polyethoxylate metabolites in Canadian sewage treatment plant effluent streams. *Water Qual. Res J Can*, 34:79-124.
- Bennie DT (1999) Review of the environmental occurrence of nonylphenol and nonylphenol ethoxylates. *Water Qual. Res J Canada*, 34:79-122.
- Benshushan A, Shoshani O, Paltiel O, Schenker JG & Lewin A (1997) Is there a decrease in sperm parameters among healthy young men? A survey of sperm donations during 15 years. *J Assist Reprod Genet*, 14:347-353.
- Bentley PJ (1998) *Comparative Vertebrate Endocrinology*, Third Edition. Cambridge: Cambridge University Press.
- Bentvelsen FM, Brinkman AO, van der Linden JE, Schroder FH & Nijman JM (1995) Decreased immunoreactive androgen receptor levels are not the cause of isolated hypospadias. *Brit J Urol*, 76:384-388.
- Bercovici B, Wassermann M, Cucos S, Ron M & Wassermann D (1983) Serum levels of polychlorinated biphenyls and some organochlorine insecticides in women with recent and some missed abortions. *Environ Res*, 30:169-174.
- Bergek S, Bergqvist PA, Hjelt M, Olsson, Rappe C, Roos A &

- Zook D (1992) Concentrations of PCDDs and PCDFs in seals from Swedish waters. *Ambio*, 21:553-556.
- Bergeron JM, Crews D & McLachlan JA (1994) PCBs as environmental estrogens: Turtle sex determination as a biomarker of environmental contamination. *Environ Health Perspect*, 102(9):780-781.
- Bergman A (1999a) Health condition of the Baltic grey seal (*Halichoerus grypus*) during two decades. Gynaecological health improvement but increased prevalence of colonic ulcers. *APMIS*, 107:270-282.
- Bergman A (1999b) Prevalence of lesions associated with a disease complex in the Baltic grey seal (*Halichoerus grypus*) during 1977-1996. In: O'Shea TJ, Reeves RR & Long AK, eds. *Marine Mammals and Persistent Ocean Contaminants: Proceedings of the Marine Mammal Commission Workshop*. Keystone, Colorado, 12-15 October 1998, pp. 139-143.
- Bergman A & Olsson M (1985) Pathology of Baltic grey seal and ringed seal females with special reference to adrenocortical hyperplasia: Is environmental pollution the cause of a widely distributed disease syndrome? *Finnish Game Res*, 44:47-62.
- Bergman A, Klasson-Wehler E & Kuroki H (1994) Selective retention of hydroxylated PCB metabolites in blood. *Environ Health Perspect*, 102:464-469.
- Bergstrom R, Adami HO, Mohner M, Zatonski W, Storm H, Ekblom A, Tretli S, Teppo L, Akre O & Hakulinen T (1996) Increase in testicular cancer incidence in six European countries: A birth cohort phenomenon. *J Natl Cancer Inst*, 88(11):727-733.
- Berkowitz GS & Lapinski RH (1996) Risk factors for cryptorchidism: A nested case-control study. *Paediatr Perinat Epidemiol*, 10:39-51.
- Berkowitz GS, Lapinski RH, Godbold JH, Dolgin SE & Holzman IR (1996) Maternal and neonatal risk factors for cryptorchidism. *Epidemiol*, 6:127-131.
- Berling S & Wolner-Hanssen P (1997) No evidence of deteriorating semen quality among men in infertile relationships during the last decade: A study of males from Southern Sweden. *Hum Reprod*, 12:1002-1005.
- Berman NG, Wang C & Paulsen CA (1996) Methodological issues in the analysis of human sperm concentration data. *J Androl*, 17:68-73.
- Bernhoft A, Wiig O & Skaare J (1997) Organochlorines in polar bears (*Ursus maritimus*) at Svalbard. *Environ Pollut*, 95:159-175.
- Bernt KE, Hamill MO, Lebeuf M & Kovacs KM (1999) Levels and patterns of PCBs and OC pesticides in harbour and grey seals from the St. Lawrence Estuary, Canada. *Sci Total Environ*, 243/244:243-262.
- Berta P, Hawkins JR, Sinclair AH, Taylor A, Griffiths BL, Goodfellow PN & Fellous M (1990) Genetic evidence equating SRY and the testis-determining factor. *Nature*, 348:448-450.
- Bertazzi PA, Riboldi L, Pesatori A, Radice L & Zocchetti C (1987) Cancer mortality of capacitor manufacturing workers. *Am J Ind Med*, 11:165-176.
- Bertazzi PA, Pestori AC, Consonni D, et al. (1993) Cancer incidence in a population accidentally exposed to 2,3,7,8-tetrachlorodibenzo-*para*-dioxin. *Epidemiol*, 4:398-406.
- Besedovsky HG & Del Rey A (1996) Immune-neuro-endocrine interactions: Facts and hypothesis. *Endocrinol Rev* 17:64-102.
- Bettin C, Ohlmann J & Stroben E (1996) TBT-induced imposex in marine neogastropods is mediated by an increasing androgen level. *Helgol Meeresunters* 50:299-317.
- Bevans HE, Goodbred SL, Miesner JF, Watkins SA, Gross TS, Denslow ND & Schoeb T (1996) Synthetic organic compounds and carp endocrinology and histology in Las Vegas Wash and Las Vegas and Callville Bays of Lake Mead, Nevada, 1992 and 1995. U.S. Geological Survey, Nevada Basin and Range Study Unit, Carson City, NV, Water Resources Investigations Report 96-4266, 12 pp.
- Bhasi S, Sikka S, Fiedler T, Sod-Moriah U, Levine HB, Swerdloff RS & Rajfer J (1986) Hormonal effects of ketoconazole *in vivo* in the male rat: mechanism of action. *Endocrinol*, 118:1229-1232.
- Bigelow PL, Jarrell J, Young MR, Keefe TJ & Love EJ (1998) Association of semen quality and occupational factors: Comparison of case-control analysis of continuous variables. *Fertil Steril*, 69:11-18.
- Bignert A, Litzén K, Odsjö T, Olsson M, Persson W & Reutergårdh L (1995) Time-related factors influence the concentrations of DDT, PCBs and shell parameters in eggs of Baltic guillemot (*Uria aalge*), 1961-1989. *Environ Pollut*, 89:27-36.
- Bignert A, Olsson M, Bergqvist PA, Bergek S, Rappe C, de Wit C & Jansson B (1989) Polychlorinated dibenzo-*p*-dioxins (PCDD) and dibenzo-furans (PCDF) in seal blubber. *Chemosphere*, 19:551-556.
- Bignert A, Olsson M, de Wit C, Litzén K, Rappe C & Reutergårdh L (1994) Biological variation—an important factor to consider in ecotoxicological studies based on environmental samples, *Fresenius. J Anal Chem* 348:76-85.
- Bignert A, Greyerz E, Olsson M, Roos A, Asplund L & Kärsrud A-S (1998a) Similar decreasing rate of OCs in both eutrophic and oligotrophic environments—a result of atmospheric degradation? Part II. Organohalogen Compounds, 36:459-462
- Bignert A, Olsson M, Asplund L & Häggberg L (1998b) Fast initial decrease in environmental concentrations of OCs—A result of atmospheric degradation? Part I. Organohalogen Compounds, 36:373-376.
- Bignert A, Olsson M, Persson W, Jensen S, Zakrisson S, Litzén K, Eriksson U, Häggberg L & Alsberg T (1998c) Temporal trends of organochlorines in Northern Europe, 1967-1995. Relation to global fractionation, leakage from sediments and international measures. *Environ Pollut*, 99:177-198.
- Birnbaum LS (1994) Endocrine effects of prenatal exposure to PCBs, dioxins and other xenobiotics: Implications for policy and research. *Environ Health Perspect*, 102:676-679.
- Birnbaum LS (1995) Workshop on perinatal exposure to dioxinlike compounds. V: Immunologic effects. *Environ Health Perspect*, 103(Suppl 2):157-160.
- Birnbaum LS & Tuomisto J (2000) Non-carcinogenic effects of TCDD in animals. *Food Addit Contam* 17:275-288.
- Bishop CA, Brooks RJ, Carey JH, Ng P, Norstrom RJ & Lean DR (1991) The case for a cause-effect linkage between environmental contamination and development in eggs of the common snapping turtle (*Chelydra s. serpentina*) from Ontario, Canada. *J Toxicol Environ Health*, 33(4):521-547.
- Bishop CA, Ng P, Pettit KE, Kennedy SW, Stegeman JJ, Norstrom RJ & Brooks RJ (1998) Environmental contamination and developmental abnormalities in eggs and hatchlings of the common snapping turtle (*Chelydra serpentina serpentina*) from the Great Lakes-St. Lawrence River basin (1989-91). *Environ Pollut*,

101(1):143-156.

- Bitman J, Cecil HC & Fries GF (1970) DDT-induced inhibition of avian shell gland carbonic anhydrase: A mechanism for thin egg shells. *Science*, 168:594-596.
- Bitman J, Cecil HC, Harris SJ & Fries GF (1968) Estrogenic activity of *o,p'*-DDT in the mammalian uterus and avian oviduct. *Science*, 162:371-372.
- Bjerke DL, Brown TJ, MacLusky NJ, Hochberg RB & Peterson RE (1994) Partial demasculinization and feminization of sex behavior in male rats by in utero and lactational exposure to 2,3,7,8-tetrachlorodibenzo-*p*-dioxin is not associated with alterations in estrogen receptor binding or volumes of sexually differentiated brain nuclei. *Toxicol Appl Pharmacol*, 127:258-267.
- Blackburn MA & Waldock MJ (1995) Concentrations of alkylphenols in rivers and estuaries in England and Wales. *Water Res*, 29:1623-1629.
- Blair PB (1992) Immunologic studies of women exposed *in utero* to diethylstilbestrol. In: Colborn T & Clement C, eds. *Chemically-Induced Alterations in Sexual and Functional Development: The Wildlife/Human Connection*. Princeton, NJ: Princeton Scientific Publishing Co., pp. 289-293.
- Blair PB, Noller KL, Turiel J, Forghani B & Hagens S (1992) Disease patterns and antibody responses to viral antigens in women exposed *in utero* to diethylstilbestrol. In: Colburn T & Clement C, eds. *Chemically-Induced Alterations in Sexual and Functional Development: The Wildlife/Human Connection*. Princeton, NJ: Princeton Scientific Publishing Co., pp. 283-288.
- Blanck HM, Marcus M, Tolbert BE, Rubin C, Henderson AK, Hertzberg VS, Zhang RH & Cameron L (2000) Age at menarche and tanner stage in girls exposed *in utero* and postnatally to polybrominated biphenyl. *Epidemiol*, 11:641-647.
- Blomkvist G, Roos A, Jensen S, Bignert A & Olsson M (1992) Concentrations of DDT and PCB in seals from Swedish and Scottish Waters. *Ambio*, 21:539-545.
- Blount BC, Milgram KE, Silva MJ, Malek NA, Reidy JA, Needham LL & Brock JW (2000a). Quantitative detection of eight phthalate metabolites in human urine using HPLC-APCIMS/MS. *Anal Chem*, 72:4127-4134.
- Blount BC, Silva MJ, Caudill SP, Needham LL, Pirkle JL, Sampson EJ, Lucier GW, Jackson RJ & Brock JW (2000b). Levels of seven urinary phthalate metabolites in a human reference population. *Environ Health Perspect* 108:979-982.
- Boetger-Tong H, Murthy L, Chiappetta C, Kirkland JL, Goodwin B, Adlercreutz H, Stancel GM & Makela S (1998) A case of laboratory animal feed with high estrogenic activity and its impact on *in vivo* responses to exogenously administered estrogens. *Environ Health Perspect*, 196:369-373.
- Bolander FF (1994) *Molecular Endocrinology*, Second Edition. San Diego, CA: Academic Press, Inc.
- Bonde JP, Kold Jensen T, Brixen Larsen S, Abell A, Scheike T, Hjollund NH, Kolstad HA, Ernst E, Giwercman A, Skakkabaek NE, Keiding N & Olsen J (1998) Year of birth and sperm count in 10 Danish occupational studies. *Scand J Work Environ Health*, 24:407-413.
- Bongiovanni AM (1983) An epidemic of premature thelarche in Puerto Rico. *J Pediatr*, 103:245-246.
- Boon JP, Reijnders PJH, Dols J, Wensvoort P & Hillebrand MTJ (1987) The kinetics of individual polychlorinated biphenyl congeners in female harbour seals (*Phoca vitulina*), with evidence for structure-related metabolism. *Aquat Toxicol*, 10:307-324.
- Borgmann U & Whittle DM (1991) Contaminant concentration trends in Lake Ontario lake trout (*Salvelinus namaycush*): 1977 to 1988. *J Great Lakes Res*, 17:368-381.
- Börjeson H & Norrgren L (1997) M74 syndrome: a review of potential etiological factors. In: Rolland RM, Gilbertson M & Peterson RE, eds. *Chemically Induced Alterations in Functional Development and Reproduction of Fishes*. SETAC Technical Publications Series. Pensacola, FL: SETAC Press, pp. 153-166.
- Borrell A & Aguilar A (1993) DDT and PCB pollution in blubber and muscle of long-finned pilot whales from the Faroe Islands. In: Donovan GP, Lockyer CH, Martin AR, eds. *Biology of Northern Hemisphere Pilot Whales*. Cambridge, U.K.: International Whaling Commission, pp. 351-358.
- Bortone SA & Cody RP (1999) Morphological masculinization in poeciliid females from a paper mill effluent receiving tributary of the St. Johns River, Florida, USA. *Bull Environ Contam Toxicol*, 63:150-156.
- Bosland MC (1992) Animal models for the study of prostatic carcinogenesis. *J Cell Biochem*, 16H(Suppl):89-98.
- Boss WR & Witschi E (1947) The permanent effects of early stilbestrol injections on the sex organs of the Herring Gull (*Larus argentatus*). *J Exp Zool*, 105:61-77.
- Bouker KB & Hilakivi-Clarke L (2000) Genistein: does it prevent or promote breast cancer? *Environ Health Perspect*, 108:701-708.
- Bousfield GR, Perry WM & Ward DN (1994) Gonadotropins: chemistry and biosynthesis. In: Knobil E & Neill JD, ed. *The Physiology of Reproduction*, Second Edition. New York: Raven Press, pp. 1304-1348.
- Bowerman WW, Giesy JP, Best DA & Kramer VJ (1995) A review of factors affecting productivity of Bald Eagles in the Great Lakes region: Implications for recovery. *Environ Health Perspect*, 103:51-59.
- Bowler JK (1977) Longevity of reptiles and amphibians in north american collections. *Society for the Study of Amphibians and Reptiles. Assoc Fish and Wildlife Agencies*, 37: 212-221.
- Boyd JA, Clark GC, Walmer DK, Patterson DG, Needham LL & Lucier GW (1995) Endometriosis and the environment: Biomarkers of toxin exposure. *Conference on Endometriosis 2000*, May 15-17, 1995. Bethesda, MD: National Institutes of Health.
- Bradford-Hill A (1965) The environment and disease: Association or causation? *Proc R Soc Med*, 58:295-300.
- Brandt I, Lund J, Bergman Å, Klasson-Wehler E, Poellinger L & Gustafsson J-Å (1985) Target cells for the polychlorinated biphenyl metabolite 4,4'-bis(methylsulfonyl)-2,2',5,5'-tetrachlorobiphenyl in lung and kidney. *Drug Metab Dispos*, 13:490-496.
- Breedlove SM, Cooke BM & Jordan CL (1999) The orthodox view of brain sexual differentiation. *Brain Behav* 54(1):8-14.
- Brodie A, Lu Q & Long B (1999) Aromatase and its inhibitors. *J Steroid Biochem Mol Biol*, 69:205-210.
- Brouwer A & Van den Berg KJ (1986) Binding of a metabolite of 3,3',4,4'-tetrachlorobiphenyl to transthyretin reduces serum vitamin A transport by inhibiting the formation of the protein complex carrying both retinol and thyroxine. *Toxicol Appl Pharmacol*, 85:301-312.
- Brouwer A, Morse DC, Lans MC, Schuur G, Murk AJ, Klasson-Wehler E, Bergman Å & Visser TJ (1998) Interactions of persistent environmental organohalogenes with the thyroid hormone system: Mechanisms and possible consequences for animal and human health. *Toxicol Ind Health*, 14:59-84.

- Brown DP (1987) Mortality of workers exposed to polychlorinated biphenyls—an update. *Arch Env Health*, 42:333-339.
- Bruner KL, Matrisian LM, Rodgers WH, Gorstein F & Osteen KG (1997) Suppression of matrix metalloproteinases inhibits establishment of ectopic lesions by human endometrium in nude mice. *J Clin Invest*, 99:2851-2857.
- Bruner-Tran KL, Rier SE, Eisenberg E & Osteen KG (1999) The potential role of environmental toxins in the pathophysiology of endometriosis. *Gynecol Obstet Invest*, 48(Suppl 1):45-56.
- Brunet JS, Ghadrian P, Rebbeck TR, Lerman C, Garber JE, Tonin PE, Abrahamson J, Foulkes WD, Daly M, Wagner-Costalas J, Godwin A, Olopade OI, Moslehi R, Liede A, Futreal PA, Weber BL, Lenoir GM, Lynch HT & Narod SA (1998) Effect of smoking on breast cancer in carriers of mutant BRCA1 or BRCA2 genes. *J Natl Cancer Inst*, 90:761-766.
- Brunner PH, Capri S, Marcomini A & Griger W (1988) Occurrence and behaviour of linear alkylbenzenesulphonates, nonylphenol, nonylphenol mono- and nonylphenol diethoxylates in sewage and sewage sludge treatment. *Water Research*, 22:1465-1472.
- Brunstrom B, Olsson M & Roos A (1998) 2,3,7,8-TCDD equivalent concentrations in livers from Swedish otters determined with a bioassay. *Organohalogen Compounds*, 39:149-151.
- Brunstrom B, Lund BO, Bergman A, Asplund L, Athanassiadis I, Athanasiadou M, Jensen S & Ordborg J (2001) Reproductive toxicity in mink (*Mustela vison*) chronically exposed to environmentally relevant polychlorinated biphenyl concentrations. *Environ Toxicol Chem*, 20:2318-2327.
- Bryan GW, Gibbs PE, Hummerstone LG & Burt GR (1986) The decline of the gastropod *Nucella lapillus* around south-west England: Evidence for the effect of tributyltin from anti-fouling paints. *J Marine Biol Assoc UK*, 66:611-640.
- Buck GM, Mendola P, Vena JE, Sever LE, Kostyniak P, Griezstein H, Olson J & Stephen FD (1999) Paternal Lake Ontario fish consumption and risk of conception delay, New York State angler cohort. *Environ Res*, 80:S13-S18.
- Budziszewska B, Jaworska L & Larson W (1995) Repeated morphine administration down-regulates glucocorticoid, but not mineralocorticoid, receptors in the rat hippocampus. *Psychoneuroendocrinol*, 20:75-81.
- Bujan L, Mansat A, Pontonnier F & Mieusset R (1996) Time series analysis of sperm concentration in fertile men in Toulouse, France between 1977 and 1992. *Brit Med J*, 312:471-472.
- Bulger WH, Muccitelli RM & Kupfer D (1978a) Interactions of methoxychlor, methoxychlor base-soluble contaminant, and 2,2-bis(*p*-hydroxyphenyl)-1,1,1-trichloroethane with rat uterine estrogen receptor. *J Toxicol Environ Health*, 4:881-893.
- Bulger WH, Muccitelli RM & Kupfer D (1978b) Studies on the *in vivo* and *in vitro* estrogenic activities of methoxychlor and its metabolites. Role of hepatic mono-oxygenase in methoxychlor activation. *Biochem Pharmacol*, 27:2417-2423.
- Bunch T, Panter KE & James LF (1992) Ultrasound studies of the effects of certain poisonous plants on uterine function and fetal development in livestock. *J Animal Sci*, 70:1639-1643.
- Burgoyne PS (1993) A Y-chromosomal effect on blastocyst cell number in mice. *Development*, 117:341-345.
- Burkhart JG, Helgen JC, Fort DJ, Gallagher K, Bowers D, Propst TL, Gernes M, Magner J, Shelby MD & Lucier G (1998) Inductions of mortality and malformation in *Xenopus laevis* embryos by water sources associated with field frog deformities. *Environ Health Perspect*, 106:841-848.
- Burns RK (1961) Role of hormones in the differentiation of sex. In: Young WC, ed. *Sex and Internal Secretion, Third Edition*. Baltimore, MD: Wilkins & Wilkins Co., pp. 76-161.
- Buser H & Müller MD (2000) Environmental behavior of acetamide pesticide stereoisomers. I: Stereo and enantioselective determination using chiral high resolution gas chromatography and chiral high performance liquid chromatography. *Environ Sci Technol*, 29:2023-2030.
- Bush B, Bennett AH & Snow JT (1986) Polychlorobiphenyl congeners, *p,p'*-DDE, and sperm function in humans. *Arch Environ Contam Toxicol*, 15:333-341.
- Cagen SZ, Waechter JM, Dimond SS, Breslin WJ, Butala JH, Jekat FW, Joiner RL, Shiotsuka RN, Veenstra GE & Harris LR (1999) Normal reproductive organ development in Wistar rats exposed to bisphenol A in the drinking water. *Regul Toxicol Pharmacol*, 30:130-139.
- Calamari D, ed. (2001) *Chemical Exposure Predictions*. Boca Raton, FL: Lewis Publishers.
- Carey C & Bryant CJ (1995) Possible interrelations among environmental toxicants, amphibian development, and decline of amphibian populations. *Environ Health Perspect*, 103:13-17.
- Carilla E, Briley M, Fauran F, Sultan C & DuVilliers C (1984) Binding of Permixon, a new treatment for prostatic benign hyperplasia, to the cytosolic androgen receptor in the prostate. *J Steroid Biochem*, 1:521-523.
- Carlsen E, Giwercman A, Keiding N & Skakkebaek NE (1992) Evidence for decreasing quality of semen during past 50 years. *Brit Med J*, 305:609-613.
- Carson R (1962) *Silent Spring*. Boston University Press, Boston, Massachusetts.
- Carver LA & Bradford CA (1997) ligand-dependent interaction of the aryl hydrocarbon receptor with a novel immunophilin homolog *in vivo*. *J Biol Chem*, 272:114252-11456.
- Casillas E, Misitano D, Johnson LL, Rhodes LD, Collier TK, Stein JE, McCain BB & Varanasi U (1991) Inducibility of spawning and reproductive success of female English sole (*Parophrys vetulus*) from urban and nonurban areas of Puget Sound, Washington. *Mar Environ Res*, 31:99-122.
- Cassidy A, Bingham S & Setchell KDR (1994) Biological effects of soy protein rich in isoflavones on the menstrual cycle of premenopausal women. *Am J Clin Nutr*, 60:333-340.
- Catenacci G, Barbieri F, Bersani M, Ferioli A & Maroni M (1993) Biological monitoring of human exposure to atrazine. *Toxicol Lett*, 69:217-222.
- Cattet M (1988) Abnormal sex differentiation in black bears (*Ursus americanus*) and brown bears (*Ursus arctos*). *J Mamm*, 69:849-852.
- Cech JJ, Wilson BW & Crosby DG (1998) *Multiple Stresses in Ecosystems*. New York: Lewis Publishers.
- Chan STH & Yeung WSB (1983) Sex control and sex reversal in fish under natural conditions. In: Hoar WS, Randall DJ & Donaldson EM, eds. *Fish Physiology*, Vol. 9B. New York: Academic Press, pp. 171-222.
- Chan WK, Yao G, Gu YZ & Bradfield CA (1999) Cross talk between the aryl hydrocarbon receptor and hypoxia inducible factor signaling pathways—demonstration of competition and compensation. *J Biol Chem*, 274:12115.
- Chang KH, Hsieh KH, Lee TP, Tang SY & Tung TC (1981)

- Immunologic evaluation of patients with polychlorinated biphenyl poisoning: determination of lymphocyte subpopulations. *Toxicol Appl Pharmacol*, 61:58-63.
- Chang KH, Hsieh KH, Tang SY, Tung TC & Lee TP (1982) Immunologic evaluation of patients with polychlorinated biphenyl poisoning: Evaluation of delayed-type hypersensitivity response and its relation to clinical studies. *J Toxicol Environ Health*, 9:217-223.
- Chao WY, Hsu CC & Guo YL (1997) Middle-ear disease in children exposed prenatally to polychlorinated biphenyls and polychlorinated dibenzofurans. *Arch Environ Health*, 52:257-262.
- Chapin RE, Stevens JT, Hughes HL, Kelce WR, Hess RA & Daston GP (1996) Symposium overview: Endocrine modulation of reproduction. *Fundam Appl Toxicol*, 29:1-17.
- Chapin RE, Harris MW, Davis BJ, Ward SM, Wilson RE, Mauney MA, Lockhart AC, Smialowicz RJ, Moser VC, Burka LT & Collins BJ (1997a) The effects of perinatal/juvenile methoxychlor exposure on adult rat nervous, immune, and reproductive system function. *Fundam Appl Toxicol*, 40:138-157.
- Chapin RE, Sloane RA, Haseman JK (1997b) The relationships among reproductive endpoints in Swiss mice, using the reproductive assessment by continuous breeding database. *Fundam Appl Toxicol*, 38:129-142.
- Chedid S, Camus M, Smitz J, Van Steirteghem AC & Devroey P (1995) Comparison among different ovarian stimulation regimens for assisted procreation procedures in patients with endometriosis. *Hum Reprod*, 10:2046-2051.
- Cheek AO, Kow K, Chen J & McLachlan JA (1999) Potential mechanisms of thyroid disruption in humans: Intraaction of organochlorine compounds with thyroid receptor, transthyretin, and thyroid binding globulin. *Environ Health Perspect*, 107:273-278.
- Chen RC, Tang SY, Miyata H, Kashimoto T, Chang YC, Chang KJ & Tung TC (1985) Polychlorinated biphenyl poisoning: Correlation of sensory and motor nerve conduction, neurologic symptoms, and blood levels of polychlorinated biphenyls, quarterphenyls, and dibenzofurans. *Environ Res*, 37:340-348.
- Chester Jones I, Ingleton PM & Philips JG (1987) *Fundamentals of Comparative Vertebrate Endocrinology*. New York: Plenum Press.
- Chia SE, Tay SK & Lim ST (1998) What constitutes a normal seminal analysis? Semen parameters of 243 fertile men. *Hum Reprod*, 13(12):3394-3398.
- Chilvers C, Pike MC, Forman D, Fogelman K & Wadsworth MEJ (1984) Apparent doubling of frequency of undescended testis in England and Wales in 1962-1981. *Lancet*, 2(8389):330-332.
- Chu KH, Wong CK & Vhiu KC (1997) Effects of the insect growth-regulator(s) methoprene on survival and reproduction of the freshwater cladoceran, *Moina macrocopa*. *Environ Pollut* 96:173-178.
- Clare AS, Rittschof D & Costlow JD Jr (1992) Effects of the nonsteroidal ecdysone mimic RH5849 on larval crustaceans. *J Exp Zool*, 262:436-440.
- Clark EJ, Norris DO & Jones RE (1998) Interactions of gonadal steroids and pesticides (DDT, DDE) on gonaduct growth in larval tiger salamanders, *Ambystoma tigrinum*. *Gen Comp Endocrinol*, 109:94-105.
- Clark RL, Anderson CA, Prahalada S, Robertson RT, Lochry EA, Leonard YM, Stevens JL & Hoberman AM (1993) Critical developmental periods for effects on male rat genitalia induced by finasteride, a 5 alpha-reductase inhibitor. *Toxicol Appl Pharmacol*, 119:34-40.
- Clarke AG (1984) Immunological studies on pregnancy in the mouse. In: Crichton DB, ed. *Immunological Aspects of Reproduction in Mammals*. London: Butterworths, pp. 183-182.
- Cline JM & Foth D (1998) Dietary soy antagonizes the effects of estradiol on the mammary gland and uterus of macaques. In: Dunaif GE, Olin SS, Scimeca J & Thomas JA, eds. *Human Diet and Endocrine Modulation: Estrogenic and Androgenic Effects*. Washington, D.C.: ILSI Press, pp. 292-293.
- Cobb GP & Wood PD (1997) PCB concentrations in eggs and chorioallantoic membranes of loggerhead sea turtles (*Caretta caretta*) from the Cape Romain National Wildlife Refuge. *Chemosphere*, 34(3):539-549.
- Cocco P, Blair A, Congia P, Saba G, Ecça AR & Palmas C (1997) Long-term health effects of the occupational exposure to DDT. A preliminary report. *Ann NY Acad Sci*, 837:246-256.
- Cocco P & Benichou J (1998) Mortality from cancer of the male reproductive tract and environmental exposure to the anti-androgen *p,p'*-dichlorodiphenyldichloroethylene in the United States. *Oncology*, 55:334-339.
- Colborn T & Clement C (1992) *Chemically-Induced Alterations in Sexual and Functional Development: The Wildlife/Human Connection*. Princeton, NJ: Princeton Scientific Publishing Co.
- Coleman MP, Esteve J, Damielcki P, Arslan A & Renard H (1993) Trends in cancer incidence and mortality. IARC Scientific Publications No. 121. Lyon, France: International Agency for Research on Cancer.
- Colerangle JB & Roy D (1997) Profound effects of the weak environmental estrogen-like chemical, biphenol A on the growth of the mammary gland in Noble rats. *J Steroid Biochem Molec Biol*, 60:153-160.
- Collaer ML & Hines M (1995) Human behavioral sex differences: A role for gonadal hormones during early development. *Psychol Bull*, 118:55-107.
- Collier TK, Johnson LL, Stehr CM, Myers MS & Stein JE (1998) A comprehensive assessment of the impacts of contaminants on fish from an urban waterway. *Mar Environ Res*, 46:243-247.
- Collins WT & Capen CC (1980) Fine structural lesions and hormonal alterations in thyroid glands of perinatal rats exposed *in utero* and by milk to polychlorinated biphenyls. *Am J Pathol*, 99:125-142.
- Colon I, Caro D, Bourdony CJ & Rosario O (2000) Identification of phthalate esters in the serum of young Puerto Rican girls with premature breast development. *Environ Health Perspect*, 108:895-900.
- Colton T, Greenberg ER, Noller K, Resseguie L, Van Bennekorn C, Heeren T & Zhang Y (1993) Breast cancer in mothers prescribed diethylstilbestrol in pregnancy. Further follow-up. *JAMA*, 269:2069-2100.
- Congdon JD, Tinkle DW, Breitenbach GW & van Loben Sels RC (1983) Nesting ecology and hatching success in the turtle *Emydoidea blandingii*. *Herpetologica*, 39:417-429.
- Conn PM (1994) The molecular mechanism of gonadotropin hormone releasing hormone action in the pituitary. In: Knobil E & Neill JD, ed. *The Physiology of Reproduction*, Second Edition, New York, N.Y.: Raven Press, pp. 1815-1832.
- Conner K, Howell J, Chen I, Liu H, Berhane K, Sciarretta C, Safe S & Zacharewski T (1996) Failure of chloro-s-triazine derived compounds to induce estrogen receptor-mediated responses *in vivo* and *in vitro*. *Fundam Appl Toxicol*, 30:93-101.
- Conover MR & Hunt GLJ (1984a) Experimental evidence that

- female-female pairs in gulls result from a shortage of breeding males. *Condor*, 86:472-476.
- Conover MR & Hunt GLJ (1984b) Female-female pairing and sex ratios in gulls: An historical perspective. *Wilson Bull*, 96:619-625.
- Conover MR, Miller DE & Hunt GLJ (1979) Female-female pairs and other unusual reproductive associations in ring-billed and California gulls. *Auk*, 96:6-9.
- Convery M & Brawer JR (1991) Thecal and interstitial cells in polycystic ovaries (PCO) in the rat. *Anat Rec*, 231:324-332.
- Cook JC, Johnson L, O'Connor JC, Biegel L, Krams CH, Frame SR & Hurtt ME (1998) Effects of dietary 17 β -estradiol exposure on serum hormone concentrations and testicular parameters in male Crl:CD BR rats. *Toxicol Sci*, 44:155-168.
- Cook P, Zabel E & Peterson R (1997) The TCDD toxicity equivalence approach for characterizing risks for early life-stage mortality in trout. In: Rolland R, Gilbertson M & Peterson R, eds. *Chemically Induced Alterations in Functional Development and Reproduction in Fishes*. Pensacola, FL: SETAC Press, pp. 9-27.
- Cooke AS (1973) Shell thinning in avian eggs by environmental pollutants. *Environ Pollut*, 4:65-152.
- Cooke AS (1979a) Egg shell characteristics of gannets *Sula bassana*, shags *Phalacrocorax aristotelis* and great black-backed gulls *Larus marinus* exposed to DDE and other environmental pollutants. *Environ Pollut*, 19:47-64.
- Cooke AS (1979b) Changes in egg shell characteristics of the sparrow hawk *Accipiter-Nigus* and peregrine *Falco-peregrinus* associated with exposure to environmental pollutants during recent decades. *J Zool*, 187:245-264.
- Cooke AS, Bella A & Prestt I (1976) Egg shell characteristics and evidence of shell breakage for grey herons *Ardea cinerea* exposed to environmental pollutants. *Environ Pollut*, 11:59-84.
- Cooke B, Hegstrom CD, Villeneuve LS & Breedlove SM (1998) Sexual differentiation of the vertebrate brain: Principles and mechanisms. *Front Neuroendocrinol*, 19:323-362.
- Cooke MA, Benn T, Betts D, Grime LP, Harrison J, Hayes A, Inskip H, Martin PA, Rushton L, Pugh-Williams S & Wilks MF (1999) Guidelines for the compilation of occupational health-related records to future epidemiological studies of chemical exposure. *Occup Med*, 49:439-442.
- Cooper MK, Porter J, Young K & Beachy PA (1998) Teratogen-mediated inhibition of target tissue response to Shh signalling. *Science*, 280:1603-1607.
- Cooper RL & Kavlock RJ (1997) Endocrine disruptors and reproductive development: A weight-of-evidence overview. *J Endocrinol*, 152:159-166.
- Cooper RL, Stoker TE, Goldman JM, Parrish MB & Tyrey L (1996) Effect of atrazine on ovarian function in the rat. *Reprod Toxicol*, 10(4):257-264.
- Corn PS (1999) Amphibian declines: Review of some current hypotheses. In: Sparling DW, Bishop CA & Linder G, eds. *Ecotoxicology of Amphibians and Reptiles*. Pensacola, FL: SETAC Press, pp. 663-696.
- Cosman F & Lindsay R (1999) Selective estrogen receptor modulators: Clinical spectrum. *Endocrinol Rev*, 20:418-434.
- Couch RM, Muller J, Perry YS & Winter JS (1987) Kinetic analysis of human adrenal steroidogenesis by ketoconazole. *J Clin Endocrinol Metab*, 65:551-554.
- Courval JM, DeHoog JV, Stein AD, Tay EM, He J, Humphrey HEB & Paneth N (1999) Sport-caught fish consumption and conception delay in licensed Michigan anglers. *Environ Res*, 80:S183-S188.
- Crain DA & Guillette LJ Jr (1998) Reptiles as models of contaminant-induced endocrine disruption. *Anim Reprod Sci*, 53(1-4):77-86.
- Crain DA, Guillette LJ Jr, Rooney AA & Pickford DB (1997) Alterations in steroidogenesis in alligators (*Alligator mississippiensis*) exposed naturally and experimentally to environmental contaminants. *Environ Health Perspect*, 105(5):528-533.
- Crain DA, Guillette LJ Jr, Pickford DB, Percival HF & Woodward AR (1998a) Sex-steroid and thyroid hormone concentrations in juvenile alligators (*Alligator mississippiensis*) from contaminated and reference lakes in Florida, USA. *Environ Toxicol Chem*, 17:446-452.
- Crain DA, Noriega N, Vonier PM, Arnold SF, McLachlan JA & Guillette LJ Jr (1998b) Cellular bioavailability of natural hormones and environmental contaminants as a function of serum and cytosolic binding factors. *Toxicol Ind Health*, 14(1-2):261-273.
- Crews D & Bergeron JM (1994) Role of reductase and aromatase in sex determination in the red-eared slider (*Trachemys scripta*), a turtle with temperature-dependent sex determination. *J Endocrinol*, 143(2):279-289.
- Crews D, Bergeron JM & McLachlan JA (1995) The role of estrogen in turtle sex determination and the effect of PCBs. *Environ Health Perspect*, 103(Suppl 7):73-77.
- Crisp TM, Clegg ED, Cooper RL, Wood WP, Anderson DG, Baetcke KP, Hoffmann JL, Morrow MS, Rodier DJ, Schaeffer JE, Touart LW, Zeeman MG & Patel YM (1998) Environmental endocrine disruption: an effects assessment and analysis. *Environ Health Perspect*, 106(Suppl 1):11-56.
- Crosby D (1998) *Environmental Toxicology and Chemistry*, Oxford, U.K., Oxford University Press.
- Crowley WF Jr (1999) Towards multifactorial hypothalamic regulation of anterior pituitary hormone secretion. *New Physiol Sci*, 14:54-58.
- Crowley WF Jr, Whitcomb RW, Jameson JL, Weiss J, Finkelstein JS & O'Dea LS (1991) Neuroendocrine control of human reproduction in the male. *Rec Progr Hormone Res*, 47:27-67.
- Csapo AL, Pulkkinen MO & Wiest WG (1976) Effects of lutectomy and progesterone replacement therapy in early pregnant patients. *Am J Obstet Gynecol*, 115:759.
- Cummings AM (1993) Replacement of estrogen by methoxychlor in the artificially-induced decidual cell response in the rat. *Life Sci*, 52:347-352.
- Cummings AM, Hedge JL & Laskey J (1997) Ketoconazole impairs early pregnancy and the decidual cell response via alterations in ovarian function. *Fundam Appl Toxicol*, 40:238-246.
- Cummings AM, Hedge JM & Birnbaum L (1999) Effect of prenatal exposure to TCDD on the promotion of endometriotic lesion growth by TCDD in adult female rats and mice. *Toxicol Sci*, 52:45-49.
- Curtis KM, Savitz DA, Weinberg CR & Arbuckle TE (1999) The effect of pesticide exposure on time to pregnancy. *Epidemiol*, 10:112-117.
- Cymborowski B (1992) *Insect Endocrinology*. Amsterdam, The

- Netherlands: Elsevier Publishers.
- Czyglik F, Mayaux MJ, Guihard Moscato ML, David G & Schwartz D (1986) Lower sperm characteristics in 36 brothers of infertile men, compared with 545 controls. *Fertil Steril*, 45:255-258.
- Danish Ministry of Health (2001) Hormones and Endocrine Disruptors in Food and Water. Andersson A, Grigor KM, RappertdeMeys J, Leffers H & Skakkebaek NE, eds. *Acta Pathol Microbiol Immunol Scand*, 109(Suppl 3):S1-S568.
- Danzo BJ (1997) Environmental xenobiotics may disrupt normal endocrine function by interfering with the binding of physiological ligands to steroid receptors and binding proteins. *Environ Health Perspect*, 105:294-301.
- Darlington DN & Dallman MF (1995) Feedback control in endocrine systems. In: Becker KL, ed. *Principles and Practice of Endocrinology and Metabolism*, Second Edition. Philadelphia, PA: Lippincott.
- Damerud PO, Atuma SS, Aune M, Becker W, Petersson-Greavé K & Wicklund Glynn A (2000) Sakrapport miljöövervakningen: Organiska miljökontaminanter I svenska livsmedel, Livsmedelsverket.
- Darvas B, Polgár L, Tag El-Din MH, Eross K & Wing KD (1992) Developmental disturbances in different insect orders caused by an ecdysteroid agonist, RH 5849. *J Econ Entomol*, 85:2107-2112.
- Das PC, McElroy WK & Cooper RL (2000) Differential modulation of catecholamines by chlorotriazine herbicides in pheochromocytoma (PC12) cells *in vitro*. *Toxicol Sci*, 56(2):324-331.
- Das S & Thomas P (1999) Pesticides interfere with the nongenomic action of a progestogen on meiotic maturation by binding to its plasma membrane receptor on fish oocytes. *Endocrinology* 140(4):1953-1956.
- Daughton CG & Ternes TA (1999) Pharmaceuticals and personal care products in the environment: Agents of subtle change? *Environ Health Perspect*, 107(Suppl 6):907-938.
- Davis KB, Morrison J & Galvez JL (2000) Reproductive characteristics of adult channel fish treated with trenbolone acetate during the phenocritical period of sex differentiation. *Aquacult*, 189:351-360.
- Davis DL, Gottlieb MB & Stampnitzky JR (1998) Reduced ratio of male to female births in several industrial countries: A sentinel health indicator? *JAMA*, 279:1018-1023.
- de Boer J, de Boer K & Boon JP (2000) Polybrominated biphenyls and diphenylethers. In: Paasivirta J, ed. *New Types of Persistent Halogenated Compounds*, 3. Berlin, Springer-Verlag, pp. 61-95.
- de Cock J, Heederik D, Tielemans E, te Velde E & van Kooij R (1995) Offspring sex ratio as an indicator of reproductive hazards associated with pesticides. *Occup Environ Med*, 52:429-430.
- De Guise S, Lagace A & Béland P (1994) True hermaphroditism in a St. Lawrence beluga whale (*Delphinapterus leucas*). *J Wildl Dis*, 30:287-290.
- De Heer C, Schuurman HJ, Liem D, Penninks A, Vos JG & Van Loveren H (1995) Toxicity of tetrachlorodibenzo-*p*-dioxin (TCDD) to the human thymus after implantation in SCID mice. *Toxicol Appl Pharmacol*, 134:296-304.
- De Kloet ER, Vrijgdenhik E, Oitl MS & Joels M (1998) Brain corticosteroid receptor balance in health and disease. *Endocrine Revs*, 19:269-301.
- De Kloet, Rosenfeld P, Van Eekelen AM, Sutano W & Levine S (1988) Stress, glucocorticoids and development. *Progr Brain Res*, 73:101-120.
- De Kock AC, Best PB, Cockcroft V & Bosma C (1994) Persistent organochlorine residues in small cetaceans from the east and west coasts of southern Africa. *Sci Total Environ*, 154:153-162.
- de March BGE, de Wit CA & Muir DCG (1998) Persistent organic pollutants. In: *Assessment Report: Arctic Pollution Issues*. Oslo: Arctic Monitoring and Assessment Programme (AMAP), pp. 183-371.
- De Mouzon J, Thonneau P, Spira A & Multigner L (1996) Declining sperm count. Semen quality has declined among men born in France since 1950. *Brit Med J*, 313:43-45.
- de Solla, SR, Bishop CA, Van Der Kraak G & Brooks RJ (1998) Impact of organochlorine contamination on levels of sex hormones and external morphology of common snapping turtles (*Chelydra serpentina serpentina*) in Ontario, Canada. *Environ Health Perspect*, 106(5):253-260.
- De Vault DS, Willford WA, Hesselberg RJ, Nortrup DA, Rundberg EGS, Alwan AK & Bautista C (1986) Contaminant trends in lake trout (*Salvelinus namaycush*) from the upper Great Lakes. *Arch Environ Contam Toxicol*, 15:349-356.
- DeVito MJ, Thomas T, Martin E, Umbreit TH & Gallo MA (1992) Antiestrogenic action of 2,3,7,8-tetrachlorodibenzo-*p*-dioxin: Tissue-specific regulation of estrogen receptor in CDI mice. *Toxicol Appl Pharmacol*, 113:284-292.
- De Waal EJ, Schuurman HJ, Van Loveren H & Vos JG (1997) Differential effects of 2,3,7,8-tetrachlorodibenzo-*p*-dioxin, bis(tri-*n*butyltin) oxide and cyclosporine on thymus histophysiology. *Crit Rev Toxicol*, 27:381-430.
- de Wit CA, Järnberg UG, Asplund LT, Jansson B, Olsson M, Odsjö T, Lindstedt IL, Andersson Ö, Berge S, Hjelt M, Rappe C, Jansson A & Nygren M (1994) The Swedish dioxin survey: Summary of results from PCDD/F and coplanar PCB analyses in biota. *Organohalogen Compounds*, 20:47-50.
- de Wit CA (1999) Swedish Environmental Monitoring Program (unpublished).
- DeFur PI, Crane M, Ingersall CG, Tattersfield L, eds. (1999) *Endocrine Disruption in Invertebrates: Endocrinology, Testing, and Assessment*. Society of Environmental Toxicology and Chemistry (SETAC). Pensacola, FL: SETAC Press.
- Dello Iacova R, Celentano E, Strollo AM, Iazzetta G, Capasso I & Randazzo G (1999) Organochlorines and breast cancer. A study on Neapolitan women. *Adv Exp Med Biol*, 472:57-66.
- DeLong RL, Gilmartin WG & Simpson JG (1973) Premature births in Californian sealions: association with high organochlorine pollutant residue levels. *Science*, 181:1168-1170.
- De Swart RL, de Ross PS, Vedder LJ, Timmerman HH, van Loveren H, Vos LG, Reijnders PJH & Osterhaus ADME (1994) Impairment of immune functions in harbour seals (*Phoca vitulina*) feeding on fish from polluted coastal waters. *Ambio*, 23:155-159.
- Demers A, Ayotte P, Brisson J, Dodin S, Robert J & Dewally E (2000) Risk and aggressiveness of breast cancer in relation to plasma organochlorine concentrations. *Cancer Epidemiol Biomark Prev*, 9:161-166.
- Denison MS, Fisher JM & Whitlock JP Jr (1989) Protein-DNA interactions at recognition sites for the dioxin-Ah receptor complex. *J Biol Chem*, 264:16478-16482.
- Denton TE, Howell WM, Allison JJ, McCollum J & Marks B (1985) Masculinization of female mosquitofish by exposure to plant sterols and *Mycobacterium smegmatis*. *Bull Environ Contam Toxicol*, 35:627-632.
- Denver RJ (1997) Proximate mechanisms of phenotypic plasticity

- in amphibian metamorphosis. *Am Zool*, 37:172-184.
- Depledge MH (1998) The ecotoxicological significance of genotoxicity in marine invertebrates. *Mutat Res*, 399(1):109-122.
- Desbrow C, Routledge EJ, Brighty GC & Waldock M (1998) Identification of estrogenic chemicals in STW effluent. 1: Chemical fractionation and *in vitro* biological screening. *Environ Sci Technol*, 32:1549-1558.
- Desvages G & Pieau C (1992) Aromatase activity in gonads of turtle embryos as a function of the incubation temperature of the egg. *J Steroid Metabol Biochem Mol Biol*, 41:851-853.
- Desvages G, Girondot M & Pieau C (1993) Sensitive stages for the effects of temperature on gonadal aromatase activity in embryos of the marine turtle *Dermochelys coriacea*. *Gen Comp Endocrinol*, 92(1):54-61.
- DeWailly E, Dodin S, Verreault R, Ayotte P & Morin J (1994) High organochlorine body burdens in women with estrogen receptor-positive breast cancer. *J Natl Cancer Inst*, 86:232-234.
- DeWailly E, Ayotte P, Laliberté C, Weber J-P, Gingras S & Nantel AJ (1996) Polychlorinated biphenyl (PCB) and dichlorodiphenyl dichloroethylene (DDE) concentrations in the breast milk of women in Quebec. *Am J Publ Health*, 86:1241-1246.
- Dickman M & Rygiel G (1996) Chironomid larval deformity frequencies, mortality and diversity in heavy-metal contaminated sediments of a Canadian riverine wetland. *Environ Int*, 22:693-703.
- Dickhoff W, Brown CL, Sullivan CV & Bern HA (1990) Fish and amphibian models for developmental endocrinology. *J Exp Zool*, 12(Suppl 4):90-97.
- Dietz R, Heide-Jørgensen MP & Härkönen T (1989) Mass deaths of harbour seals (*Phoca vitulina*) in Europe. *Ambio*, 18:258-264.
- Dinan L, Bourne PC, Meng Y, Sarker SD, Tolentino RB, Whiting P (2001a) Assessment of natural products in the *Drosophila melanogaster* BII cell bioassay for ecdysteroid agonist and antagonist activities. *Cell Mol Life Sci*, 58:321-342.
- Dinan L, Bourne P, Whiting P, Dhadialla TS, Hutchinson TH (2001b) Screening of environmental contaminants for ecdysteroid agonist and antagonist activity using the *Drosophila melanogaster* BII cell *in vitro* assay. *Environ Toxicol Chem*, 20:2038-2046.
- Dodds EC & Lawson W (1938) Molecular structure in relations to oestrogenic activity. Compounds without a phenanthrene nucleus. *Proc Royal Soc Lond*, 125:222-232.
- Dodds L & Armonson BA (1997) Is Canada's sex ratio in decline? *Can Med Assoc J*, 156:46-48.
- Dodge JA (1998) Natural and anthropogenic environmental oestrogens: The scientific basis for risk assessment. Structure/activity relationships. *Pure Appl Chem*, 70:1725-1733.
- Dodson SI, Merritt CM, Shanrahan JP & Shults CM (1991a) Low exposure concentrations of atrazine increase male production in *Daphnia pulex*. *Environ Toxicol Chem*, 18:1568-1573.
- Dodson S, Merritt C, Torrentera L, Winter K, Tornahl C & Girvin K (1999b) Dieldrin reduces male production and sex ratio in *Daphnia galeata mendotae*. *Toxicol Ind Health*, 15:192-199.
- Dohler KD (1991) Pre- and postnatal influence of hormones and neurotransmitters on sexual differentiation of the mammalian hypothalamus. *Int Rev Cytol*, 131:1-57.
- Dolk H (1998) Rise in prevalence of hypospadias. *Lancet*, 351:770.
- Dong L, Ma Q & Whitlock JP Jr (1996) DNA binding by the heterodimeric Ah receptor, relationship to dioxin induced CYP1A1 transcription *in vivo*. *J Biol Chem*, 271:7942-7948.
- Dorgan JF, Brock JW, Rothman N, Needham LL, Miller R, Stephenson HE Jr, Schussler N & Taylor PR (1999) Serum organochlorine pesticides and PCBs and breast cancer risk: Results from a prospective analysis (USA). *Cancer Causes Control*, 10:1-11.
- Dougherty RC, Whitaker MJ, Smith LM, Stalling DL & Kuehl DW (1980) Negative chemical ionization studied of human and food chain contamination with xenobiotic chemicals. *Environ Health Perspect*, 36:103-117.
- Drost CA & Fellers GA (1996) Collapse of a regional frog fauna in the Yosemite area of the California Sierra Nevada, USA. *Conservation Biol*, 10:414-425.
- Dube MG & MacLachy DL (2000) Endocrine responses of *Fundulus heteroclitus* to effluent from a bleached-Kraft pulp mill before and after installation of reverse osmosis treatment of a waste stream. *Environ Toxicol Chem*, 19:2788-2796.
- Dunaif A (1997) Insulin resistance and the polycystic ovary syndrome: Mechanism and implications for pathogenesis. *Endocrinol Rev*, 18:774-800.
- Eastin WC Jr & Spaziani E (1978) On the mechanism of calcium secretions in the avian shell gland (uterus). *Biol Reprod*, 19:505-518.
- ECETOC (1996) Environmental oestrogens: a compendium of test methods. ECETOC Document 33. Brussels. European Centre for Ecotoxicology and Toxicology of Chemicals.
- Ekbom A, Wicklund-Glynn A & Adami HO (1996) DDT and testicular cancer. *Lancet*, 347:553-554.
- Ekelund R, Bergman A, Granmo A & Berggren M (1990) Bioaccumulation of 4-nonylphenol in marine animals—a reevaluation. *Environ Pollut*, 64:107-120.
- El Dareer SM, Kalin JR, Tillery KF & Hill DL (1987) Disposition of decabromobiphenyl ether in rats dosed intravenously or by feeding. *Toxicol Environ Health*, 22:405-415.
- Eldridge JC, Fleenor-Heyser DG, Extram PC, Wetzel LT, Breckenridge CB, Gillis JH, Luempert LG III & Stevens JT (1994) Short-term effects of chlortriazines on estrous in female Sprague-Dawley and Fischer 344 rats. *J Toxicol Environ Health*, 43:155-167.
- Ellerichmann T, Bergman A, Franke S, Jakobsson E, Jakobsson E, König WA & Larsson C (1998) Gas chromatographic enantiomer separations of chiral PCB methyl sulfones and identification of selectively retained enantiomers in human liver. *Fresenius Environ Bull*, 7:244-257.
- Elliott JE, Norstrom RJ & Keith JA (1988) Organochlorines and eggshell thinning in northern gannets (*Sula bassanus*) from eastern Canada. *Environ Pollut*, 52:81-102.
- Elo O, Vuolojathi P, Janhunen H & Rantanen J (1985) Recent PCB accidents in Finland. *Environ Health Perspect*, 60:315-319.
- Elsby R, Maggs JL, Ashby J, Paton D, Sumpter JP, Park BK (2001) Assessment of the effects of metabolism on the estrogenic activity of xenoestrogens: A two stage approach coupling human liver microsomes and a yeast estrogenicity assay. *Pharmacology and Experimental Therapeutics*, 296(2):329-337.
- Ema M, Itami T & Kawasaki H (1992) Effect of period of exposure on the developmental toxicity of BBP in rats. *J Appl Toxicol*, 12:57-61.
- Ema M, Amano H, Itami T & Kawasaki H (1993) Teratogenic

- evaluation of di-*n*-butyl phthalate in rats. *Toxicol Lett*, 69:197-203.
- Ema M, Amano H & Ogawa Y (1994) Characterization of the developmental toxicity of di-*n*-butyl phthalate in rats. *Toxicol*, 86:163-174.
- Emmett EA, Maroni M, Schmith JM, Levin BK & Jefferys J (1988) Studies of transformer repair workers exposed to PCBs. I: Study design, PCB concentrations, questionnaire, and clinical examination results. *Am J Ind Med*, 13:415-427.
- Erickson GF & Schreiber JR (1995) Morphology and physiology of the ovary. In: Becker KL, ed. *Principles and Practice of Endocrinology and Metabolism*, Second Edition. Philadelphia, PA: Lippincott.
- Etchberger CR, Ewert MA, Philips JB, Nelson CE & Prange HD (1992) Physiological responses to carbon dioxide in embryonic redeared slider turtles, *Trachemys scripta*. *J Exp Zool*, 264:1-10.
- European Commission (1996) European workshop on the impact of endocrine disruptors on human health and wildlife. Weybridge, UK, Report No. EUR 17549, Environment and Climate Research Programme, DG XXI. Brussels, Belgium: European Commission.
- Evans JJ (1999) Modulation of gonadotropin levels by peptides acting at the anterior pituitary gland. *Endocrinol Revs*, 20:46-67.
- Evans RG, Webb KB, Knutsen AP, Roodman ST, Roberts DW, Bagby JR, Garrett WA & Andrews JS (1988) A medical follow-up of the health effects of long-term exposure to 2,3,7,8-tetrachlorodibenzo-*p*-dioxin. *Arch Environ Health*, 43:273-278.
- Facemire CF, Gross TS & Guillette LJJ (1995) Reproductive impairment in the Florida panther: Nature or nurture? *Environ Health Perspect*, 103:79-86.
- Fairchild WL, Swansburg EO, Arsenault JT & Brown SB (1999) Does an association between pesticide use and subsequent declines in catch of Atlantic salmon (*Salmo salar*) represent a case of endocrine disruption? *Environ Health Perspect*, 107:349-357.
- Falck F, Ricci A, Wolff MS, Godbold J & Deckers P (1992) Pesticides and polychlorinated biphenyl residues in human breast lipids and their relation to breast cancer. *Arch Environ Health*, 47:143-146.
- Fängström B, Athanasiadou M, Grandjean P, Weihe P & Bergman Å (2002) Hydroxylated PBC metabolites in serum from pregnant Faroese women. *Environ Health Perspect* (In press).
- FAO/WHO (1995) Application of Risk analysis to Food Standard Issues. Document WHO/FSF/97.5. Geneva, Switzerland: World Health Organization.
- Fara GM (1999) The ICMESA accident: First intervention for the protection of man and environment. In: Ballarin-Denti A, Bertazzi PA, Facchetti S, Fanelli R & Mocarelli P, eds. *Chemistry, Man and Environment*. Amsterdam: Elsevier Science, pp. 3-16.
- Fara GM, Del Corvo G, Bernuzzi S, Bigatello A, Di Pietro C, Scaglioni S & Chiumello G (1979) Epidemic of breast enlargement in an Italian school. *Lancet*, 2(8137):295-297.
- Farrow S (1994) Falling sperm quality: Fact or fiction? *Brit Med J*, 309:1-2.
- Favreau LV & Pickett CB (1991) Transcriptional regulation of the rat NAD(P)H: quinone reductase gene. Identification of regulatory elements controlling basal level expression and inducible expression by planar aromatic compounds and phenolic antioxidants. *J Biol Chem*, 7:4556-4561.
- Feinberg JS & Kelley CR (1998) Pregnant workers. A physician's guide to assessing safe employment. *West J Med*, 68:86-92.
- Feitosa MF & Krieger H (1992) Demography of the human sex ratio in some Latin American countries, 1967-1986. *Hum Biol*, 64:523-530.
- Feitosa MF & Krieger H (1993) Some factors affecting the secondary sex ratio in a Latin American sample. *Hum Biol*, 65:273-278.
- Fingerhut MA, Halperin WE, Marlow DA, Piacitelli LA, Honchar PA, Sweeney MH, Steenland K & Suruda AJ (1991) Cancer mortality in workers exposed to 2,3,7,8-tetrachlorodibenzo-*p*-dioxin. *New Engl J Med*, 324(4):212-218.
- Fisch H & Goluboff ET (1996) Geographic variation in sperm counts: A potential cause of bias in studies of semen quality. *Fertil Steril*, 65:1044-1046.
- Fisch H, Goluboff ET, Olson JH, Feldshuh J, Broder SJ & Barad DH (1996) Semen analysis in men from the United states over a 25-year period: No decline in quality. *Fertil Steril*, 65:1009-1014.
- Fitch MA & Shugart GW (1983) Comparative biology and behavior of monogamous pairs and one male-two female trios of herring gulls. *Behav Ecol Sociobiol*, 14:1-7.
- Flammarion P, Brion F, Babut M, Garrie J, Migeon B, Noury P, Thybaud E, Tyler CR & Palazzi X (2000) Induction of fish vitellogenin and alterations in testicular structure: Preliminary results of estrogenic effects in chub (*Leuciscus cephalus*). *Ecotoxicol*, 9:127-135.
- Fleming A & Crews D (2001) Estradiol and incubation temperature modulate regulation of steroidogenic factor I in the developing gonad of the red-eared slider turtle. *Endocrinol*, 142:1403-1411.
- Folmar LC, Denslow ND, Rao V, Chow M, Crain DA, Enblom J, Marcino J & Guillette LJ (1996) Vitellogenin induction and reduced serum testosterone concentrations in feral male carp (*Cyprinus carpio*) captured near a major metropolitan sewage treatment plant. *Environ Health Perspect*, 104:1096-1101.
- Fong WG (1999) Regulatory aspects: Pesticide registration, risk assessment and tolerance, residue analysis, and monitoring. In: Fong WG, Moye HA, Seiber JN & Toth JP, eds. *Pesticide Residues in Foods: Methods, Techniques, and Regulations*. New York: Wiley Interscience, pp. 249-304.
- Ford CD, Johnson GH & Smith WG (1983) Natural killer cells in *in utero* diethylstilbestrol-exposed patients. *Gynecol Oncol*, 16:400-404.
- Forsythe JA, Jiang BH, Iyer NV, Agani F, Leung SW, Koos RD & Semenza GL (1996) Activation of vascular endothelial growth factor gene transcription by hypoxia-inducible factor 1. *Mol Cell Biol*, 16:4604-4613.
- Foster WG, McMahon A, Younglai EV, Jarrell JF & Lecavalier P (1995) Alterations in circulating ovarian steroids in hexachlorobenzene-exposed monkeys. *Reprod Toxicol*, 9:541-548.
- Foster WG, Desaulniers D, Leingartner K, Wade MG, Poon R & Chu I (1999) Reproductive effects of tris(4-chlorophenyl)methanol in the rat. *Chemosphere*, 39(5):709-724.
- Fox G (1993) What have biomarkers told us about the effects of contaminantson the health of fish-eating birds in the Great Lakes? The theory and literature review. *J Great Lakes Res*, 19:722-736.
- Fox G, Collins B, Hayakawa E, Weseloh D, Ludwig J, Kubiak T & Erdman T (1991) Reproductive outcomes in colonial fish-eating water birds: A biomarker for developmental toxicants in Great Lakes food chains. II: Spatial variation in the occurrence and prevalence