

- of bill defects in young double-crested cormorants in the Great Lakes, 1979-1987. *J Great Lakes Res*, 17:158-167.
- Fox G, Gilman A, Peakall D & Anderka F (1978) Behavioral abnormalities of nesting Lake Ontario herring gulls. *J Wildl Manage*, 42:477-483.
- Fox GA (1991) Practical causal inference for ecoepidemiologists. *J Toxicol Environ Health*, 33:359-373.
- Fox GA (1992) Epidemiological and pathobiological evidence of contaminant-induced alterations in sexual development in free-living wildlife. In: Colborn T & Clement C, eds. *Chemically-Induced Alterations in Sexual and Functional Development: The Wildlife/Human Connection*. Princeton, NJ: Princeton Scientific Publishing Co., pp. 147-158.
- Fox GA, Trudeau S, Won H & Grasman KA (1998) Monitoring the elimination of persistent toxic substances from the Great Lakes: Chemical and physiological evidence from adult herring gulls. *Environ Monit Assess*, 53:147-168.
- Francis D, Diorio J, LaPlante P, Weaver S, Seckl JR & Meaney MJ (1996) The role of early environmental events in regulating neuroendocrine development: Moms, pups, stress and glucocorticoid receptors. *Ann Natl Acad Sci*, 794:136-152.
- French FE & Bierman JM (1972) Probability of fetal mortality. *Pub Health Rep*, 77:835.
- Freni-Titulaer LW, Cordero JF, Haddock L, Lebron G, Martinez R & Mills JL (1986) Premature thelarche in Puerto Rico. A search for environmental factors. *Am J Dis Child*, 140:1263-1267.
- Friedman JM & Halaas JL (1998) Leptin and the regulation of body weight in mammals. *Nature*, 395:763-770.
- Fries GF & Paustenbach DJ (1999) Evaluation of potential transmission of 2,3,7,8-tetrachlorobenzo-*p*-dioxin-contaminated incinerator emissions to humans via food. *J Toxicol Environ Health*, 19:1-43.
- Fry DM & Toone CK (1981) DDT-induced feminization of gull embryos. *Science*, 213:922-924.
- Fry DM, Toone CK, Speich SM & Peard RJ (1987) Sex ratio skew and breeding patterns of gulls: Demographic and toxicological considerations. *Stud Avian Biol*, 10:26-43.
- Fujise Y, Zenati R & Kato H (1998) An examination of the Wstock hypothesis for North Pacific minke whales, with special reference to some biological parameters using data collected from JARPN surveys from 1994 to 1997. Paper SC/50/RMP12 presented to the IWC Scientific Committee, Oman, 1998. 14 pp.
- Funae Y & Imaoka S (1993) Cytochrome P450 in rodents. In: Schenkman JB & Greim H, eds. *Cytochrome P450*. Berlin: Springer-Verlag.
- Fuortes L, Clark MK, Kirchner HL & Smith EM (1997) Association between female infertility and agricultural work history. *Am J Ind Med*, 31:445-451.
- Furst P, Furst C & Wilmers K (1992). PCDDs and PCDFs in human milk—statistical evaluation of a 6-year survey. *Chemosphere*, 25:1029-1038.
- Furst P (2001) Organochlorine pesticides, dioxins, PCBs and polybrominated biphenylethers in human milk from Germany in the course of time. *Organohalogen Compounds*, 52:185-188.
- Gagnon MM, Dodson JJ, Hodson PV, Van Der Kraak GJ & Carey JH (1994) Seasonal effects of bleached Kraft mill effluent on reproductive parameters of white sucker (*Catostomus commersoni*) populations of the St. Maurice River, Quebec, Canada. *Can J Fish Aquat Sci*, 51:337-347.
- Gagnon MM, Bussieres D, Dodson JJ & Hodson PV (1995). White sucker (*Catostomus commersoni*) growth and sexual maturation in pulp mill contaminated and reference rivers. *Environ Toxicol Chem*, 14:317-327.
- Gaido KW, Maness SC, Leonard LS & Greenlee WF (1992) 2,3,7,8-Tetrachlorodibenzo-*p*-dioxin-dependent regulation of transforming growth factor- $\alpha$  and  $\beta$ -2 in a human keratinocyte cell line involves both transcriptional and post-transcriptional control. *J Biol Chem*, 267:24591-24595.
- Gaido KW, Leonard LS, Maness SC, Hall JM, McDonnell DP, Saville B & Safe S (1999) Differential interaction of the methoxychlor metabolite 2,2-bis-(*p*-hydroxyphenyl)-1,1,1-trichloroethane with estrogen receptors  $\alpha$  and  $\beta$ . *Endocrinol*, 140:5746-5753.
- Gaillard RC (1994) Neuroendocrine-immune system interactions: the immune-hypothalamo-pituitary-adrenal axis. *Trends Endocrinol Metab*, 5:303-309.
- Galanti MR, Sparen P, Carlsson A, Grimelius L & Ekblom A (1995) Is residence in areas of endemic goiter a risk factor for thyroid cancer? *Int J Cancer*, 61:615-621.
- Gallo MA, Hesse EJ, MacDonald GJ & Umbreit TH (1986) Interactive effects of estradiol and 2,3,7,8-tetrachlorodibenzo-*p*-dioxin on hepatic cytochrome P-450 and mouse uterus. *Toxicol Lett*, 32:123-132.
- Galton VA (1992) The role of thyroid hormones in amphibian metamorphosis. *Trends Endocrinol Metab*, 3:96-100.
- Galvez JL & Morrison JR (1996) Efficacy of trenbolone acetate in sex inversion of the blue tilapia (*Oreochromis aureus*). *J World Aquaculture Soc*, 27:483-486.
- Garcia-Rodriguez J, Garcia-Martin M, Noguera-Ocana M, de Dios Luna-del-Castillo J, Espigares-Garcia M, Olea N & Lardelli-Claret P (1996) Exposure to pesticides and cryptorchidism: Geographical evidence of a possible association. *Environ Health Perspect*, 104:1090-1095.
- Garrison W, Schmitt D, Martens D & Kettrup A (1996) Enantiomer selectivity in the environmental degradation of dichlorprop as determined by high performance capillary electrophoresis. *Environ Sci Technol*, 30:2449-2455.
- Garry VF, Schreinemachers D, Harkins ME & Griffith J (1996) Pesticide applicators, biocides and birth defects in rural Minnesota. *Environ Health Perspect*, 104:394-399.
- Gerhard I & Runnebaum B (1992) Environmental pollutants and fertility disorders. Heavy metals and minerals. *Geburtshilfe Frauenheilkd*, 52(7):383-396.
- German Federal Environmental Agency (1996) *Endocrinologically Active Chemicals in the Environment (Texte 3/96)*. Berlin: Umweltbundesamt.
- Ghosh S & Thomas P (1995) Antagonistic effects of xenobiotics on steroid-induced final maturation of Atlantic croaker oocytes *in vitro*. *Marine Environmental Research* 39:159-163.
- Gibbons JW & Semlitsch RD (1982) Survivorship and longevity of a long-lived vertebrate species: How long do turtles live? *J Anim Ecol*, 51:523-527.
- Gierthy JF, Lincoln DW, Kampcik SJ, Dickerman HW, Bradley HL, Niwa T & Swaneck GE (1988). Enhancement of 2- and 16(-estradiol hydroxylation in MCF-7 human breast cancer cells by 2,3,7,8-tetrachlorodibenzo-*p*-dioxin. *Biochim Biophys Res Commun*, 157:515-520.

- Giesy JP & Snyder EM (1998) Xenobiotic modulation of endocrine function in fishes. In: Kendall RJ, Dickerson RL, Giesy JP & Suk WA, eds. Principles and Processes for Evaluating Endocrine Disruption in Wildlife. SETAC Technical Publication. Pensacola, FL: SETAC Press, pp. 155-237.
- Giesy JP, Ludwig JP & Tillitt DE (1994a) Dioxins, dibenzofurans, PCBs and colonial, fish-eating water birds. In: Schecter A, ed. Dioxin and Health. New York: Plenum Press, pp. 254-307.
- Giesy JP, Ludwig JP & Tillitt DE (1994b) Deformities in birds of the Great Lakes region. *Environ Sci Technol*, 28:128-135.
- Giesy JP, Verbrugge D, Othout R, Bowerman W, Mora M, Jones P, Newsted J, Bath A, Vandervoot C, Heaton S, Aulerich R, Bursian S, Ludwig J, Ludwig M & Dawson G (1994a) Contaminants in fishes from Great Lakes-influenced sections and above dams on three Michigan Rivers. II: Implications for the health of mink. *Arch Environ Contam Toxicol*, 27:213-223.
- Giger W, Brunner PH, Schaffner C (1984) 4-nonylphenol in sewage sludge: Accumulation of toxic metabolites from nonionic surfactants. *Science*, 225:623-625.
- Giger W, Ahel M, Koch M, Laubscher HU, Schaffner C, Schneider J (1987) Behaviour of alkylphenol polyethoxylate surfactants and of nitrilotriacetate in sewage treatment. *Water Sci Technol*, 19:449-460.
- Gilbertson M (1983) Etiology of chick edema disease in herring gulls in the lower Great Lakes. *Chemosphere*, 12:357-370.
- Gilbertson M (1989) Effects on fish and wildlife populations. In: Kimbrough R & Jensen A, eds. Halogenated Biphenyls, Terphenyls, Naphthalenes, Dibenzodioxins and Related Products. Amsterdam: Elsevier Publishers B.V, pp.103-127.
- Gilbertson M & Fox G (1977) Pollutant-associated embryonic mortality of Great Lakes herring gulls. *Environ Pollut*, 12:211-216.
- Gilbertson M, Kubiak TJ, Ludwig JP & Fox G (1991) Great Lakes embryo mortality, edema, and deformities syndrome (GLEMEDS) in colonial fish-eating birds: Similarity to chick edema disease. *J Toxicol Environ Health*, 33:455-520.
- Gilman A, Peakall D, Hallett D, Fox G & Norstrom R (1979) Herring gulls (*Larus argentatus*) as monitors of contamination in the Great Lakes. In: Animals as Monitors of Environmental Pollution. Symposium on Pathobiology of Environmental Pollutants: Animal Models and Wildlife as Monitors. Storrs CT. pp. 280-289.
- Gilmartin WG, DeLong RL, Smith AW, Sweeney JC, de Lappe BW, Risebrough RW, Griner LA, Dailey MD & Peakall DB (1976) Premature parturition in the Californian sea lion. *J Wildl Diseases*, 12:104-115.
- Gimeno S (1997). The estrogenicity of alkylphenols in the aquatic environment. An approach for risk assessment using various life stages of all male carp populations. Ph.D. Thesis, University of Utrecht, The Netherlands, 133 pp.
- Gimeno S, Gerritsen A, Bowmer T & Komen H (1996). Feminization of male carp. *Nature*, 384:221-222.
- Gimeno S, Komen H, Venderbosch PWM & Bowmer T (1997). Disruption of sexual differentiation in genetic male common carp (*Cyprinus carpio*) exposed to an alkylphenol during different life stages. *Environ Sci Technol*, 31:2884-2890.
- Gimeno S, Komen H, Gerritsen AGM & Bowmer T (1998a). Feminisation of young males of the common carp, *Cyprinus carpio*, exposed to 4-*tert*-pentylphenol during sexual differentiation. *Aquat Toxicol*, 43:77-92.
- Gimeno S, Komen H, Jobling S, Sumpter J & Bowmer T (1998b). Demasculinisation of sexually mature male common carp, *Cyprinus carpio*, exposed to 4-*tert*-pentylphenol during spermatogenesis. *Aquat Toxicol*, 43:93-109.
- Gingrich JR, Barrios RJ, Morton RA, Boyce BF, DeMayo FJ, Finegold, Angelopoulou R, Rosen & Greenberg NM (1996) Metastatic prostate cancer in transgenic mouse. *Cancer Res*, 56:4096-4102.
- Ginsburg J, Okolo S, Prelavic G & Hardiman P (1994) Residence in the London area and sperm density. *Lancet*, 343:230.
- Girard C, Brodeur J & Hontela A (1998). Responsiveness of the interrenal tissue of yellow perch (*Perca flavescens*) from contaminated sites to an ACTH challenge test *in vivo*. *Can J Fish Aquat Sci*, 55:438-450.
- Gladen BC & Rogan WJ (1995) DDE and shortened duration of lactation in a northern Mexican town. *Am J Public Health*, 85:504-508.
- Gladen BC, Rogan WJ & Rogan NB (1996) Preliminary results on prenatal and lactational exposure to PCBs and DDE and pubertal growth and development. In: Berg M, Brouwer A, Birnbaum L, eds. Dioxin '96. Organohalogen Compounds, 30:215-217.
- Gladen BC, Rogan WJ, Hardy P, Thullen J, Tingelstad J & Tully M (1988) Development after exposure to polychlorinated biphenyls and dichlorodiphenyl dichloroethene transplacentally and through human milk. *J Pediatr*, 113:991-995.
- Glöckner D, Gaevert K & Kleinstein J (1998) Declining sperm quality in men of childless couples. *Andrologia*, 30:55.
- Goldberg MA & Schneider TJ (1994) Similarities between the oxygen-sensing mechanisms regulating the expression of vascular endothelial growth factor and erythropoietin. *J Biol Chem*, 269:4355-4359.
- Golden RJ, Noller KL, Titus-Ermst L, Kaufman RH, Mittendorf R, Stillman R & Reese EA (1998). Environmental endocrine modulators and human health: An assessment of the biological evidence. *Crit Rev Toxicol*, 28:109-227.
- Goldey ES & Crofton KM (1998) Thyroxine replacement attenuates hypothyroxinemia, hearing loss, and motor deficits following developmental exposure to Aroclor 1254. *Toxicol Sci*, 45:94-105.
- Goldsmith JR (1997) Dibromochloropropane: Epidemiological findings and current questions. *Ann N Y Acad Sci*, 837:300-306.
- Goldsmith JR, Potashnik G & Israeli R (1984) Reproductive outcomes in families of DBCP-exposed men. *Arch Environ Health*, 39:85-89.
- Gonzalez RH (1999) Pesticide residues in developing countries-A review of residues detected in food exports from the developing world. In: Brooks GT & Roberts TR, eds. Pesticide Chemistry and Bioscience: The Food-Environment Challenge. Cambridge: Royal Society, pp. 386-401.
- Goodbred SL, Gilliom RJ, Gross TS, Denslow NP, Bryant WL & Schoeb TR (1997) Reconnaissance of 17 $\beta$ -estradiol, 11-ketotestosterone, vitellogenin, and gonad histopathology in common carp of United States streams: potential for contaminant-induced endocrine disruption. Open-file Report 96-627, Sacramento, CA: U.S. Geological Survey, 47 pp.
- Gooding MP & LeBlanc GA (2001) Biotransformation and disposition of testosterone in the American mud snail, *Ilyanassa obsoleta*. *Gen Comp Endocrinol* 122:172-180.

- Gorbman A, Nozaki M & Kubokawa K (1999) A brain-Hatschek's pit connection in amphioxus. *Gen Comp Endocrinol* 113(2):251-254.
- Gorski RA (1996) Androgens and sexual differentiation of the brain. In: Bhasin A, ed. *Pharmacology, Biology and Clinical Applications of Androgens*. New York:Wiley-Liss, pp. 159-168.
- Gould JC, Leonard LS, Maness SC, Wagner BL, Conner K, Zacharewski T, Safe S, McDonnell DP & Gaido KW (1998) Bisphenol A interacts with the estrogen receptor alpha in a distinct manner from estradiol. *Mol Cell Endocrinol*, 25(142):203-214.
- Gould RW (1972) Brown pelican eggshells: X-ray diffraction studies. *Bull Environ Contam Toxicol*, 8:84-88.
- Goy RW (1978) Sexual compatibility in rhesus monkeys: predicting sexual performance of oppositely sexed pairs of adults. *Ciba Foundation Symp*. Mar 14-16, 62:227-255.
- Granmo A, Ekelund R, Berggren M, Magnusson K (1991) Toxicity of 4-nonylphenol to aquatic organisms and potential for bioaccumulation. In: *Proceedings of a Seminar on Nonylphenoethoxylates (NPE) and Nonylphenol (NP)*. Stockholm, Ingvar Bingham, pp. 53-75.
- Grasman K, Scanlon P & Fox G (1998) Reproductive and physiological effects of environmental contaminants in fish-eating birds of the Great Lakes: a review of historical trends. *Environ Monit Assess*, 53:117-145.
- Grau EG & Weber GM (1998) Prolactin in non-mammalian vertebrates. In: Knobil E & Neill JD, eds. *Encyclopedia of Reproduction*, 4:51-59. Raven Press, New York, N.Y.
- Gray TJB & Butterworth KR (1980) Testicular atrophy produced by phthalate esters. *Arch Toxicol*, 1(Supp. 4):452-455.
- Gray LE Jr, Ostby JS, Ferrell JM, Sigmon E & Goldman JM (1988) Methoxychlor induces estrogen-like alterations of behavior and the reproductive tract in the female rat and hamster: Effects on sex behavior, running wheel activity and uterine morphology. *Toxicol Appl Pharmacol*, 96:525-540.
- Gray LE Jr, Ostby JS, Ferrell J, Rehnberg G, Linder R, Cooper R, Goldman J, Slott V & Laskey J (1989) A dose-response analysis of methoxychlor-induced alterations of reproductive development and function in the rat. *Fundam Appl Toxicol*, 12:92-108.
- Gray LE Jr, Ostby JS & Marshall R (1993) The fungicide vinclozolin inhibits morphological sex differentiation in the male rat. *Biol Reprod*, 48(Suppl 1):97.
- Gray LE Jr, Ostby JS & Kelce WR (1994) Developmental effects of an environmental antiandrogen: The fungicide vinclozolin alters sex differentiation of the male rats. *Toxicol Appl Pharmacol*, 129:46-52.
- Gray LE Jr, Kelce WR, Monosson E, Ostby JS & Birnbaum LS (1995a) Exposure to TCDD during development permanently alters reproductive function in male LE rats and hamsters: Reduced ejaculated and epididymal sperm numbers and sex accessory gland weights in offspring with normal androgenic status. *Toxicol Appl Pharmacol*, 131:108-118.
- Gray LE Jr, Ostby JS, Wolf C, Miller DB, Kelce WR, Gordon CJ & Birnbaum LS (1995b) Functional developmental toxicity of low doses of 2,3,7,8-tetrachlorodibenzo-*p*-dioxin and a dioxin-like PCB (169) in Long Evans rats and Syrian hamsters: Reproductive, behavioral and thermoregulatory alterations. *Organohalogen Compounds*, 25:33-38.
- Gray MA & Metcalfe CD (1997). Induction of testis-ova in Japanese medaka (*Oryzias latipes*) exposed to *p*-nonylphenol. *Environ Toxicol Chem*, 16:1082-1086.
- Gray LE Jr, Ostby JS & Kelce WR (1997a) A dose-response analysis of the reproductive effects of a single gestational dose of 2,3,7,8-tetrachlorodibenzo-*p*-dioxin (TCDD) in male Long Evans hooded rat offspring. *Toxicol Appl Pharmacol*, 146:11-20.
- Gray LE Jr, Wolf C, Mann P & Ostby JS (1997b) *In utero* exposure to low doses of 2,3,7,8-tetrachlorodibenzo-*p*-dioxin alters reproductive development of female Long Evans hooded rat offspring. *Toxicol Appl Pharmacol*, 146:237-244.
- Gray LE Jr & Ostby JS (1998) Effects of pesticides and toxic substances on behavioral and morphological reproductive development: endocrine versus nonendocrine mechanisms. *Toxicol Ind Health*, 14:159-84.
- Gray LE Jr, Wolf C, Lambright C, Mann P, Price M, Cooper R & Ostby JS (1999a). Administration of the potentially antiandrogenic pesticides (procymidone, linuron, iprodione, chlozolinate, *p,p'*-DDE and ketoconazole) and toxic substances (dibutyl- and diethylhexyl phthalate, PCB 169, and ethane dimethane sulphonate) during sexual differentiation produces diverse profiles of reproductive malformations in the male rat. *Toxicol Ind Health*, 15:94-118.
- Gray LE Jr, Ostby J, Monosson E & Kelce WR (1999b) Environmental antiandrogens: low doses of the fungicide vinclozolin alter sexual differentiation of the male rat. *Toxicol Ind Health*, 15:48-64.
- Gray LE Jr, Ostby J, Cooper RL & Kelce WR (1999c) The estrogenic and antiandrogenic pesticide methoxychlor alters the reproductive tract and behavior without affecting pituitary size or LH and prolactin secretion in male rats. *Toxicol Ind Health*, 15:37-47.
- Gray LE Jr, Ostby JS, Furr J, Price M, Veeramachaneni DN & Parks L (2000) Perinatal exposure to the phthalates DEHP, BBP and DINP, but not DEP, DMP or DOTP, alters sexual differentiation of the male rat. *Toxicol Sci*, 58(2):350-365.
- Grayhach JT (1965) Effect of testosterone-estradiol administration on citric acid and fructose content of the rat prostate. *Endocrinol*, 77:1068-1074.
- Grayhach JT & Lebowitz JM (1967) Effect of prolactin on citric acid of lateral lobe of prostate of Sprague-Dawley rat. *Invest Urol*, 5:87-94.
- Green DM, ed (1997a) *Amphibians in Decline. Canadian Studies of a Global Problem. Herpetological Conservation Vol. 1. Society for the Study of Amphibians and Reptiles*, St. Louis, MO. 306 pp.
- Green DM (1997b) Perspectives on amphibian population declines: Defining the problem and looking for answers. In: Green DM, ed. *Amphibians in Decline. Canadian Studies of a Global Problem. Herpetological Conservation Vol. 1. Society for the Study of Amphibians and Reptiles*, St. Louis, MO., pp. 291-308.
- Gribble GW (2000) The natural production of organobromine compounds. *Environ Sci Pollut Res*, 7:37-49.
- Grocock CA, Charlton HM & Pike MC (1988) Role of the fetal pituitary in cryptorchidism induced by exogenous maternal oestrogen during pregnancy in mice. *J Reprod Fertil*, 83:295-300.
- Grubbs CJ, Farnell DR, Hill DL & McDonough KC (1985) Chemoprevention of *N*-nitroso-*N*-methylurea induced mammary cancers by 17-beta estradiol and progesterone. *J Natl Cancer Inst*, 74:927-931.
- Guarnaccia MM & Olive DL (1998) Diagnosis and management of endometriosis. Chapter 32. In: Carr BR & Blackwell RE, eds. *Textbook of Reproductive Medicine*. Stamford, CT: Appleton &

- Lange, pp. 112-131.
- Guernsey DL & Fisher PB (1990) Thyroid hormone and neoplastic transformation. *Crit Rev Oncog*, 1:389-408.
- Guillemain K & Krasnow MA (1997) The hypoxic response: Huffing and HIFing. *Cell*, 89:9-12.
- Guillette LJ Jr, Norris DO & Norman MF (1985) Response of amphibian (*Ambystoma tigrinum*) oviduct to arginine vasotocin acetylcholine *in vitro*: influence of steroid hormone pretreatment *in vivo*. *Comp Biochem Physiol C*, 80:151-154.
- Guillette LJ Jr, Gross TS, Masson GR, Matter JM, Percival HF & Woodward AR (1994) Developmental abnormalities of the gonad and abnormal sex hormone concentrations in juvenile alligators from contaminated and control lakes in Florida. *Environ Health Perspect*, 102(8):680-688.
- Guillette LJ Jr, Gross TS, Gross DA, Rooney AA & Percival HF (1995) Gonadal steroidogenesis *in vitro* from juvenile alligators obtained from contaminated or control lakes. *Environ Health Perspect*, 103(Suppl 4):31-36.
- Guillette LJ Jr, Pickford DB, Crain DA, Rooney AA & Percival HF (1996) Reduction in penis size and plasma testosterone concentrations in juvenile alligators living in a contaminated environment. *Gen Comp Endocrinol*, 101(1):32-42.
- Guillette LJ Jr, Brock JW, Rooney AA & Woodward AR (1999a) Serum concentrations of various environmental contaminants and their relationship to sex steroid concentrations and phallus size in juvenile american alligators. *Arch Environ Contam Toxicol*, 36(4):447-455.
- Guillette LJ Jr, Woodward AR, Crain DA, Pickford AA, Rooney AA & Percival HF (1999b) Plasma steroid concentrations and male phallus size in juvenile alligators from seven Florida lakes. *Gen Comp Endocrinol*, 116:256-372.
- Gunn S & Gould TC (1956) The relative importance of androgens and estrogens in the selective uptake of Zn by the dorsolateral prostate of the rat. *Endocrinol*, 58:443-452.
- Guo W, Burris TP & McCabe ER (1995a) Expression of DAX-1, the gene responsible for X-linked adrenal hypoplasia congenita and hypogonadotropic hypogonadism, in the hypothalamic-pituitary-adrenal/gonadal axis. *Biochem Mol Med*, 56:8-13.
- Guo YL, Lambert GH & Hsu CC (1995b) Growth abnormalities in the population exposed in utero and early postnatally to polychlorinated biphenyls and dibenzofurans. *Environ Health Perspect*, 103:117-122.
- Guruge KS, Tanabe S, Iwata H, Taksukawa R & Yamagishi S (1996) Distribution, biomagnification and elimination of butyltin compound residues in common cormorants (*Phalacrocorax carbo*) from Lake Biwa, Japan. *Arch Environ Contam Toxicol*, 31:210-217.
- Guruge KS, Iwata H, Tanaka H & Tanabe S (1997) Butyltin accumulation in the liver and kidney of seabirds. *Mar Environ Res*, 44:191-199.
- Gutleb A, Appelman J, Bronkhorst M, van den Berg J, Spenkellink A, Brouwer A & Murk A (1999) Delayed effects of pre- and early life time exposure to polychlorinated biphenyls on tadpoles of two amphibian species (*Xenopus laevis* and *Rana temporaria*). *Environ Toxicol Pharm*, 8:1-14.
- Guttes S, Failing K, Neuman K, Kleinsten J, Georgii S & Brunn H (1998) Chlororganic pesticides and polychlorinated biphenyls in breast tissue of women with benign and malignant breast disease. *Arch Environ Contam Toxicol*, 35:140-147.
- Gutzke WH & Paukstis GL (1983) Influence of the hydric environment on sexual differentiation of turtles. *J Exp Zool*, 226(3):467-469.
- Guzick D, Overstreet J, Factor-Litvak P, Brazil CK, Nakajima ST, Coutfaris C, Carson SA, Cisneros P, Steinkampf MP, Hill JA, Xu D & Vogel D (2001) Sperm morphology, motility, and concentration in fertile and infertile men. *New England Journal of Medicine* 345:1388-1393.
- Gyllenborg J, Skakkebaek NE, Nielsen NC, Keiding N & Giwercman A (1999) Secular and seasonal changes in semen quality among young Danish men: a statistical analysis of semen quality among Danish men: a statistical analysis of semen samples from 1927 donor candidates during 1977-1995. *Int J Androl*, 22:28-36.
- Haathi H & Pertila M (1988) Levels and trends of organochlorines in cod and herring in the northern Baltic. *Mar Pollut Bull*, 19:29-32.
- Haffner GD, Glooschenko V, Straughan CA, Hebert CE & Lazar R (1998) Concentrations and distributions of polychlorinated biphenyls, including non-ortho congeners, in mink populations from southern Ontario. *J Great Lakes Res*, 24:880-888.
- Haffner GD, Straughan CA, Weseloh DV & Lazar R (1997) Levels of polychlorinated biphenyls, including coplanar congeners, and 2,3,7,8-TCDD toxic equivalents in double-crested cormorant and herring gull eggs from Lake Erie and Lake Ontario: A comparison between 1981 and 1992. *J Great Lakes Res*, 23:52-60.
- Hagedorn HH (1985) The role of ecdysteroids in reproduction. In: Kerkut GA, Gilbert LI, eds. *Comprehensive Insect Physiology, Biochemistry and Pharmacology*. Oxford: Pergamon Press, 8:205-262.
- Hagman J (1982) Inhibition of calmodulin-stimulated cyclic nucleotide phosphodiesterase by the insecticide DDT. *Fed Europ Biochem Soc Lett*, 143:52-54.
- Hahn ME (1998) The aryl hydrocarbon receptor: a comparative perspective. *Comp Biochem Physiol C Pharmacol Toxicol Endocrinol*, 121(1-3):23-53.
- Hakk H, Larsen G, Klasson Wehler E, Örn U & Bergman Å (1999) Tissue disposition, excretion, and metabolism of 2,2',4,4',5-pentabromodiphenyl ether (BDE-99) in male Sprague-Dawley rats. *Organohalogen Compounds*, 40:337-340.
- Hale RC, La Guardia MJ, Harvey EP, Gaylor MO, Matteson Mainor T & Duff WH (2001) Persistent pollutants in land-applied sludges. *Nature*, 412:140-141.
- Hall LW, Law RJ, Wells DE, Harwood J, Ross HM, Kennedy S, Allchin CR, Campbell LA & Pomeroy PP (1992) Organochlorine levels in common seals (*Phoca vitulina*) which were victims and survivors of the 1988 phocine distemper epizootic. *Sci Total Environ*, 115:146-162.
- Hall RJ & Henry PFP (1992) Assessing effects of pesticides on amphibians and reptiles: status and needs. *Herpetol J*, 2:65-71.
- Halme J, Hammond MG & Hulka JF (1984) Retrograde menstruation in healthy women and in patients with endometriosis. *Obstet Gynecol*, 64:151-154.
- Handelsman DJ (1997) Estimating familial and genetic contributions to variability in human testicular function: a pilot twin study. *Int J Androl*, 20:215-221.
- Hankinson O (1995) The aryl hydrocarbon receptor complex. *Annu Rev Pharmacol Toxicol*, 35:307-340.
- Hannon WH, Hill RH Jr, Bernert JT Jr, Haddock L, Lebron G & Cordero JF (1987) Premature thelarche in Puerto Rico: a search for

- environmental estrogen contamination. *Arch Environ Contam Toxicol*, 16:255-262.
- Hanrahan LP, Falk C, Anderson HA, Draheim L, Kanarek MS & Olson J (1999) Serum PCB and DDE levels of frequent Great Lakes sport fish consumers—a first look. The Great Lakes Consortium. *Environ Res*, 80:S26-S37.
- Hansen P-D, von Westernhagen H & Rosenthal H (1985) Chlorinated hydrocarbons and hatching success in Baltic herring spring spawners. *Mar Environ Res*, 15:59-76.
- Hansen P-D, Dizer H, Hock B, Marx A, Sherry J, McMaster M & Blaise C (1998) Vitellogenin—a biomarker for endocrine disruptors. *Trends Anal Chem*, 17:448-451.
- Hany J, Lilienthal H, Sarasin A, Roth-Härer A, Lichtensteiger W & Winneke G (1999) Developmental exposure of rats to a reconstituted PCB-mixture or Aroclor 1254: Effects on organ weights, aromatase activity, sex hormone-levels, and sweet preference behavior. *Toxicol Appl Pharmacol*, 158:231-243.
- Harino H, Fukushhima M & Kawai S (1999) Temporal trends of organotin compounds in the aquatic environment of the port of Osaka, Japan. *Environ Pollut*, 105:1-7.
- Härkönen T & Harding K (1999) Ringed seal in the Bothnian Bay 1998. Annual report from the Swedish marine monitoring program [in Swedish]. Umea, Umea Marina Forskningscentrum.
- Harmon JE, Boehm MF, Heyman RA & Manglesdorf DJ (1995) Activation of mammalian retinoid X receptors by the insect growth regulator methoprene. *Proc Natl Acad Sci USA*, 92:6157-6160.
- Harri M, Laitinen J & Valkama E (1979) Toxicity and retention of DDT in adult frogs (*Rana temporaria* L.). *Environ Pollut*, 15:45-55.
- Harries JE, Sheahan DA, Jobling S, Matthiessen P, Neall P, Routledge E, Rycroft R, Sumpter JP & Tylor T (1996) A survey of estrogenic activity in United Kingdom inland waters. *Environ Toxicol Chem*, 15:1993-2002.
- Harries JE, Sheahan DA, Jobling S, Matthiessen P, Neall P, Sumpter JP, Tylor T & Zaman N (1997) Estrogenic activity in five United Kingdom rivers detected by measurement of vitellogenesis in caged male trout. *Environ Toxicol Chem*, 16:534-542.
- Harries JE, Janbakhsh A, Jobling S, Matthiessen P, Sumpter JP & Tyler CR (1999) Estrogenic potency of effluent from two sewage treatment works in the United Kingdom. *Environ Toxicol Chem*, 18:932-937.
- Harris ML, Bishop CA, Struger J, van den Heuvel M, Van Der Kraak GJ, Dixon DG, Ripley B & Bogart JP (1998a) The functional integrity of northern leopard frog (*Rana pipiens*) and green frog (*Rana clamitans*) populations in orchard wetlands. I: Genetics, physiology, and biochemistry of breeding adults and young-of-the-year. *Environ Toxicol Chem*, 17:1338-1350.
- Harris ML, Bishop CA, Struger J, Ripley B & Bogart JP (1998b) The functional integrity of northern leopard frog (*Rana pipiens*) and green frog (*Rana clamitans*) populations in orchard wetlands. II: Effects of pesticides and eutrophic conditions on early life stage development. *Environ Toxicol Chem*, 17:1351-1360.
- Harshbarger JC, Coffey MJ & Young MY (2000) Intersexes in Mississippi River shovelnose sturgeon sampled below St. Louis, Missouri, USA. *Mar Environ Res*, 50:247-250.
- Hashimoto S, Bessho H, Hara A, Nakamura M, Iguchi T & Fujita K (2000) Elevated serum vitellogenin levels and gonadal abnormalities in wild male flounder (*Pleuronectes yokohamae*) from Tokyo Bay, Japan. *Mar Environ Res*, 49:37-53.
- Hawkins MB, Thornton JW, Crews D, Skipper JK, Dotte A & Thomas P (2000) Identification of a third distinct estrogen receptor and reclassification of estrogen receptors in teleosts. *Proceedings National Academy of Sciences, USA* 97(20):10751-10756.
- Hayashi N, Sugimura Y, Kawamura J, Dnjacour AA & Cunha GR (1991) Morphological and functional heterogeneity in the rat prostatic gland. *Biol Reprod*, 45:308-321.
- Hayes TB (1998a) Sex determination and primary sex differentiation in amphibians: genetic and developmental mechanisms. *J Exp Zool*, 281:373-99.
- Hayes TB (1998b) Sex differentiation in amphibians, reptiles, and birds, hormonal control. In: Knobil E & Neill JD, eds. *Encyclopedia of Reproduction* 4:414-420. Raven Press, New York, N.Y.
- Hayes TB & Menendez KP (1999) The effect of sex steroids on primary and secondary sex differentiation in the sexually dichromatic reedfrog (*Hyperolius argus*: Hyperoliidae) from the Arabuko Sokoke Forest of Kenya. *Gen Comp Endocrinol*, 115:188-199.
- Hayes TB, Wu TH & Gill TN (1997) DDT-like effects as a result of corticosterone treatment in an anuran amphibian: Is DDT a corticoid mimic or a stressor? *Environ Toxicol Chem*, 16:1948-1953.
- Haynes RCJ & Murand F (1985) Agents affecting calcification: calcium, parathyroid hormone, calcitonin, vitamin D, and other compounds. In: Gilman AG, Goodman LS, Rall TW & Murand F, eds. *The Pharmacological Basis of Therapeutics, Seventh Edition*. New York: Macmillan, pp. 1517-1543.
- Health Council Netherlands (1997) Committee on Endocrine Disruption in Humans. No. 1997/08, Rijswijk, The Netherlands, April, 1997.
- Heckman WR, Kane BR, Pakyz RE & Cosentino MJ (1992) The effect of ketoconazole on endocrine and reproductive parameters in male mice and rats. *J Androl*, 13:191-198.
- Heijnen CJ, Kavelaars A & Ballieux RE (1991) Beta-Endorphin: cytokine and neuropeptide. *Immunol Rev*, 119:41-63.
- Heindel JJ & Chapin RE (1989) Inhibition of FSH-stimulated cAMP accumulation by mono (2-ethylhexyl) phthalate in primary rat Sertoli cell cultures. *Toxicol Appl Pharmacol*, 97:377-385.
- Heindel JJ & Powell CJ (1992) Phthalate ester effects on rat Sertoli cell function *in vitro*: effects of phthalate side chain and age of animal. *Toxicol Appl Pharmacol*, 115:116-123.
- Helander B & Bignert A (1992) Harbor seal (*Phoca vitulina*) on the Swedish Baltic coast: Population trends and reproduction. *Ambio*, 21:504-510.
- Helander B, Olsson M, Bignert A, Litzén K, Asplund L & Bergman Å (1998) Abnormal dehydration in eggs of the whitetailed sea eagle (*Haliaeetus albicilla*) in Sweden—a persisting effect from high exposure to organochlorines? In: *Organohalogen Compounds*, 39:423-426.
- Helander B, Olsson A, Bignert A, Asplund L & Litzén K (1999) White-tailed sea eagle *Haliaeetus albicilla* in Sweden: Reproduction in relation to DDE, PCB, Coplanar PCB and eggshell parameters. In: Olsson A, ed. *Applications of Various Analytical Chemical Methods for Exposure Studies of Halogenated Environmental Contaminants in the Baltic Environment*. (Paper V) Doctoral Dissertation, Environmental Chemistry, Stockholm University.
- Helferich W, Hsieh C & Santell R (1998) Paradoxical effects of the phytoestrogen genistein on growth of estrogen-dependent human breast cancer cells *in vitro* and *in vivo*. In: Dunaif GE, Olin SS,

- Scimeca J & Thomas JA, eds. Human Diet and Endocrine Modulation. Washington, D.C.: ILSI Press, pp.166-179.
- Helle E (1983) Hylkeiden elämää. Kirjayhtymä. Helsinki. pp. 171.
- Helzlsouer KJ, Alberg AJ, Huang H, Hoffman SC, Strickland PT, Brock JW, Burse VW, Needham LL, Bell DA, Lavigne JA, Yager JD & Comstock GW (1999) Serum concentrations of organochlorine compounds and the subsequent development of breast cancer. *Cancer Epidemiol Biomark Prev*, 8:525-532.
- Hemmer MJ, Hemmer BL, Bowman CJ, Kroll KJ, Folmar LC, Marcovich D, Högglund MD & Denslow ND (2001) Effects of p-nonylphenol, methoxychlor, and endosulfan on vitellogenin induction and expression in sheepshead minnow (*Cyprinodon Variegatus*). *Environ Toxicol Chem*, 20:336-341.
- Hemminki E, Gissler M & Meriläinen J (1999) Reproductive effects of *in utero* exposure to estrogen and progestin drugs. *Fertil Steril*, 71:1092-1098.
- Henderson AK, Rosen D, Miller GL, Figgs LW, Zahm SH, Sieber SS, Humphrey HEB & Sinks T (1995) Breast cancer among women exposed to polybrominated biphenyls. *Epidemiol*, 6:544-546.
- Henderson BE, Benton B, Cosgrove M, Baptista J, Aldrich J, Townsend D, Hart W & Mack TM (1976) Urogenital tract abnormalities in sons of women treated with diethylstilbestrol. *Pediatrics*, 58:505-507.
- Henny CJ, Grove RA & Hedstrom OR (1996) A field evaluation of mink and otter on the lower Columbia River and the influence of environmental contaminants. Final report. Corvallis OR, National Biological Services; Forest and Rangeland Ecosystem Science Center.
- Henriksen EO, Wiig O, Skaare JU, Gabrielsen GW, Derocher AE (2001) Monitoring PCBs in polar bears: Lessons learned from Svalbard. *J Environ Monitor*, 3(5):493-498.
- Hertz R (1979) Personal experiences emphasizing the environmental impact of estrogens. In: McLachlan JA, ed. Estrogens in the Environment. New York: Elsevier Science Publ Co., pp. 347-352.
- Hewitt LM, Parrott J, Wells K, Calp MK, Biddiscombe S, McMaster M, Munkittrick K & Van Der Kraak G (2000) Characteristics of ligands for the Ah receptor and sex steroid receptors in hepatic tissues of fish exposed to bleached kraft mill effluent. *Environ Sci Technol*, 34:4327-4334.
- Higgins SJ, Brooks DE, Fuller FM, Jackson PH & Smith SE (1981) Functional development of sex accessory organs in the male rat. *Biochem J*, 194:895-905.
- Higuchi T, Kane C, Palmer J & Veeramachaneni DNR (1999) Developmental effects of DBP in frogs and rabbits. *Biol Reprod*, 60:A153.
- Hilakivi-Clarke L, Cho E, Onojafe I, Raygada M & Clarke R (1999a) Maternal exposure to genistein during pregnancy increases carcinogen-induced mammary tumorigenesis in female rat offspring. *Oncol Reports*, 6:1089-1095.
- Hilakivi-Clarke L, Raygada M, Onojafe I, Cho E, Skaar T, Russo I & Clarke R (1999b) Prepubertal exposure to zearalenone or genistein reduces mammary tumorigenesis. *Br J Cancer*, 80:1682-1688.
- Hildreth NG, Shore RE & Dvoretzky PM (1989) The risk of breast cancer after irradiation of the thymus in infancy. *New Engl J Med*, 321:1281-1284.
- Hill AB (1965) The environment and disease: Association or causation. *Proc Royal Soc Med*, 58:295.
- Hill RN, Erdreich LS, Paynter OE, Roberts PA, Rosenthal SL & Wilkinson CF (1989) Review. Thyroid follicular cell carcinogenesis. *Fundam Appl Toxicol*, 12:629-697.
- Hirohata K, Shigematsu N, Nomura AM, Nomura Y, Horie A & Hirohata I (1985) Breast cancer in caucasian and Japanese women. *Natl Cancer Inst Monogr*, 69:187-190.
- Hirsch KS, Weaver DE, Black LJ, Falcone JF & MacLusky NJ (1987) Inhibition of central nervous system aromatase activity: A mechanism for fenarimol-induced infertility in the male rat. *Toxicol Appl Pharmacol*, 91:235-245.
- Hodson PV, McWhirter M, Ralph K, Gray B, Thiverge D, Carey J, Van Der Kraak GJ, McWhittle D & Levesque M (1992) Effects of bleached kraft mill effluent on fish in the St. Maurice River, Quebec. *Environ Toxicol Chem*, 11:1635-1651.
- Hoffman B (1982) The Use of Hormones in Food-Producing Animals. Copenhagen: World Health Organization.
- Hoffman RE, Stehr-Green PA, Webb KB, Evans G, Knutsen AP, Schramm WF, Staake JL, Gibsop BB & Steinberg KK (1986) Health effects of long-term exposure to 2,3,7,8-tetrachlorodibenzo-p-dioxin. *JAMA*, 255:2031-2038.
- Holland JM & Lee C (1980) Effects of pituitary grafts on testosterone stimulated growth of rat prostate. *Biol Reprod*, 22:351-355.
- Hontela A (1998) Interrenal dysfunction in fish from contaminated sites: *In vivo* and *in vitro* assessment. *Environ Toxicol Chem*, 17:44-48.
- Hontela A, Rasmussen JB, Audet C & Chevalier G (1992) Impaired cortisol stress response in fish from environments polluted by PAHs, PCBs and mercury. *Arch Environ Contam Toxicol*, 22:278-283.
- Hontela A, Dumont P, Duclos D & Fortin R (1995) Endocrine and metabolic dysfunction in yellow perch, *Perca flavescens*, exposed to organic contaminants and heavy metals in the St Lawrence river. *Environ Toxicol Chem* 14:725-731.
- Hontela A, Daniel C & Rasmussen JB (1997) Structural and functional impairment of the hypothalamo-pituitary-interrenal axis in fish exposed to bleached kraft mill effluent in the St Maurice river, Québec. *Ecotoxicol*, 6:1-12.
- Hooper K, Petreas MX, Chuvakova T, Kazbekova G, Druz N, Seminova G, Sharmanov T, Hayward D, She J, Visita P, Winkler J, McKinney M, Wade T, Grossman J & Stephens RD (1998) Analysis of breast milk to assess exposure to chlorinated contaminants in Kazakhstan: High levels of 2,3,7,8-tetrachlorodibenzo-p-dioxin (TCDD) in agricultural villages of southern Kazakhstan. *Environ Health Perspect*, 106:797-806.
- Hooper K, Chuvakova T, Kazbekova G, Hayward D, Tulenova A, Petreas MX, Wade TJ, Benedict K, Cheng YY & Grassman J (1999) Analysis of breast milk to assess exposure to chlorinated contaminants in Kazakhstan: sources of 2,3,7,8-tetrachlorodibenzo-p-dioxin (TCDD) exposures in an agricultural region of southern Kazakhstan. *Environ Health Perspect*, 107:447-457.
- Horn-Ross PL, Barnes S, Kirk M, Coward L, Parsonnet & Hiatt RA (1997) Urinary phytoestrogen levels in young women from a multiethnic population. *Cancer Epidemiol Biomarkers Prev*, 6:339-345.
- Houck LD & Woodley SK (1994) Field studies of steroid hormones and male reproductive behavior in amphibians. In: Heatwole H, ed. Amphibian Biology, Vol. 2: Social Behavior. Chipping Norton, Australia: Surrey Beatty & Sons.
- Houghton DL & Ritter L (1995) Organochlorine residues and risk

- of breast cancer. *J Am College Pathol*, 14:71-89.
- Hovander L, Malmberg T, Athanasiadou M, Bergman Å, Rahm S & Klasson-Wehler E (2002) Identification of hydroxylated PCB metabolites and other halogenated phenolic pollutants in human blood plasma. *Arch Environ Contam Toxicol*, 42:105-117.
- Howell WM & Denton TE (1989) Gonopodial morphogenesis in female mosquitofish, *Gambusia affinis affinis*, masculinized by exposure to degradation products from plant sterols. *Environ Biol Fish*, 24:43-51.
- Howell WM, Black DA & Bortone SA (1980) Abnormal expression of secondary sex characters in a population of mosquitofish, *Gambusia affinis holbrooki*: evidence for environmentally-induced masculinization. *Copeia*, 980:676-681.
- Hoyer AP, Grandjean P, Jorgensen T, Brock JW & Hartvig HB (1998) Organochlorine exposure and risk of breast cancer. *Lancet*, 352:1816-1820.
- Hoyer AP, Jorgensen T, Brock JW & Hartvig HB (2000) repeated measurements of organochlorine exposure and breast cancer risk (Denmark). *Cancer Causes Control*, 11:177-184.
- Huang ZJ, Curtin KD & Rosbash M (1995) PER protein interactions and temperature compensation of a circadian clock in *Drosophila*. *Science*, 267:1169.
- Huestis SY, Servos MR, Whittle DM & Dixon DG (1996) Temporal and age-related trends in levels of polychlorinated biphenyl congeners and organochlorine contaminants in Lake Ontario lake trout (*Salvelinus namaycush*). *J Great Lakes Res*, 22:310-330.
- Huestis SY, Servos MR, Whittle DM, van den Heuvel M & Dixon DG (1997) Evaluation of temporal and age-related trends of chemically and biologically generated 2,3,7,8-tetrachlorodibenzo-*p*-dioxin equivalents in Lake Ontario lake trout, 1977-1993. *Environ Toxicol Chem*, 16:154-164.
- Huff J, Cirvello J, Haseman J & Bucher J (1991a) Chemicals associated with site-specific neoplasia in 1394 long-term carcinogenesis experiments in laboratory rodents. *Environ Health Perspect*, 93:247-270.
- Huff J, Haseman J & Rall D (1991b) Scientific concepts, value, and significance of chemical carcinogenesis studies. *Environ Health Perspect*, 103:680-683.
- Huisman M, Koopman-Esseboom C, Lanting CI, van der Paauw C, Tuinstra LGM, Fidler V, Weisglas-Kuperus N, Sauer PJJ, Boersma ER & Touwen BCL (1995) Neurological condition in 18-months-old children perinatally exposed to polychlorinated biphenyls and dioxins. *Early Hum Develop*, 43:165-176.
- Hulka BS & Stark AT (1995) Breast cancer: cause and prevention. *Lancet*, 346:883-887.
- Hunt G LJ, Wingfield JC, Newman A & Farnier DS (1980) Sex ratio of Western Gulls on Santa Barbara Island, California. *Auk*, 97:473-479.
- Hunter DJ, Hankinson SE, Laden F, Colditz GA, Manson JE, Willett WC, Speizer FE & Wolff M (1997) Plasma organochlorine levels and risk of breast cancer in a prospective study. *New Engl J Med*, 337:1253-1258.
- Hunter DS, Hodges LC, Vonier PM, Fuchs-Young R, Gottardis MM & Walker CL (1999) Estrogen receptor activation via activation function 2 predicts agonism of xenoestrogens in normal and neoplastic cells of the uterine myometrium. *Cancer Res*, 59:3090-3099.
- Hurley PM, Hill RN & Whiting RJ (1998) Mode of carcinogenic action of pesticides inducing thyroid follicular cell tumors in rodents. *Environ Health Perspect*, 106:437-445.
- Hurst CH, Abbott BD, De Vito MJ & Birnbaum LS (1998) 2,3,7,8-Tetrachlorodibenzo-*p*-dioxin in pregnant Long-Evans rats: disposition to maternal and embryo/fetal tissues. *Toxicol Sci*, 45(2):129-136.
- Hurst CH, DeVito MJ & Birnbaum LS (2000a) Tissue disposition of 2,3,7,8-Tetrachlorodibenzo-*p*-dioxin (TCDD) in maternal and developing Long-Evans rats following subchronic exposure. *Toxicol Sci*, 57(2):275-283.
- Hurst CH, DeVito MJ, Setzer RW & Birnbaum LS (2000b) Acute administration of 2,3,7,8-tetrachlorodibenzo-*p*-dioxin (TCDD) in pregnant Long-Evans rats: association of measured tissue concentrations with developmental effects. *Toxicol Sci*, 53(2):411-420.
- IARC (1991) Monographs on the Evaluation of the Carcinogenic Risk of Chemicals to Humans. Occupational Exposures in Insecticide Application and Some Pesticides. Lyon, France: International Agency for Research on Cancer, Volume 53, pp. 179-250.
- IARC (1997a) Monographs on the Evaluation of the Carcinogenic Risk of Chemicals to Humans. Polychlorinated Dibenzo-*p*-Dioxins and Polychlorinated Dibenzofurans. Lyon, France: International Agency for Research on Cancer, Volume 69, 666 pages.
- IARC (1997b) Cancer Incidence in Five Continents Vol. VII. Lyon, France: International Agency for Research on Cancer.
- IARC (1999) Monographs on the Evaluation of the Carcinogenic Risk of Chemicals to Humans. Hormonal Contraception and Post-Menopausal Hormonal Therapy. Lyon, France: International Agency for Research on Cancer, Volume 72, pp. 291-294.
- ICES (1992) Report of the Study Group on Seals and Small Cetaceans in Northern European Seas. ICES CM 1993/N:3.
- Igarashi T, Osuga U, Tsutsumi O, Momoeda M, Ando K, Matsumi H, Takai Y, Okagaki R, Hiroi H, Fujiwara O, Yano T, Taketani Y (1999) Expression of Ah receptor and dioxin-related genes in human uterine endometrium in women with or without endometriosis. *Endocrine J*, 46:765-772.
- Ikeda Y (1996) SF-1: a key regulator of development and function in the mammalian reproductive system. *Acta Paediatr Jpn*, 38:412-419.
- Ikeuchi T, Todo T, Kobayashi T & Nagahama Y (1999) cDNA cloning of a novel androgen receptor subtype. *J Biol Chem*, 274:25205-25209.
- Imperato-McGinley J, Sanchez RS, Spencer JR, Yee B & Vaughan ED (1992) Comparison of the effects of the 5 $\alpha$ -reductase inhibitor finasteride and the antiandrogen flutamide on prostate and genital differentiation: Dose-response studies. *Endocrinol*, 131:1149-1156.
- International Union of Pharmacology (1998) Natural and anthropogenic environmental oestrogens: the scientific basis for risk assessment. *Pure and Applied Chemistry*, 70(9):1617-1683.
- IPCS (1986) Principles and Methods for the Assessment of Neurotoxicity Associated with Exposure to Chemicals. Environmental Health Criteria 60. International Programme on Chemical Safety, World Health Organization, Geneva, Switzerland.
- IPCS (1992) Quality Management for Chemical Safety Testing. Environmental Health Criteria 141. International Programme on Chemical Safety, World Health Organization, Geneva, Switzerland.
- IPCS (1996) Principles and methods for assessing direct immunotoxicity

- associated with exposure to chemicals. Environmental Health Criteria 180. International Programme on Chemical Safety, World Health Organization, Geneva, Switzerland.
- IPCS (1999). Principles and Methods for Assessing Allergic Hypersensitization Associated with Exposure to Chemicals. Environmental Health Criteria 212. International Programme on Chemical Safety, World Health Organization, Geneva, Switzerland.
- IPCS (2000) Human Exposure Assessment. Environmental Health Criteria 214. International Programme on Chemical Safety, World Health Organization, Geneva, Switzerland.
- IPCS (2001a) Principles for Evaluating Health Risks to Reproduction Associated with Exposure to Chemicals. Environmental Health Criteria 225. International Programme on Chemical Safety, World Health Organization, Geneva, Switzerland.
- IPCS (2001b) Neurotoxicity Risk Assessment for Human Health: Principles and Approaches. Environmental Health Criteria 223. International Programme on Chemical Safety, World Health Organization, Geneva, Switzerland.
- Irvine S, Cawood E, Richardson D, MacDonald E & Aitken J (1996) Evidence of deteriorating semen quality in the United Kingdom: Birth cohort study in 577 men in Scotland over 11 years. *Brit Med J* 312:467-471.
- Isaac DD & Andrew DJ (1996) Tubulogenesis in drosophila: A requirement for the trachealless gene product. *Genes Dev*, 10:103-117.
- Iwama GK, Pickering AD, Sumpter JP & Schreck CB (1997) Fish Stress and Health in Aquaculture. Cambridge: Cambridge University Press, 166 pages.
- Iwata H, Tanabe S, Mizunu T & Tatsukawa R (1995) High accumulation of toxic butyltins in marine mammals from Japanese coastal waters. *Environ Sci Technol*, 29:2959-2962.
- Jacobsen R, Bostofte E, Engholm G, Hansen J, Skakkebaek NE & Möller H (2000) Fertility and offspring sex ratio of men who develop testicular cancer: A record linkage study. *Human Reprod*, 15:1958-1961.
- Jacobson JL & Jacobson SW (1996) Intellectual impairment in children exposed to polychlorinated biphenyls *in utero*. *New Engl J Med*, 335:783-789.
- Jacobson JL, Jacobson SW & Humphrey HEB (1990) Effects of *in utero* exposure to polychlorinated biphenyls and related contaminants on cognitive functioning in young children. *J Pediatr*, 116:38-45.
- Jacobson JL, Jacobson SW (2001) Postnatal exposure to PCBs and childhood development. *Lancet*, 358(9293):1568-1569.
- Jakobsson K, Thuresson K, Rylander L, Sjödin A, Hagmar L & Bergman Å (2002) Exposure assessment of polybrominated diphenyl ethers and tetrabromobisphenol A exposures in a group of computer technicians. *Chemosphere*, 46:709-716.
- James WH (1976) Timing of fertilization and sex ratio of offspring—a review. *Ann Hum Biol*, 3:549-556.
- James WH (1980) Time of fertilization and sex of infants. *Lancet*, 1:1124-1126.
- James WH (1986) Hormonal control of sex ratio. *J Theor Biol*, 118:427-441.
- James WH (1994) Cycle day of insemination, sex ratio of offspring and duration of gestation. *Ann Hum Biol*, 21:263-266.
- James WH (1995a) What stabilizes the sex ratio? *Ann Hum Genet*, 59:243-249.
- James WH (1995b) Follicular phase length, cycle day of conception and sex ratio of offspring. *Hum Reprod*, 10:2529-2531.
- James WH (1996) Interpregnancy intervals, high maternal age and seasonal effects on the human sex ratio. *Hum Reprod*, 11:7-8.
- James WH (1997) Sex ratio, coital rate, hormones and time of fertilization within the cycle. *Ann Hum Biol*, 24:403-409.
- James WH (1998) Re: the use of offspring sex ratios in the search for endocrine disruptors. *Environ Health Perspect*, 106:A472-A473.
- Jannini EA, Ulisse S & D'Armiento M (1995) Thyroid hormone and male gonadal function. *Endocrinol Rev*, 16:443-459.
- Janssen PAH, Lambert JGD, Vethaak AD & Goos HJT (1997) Environmental pollution caused by elevated concentrations of oestradiol and vitellogenin in the female flounder, *Platichthys flesus* (L.). *Aquat Toxicol*, 39:195-214.
- Jansson B, Jensen S, Olsson M, Renberg L, Sundström G & Vaz R (1975) Identification by GC-MS of phenolic metabolites of PCB and *p,p'*-DDE isolated from Baltic guillemot and seal. *Ambio*, 4:93-97.
- Jansson B, Vaz R, Blomkvist G, Jensen S & Olsson M (1979) Chlorinated terpenes and chlordane components found in fish, guillemot and seal from Swedish waters. *Chemosphere*, 4:181-190.
- Jansson B, Andersson R, Asplund L, Litzén K, Nylund K, Sellström U, Uvemo U-B, Wahlberg C, Wideqvist U, Odsjö T & Olsson M (1993) Chlorinated and brominated persistent organic compounds in biological samples from the environment. *Environ Toxicol Chem*, 12:1163-1174.
- Japan Chemical Industry Association (1997) A study on chemicals which affect the endocrine systems. Japan Chemical Industry Ecology-Toxicology and Information Center. June, Tokyo, Japan.
- Jaquet D, Leger J, Tabone MD, Czernichow P & Levy-Marchal C (1999) High serum leptin concentrations during catch-up growth of children born with intrauterine growth retardation. *J Clin Endocrinol Metab*, 84:1949-1953.
- Jarrell JF, Seidel JE & Bigelow P (1993a) Adverse effects of drugs used for ovulation induction. Vol. 11, The Case for Evidence Based Medicine, 1-6-9930. Ottawa, Canada, Royal Commission. Royal Commission on New Reproductive Technologies and the Health Care System, pp. 453-549.
- Jarrell JF, Villeneuve D, Franklin C, Bartlett S, Wrixon W, Kohut J & Zouves CG (1993b) Contamination of human ovarian follicular fluid and serum by chlorinated organic compounds in three Canadian cities. *Can Med Assoc J* 148:1322-1327.
- Jarrell JF, Gocmen A, Foster WG, Brant R, Chan S & Sevcik M (1998) Evaluation of reproductive outcomes in women inadvertently exposed to hexachlorobenzene in southeastern Turkey in the 1950's. *Reprod Toxicol*, 12:469-476.
- Jarrell JF, Gocmen A, Akyol D & Brant R (2000) Studies on the secondary sex ratio in Turkey. *Reprod Toxicol*, 14:65-70.
- Jegou B, Auger J, Multinger L, Pineau C, Thonneau P, Spira A & Jouannet P (1999) The saga of the sperm count decrease in human, wild and farm animals. In: Gagnon C, ed. *The Male Gamete: From Basic Science to Clinical Application*. Cache River Press, Vienna, Illinois, pp. 445-454.
- Jennings AM, Wild G, Ward JD & Ward AM (1988) Immunological abnormalities 17 years after accidental exposure to 2,3,7,8-tetrachlorodibenzo-*p*-dioxin. *Brit J Ind Med*, 45:701-704.
- Jensen S, Johnels AG, Olsson M & Otterlind G (1972) DDT and PCB in herring and cod from the Baltic, the Kattegat and the Skagerrak. *Ambio Special Report*, 1:71-85.
- Jensen TK, Slama R, Ducot B, Suominen J, Cawood EH, Andersen AG, Eustache F, Irvine S, Auger S, Jouannet P, Vierula



- M, Jorgensen N, Toppari J, Skakkebaek NE, Keiding N & Spira A (2001) Regional differences in waiting time to pregnancy among fertile couples in four European cities. *Human Reproduction* 16:2697-2704.
- Jernstrom H, Lerman C, Ghadirian P, Lynch HT, Weber B, Garber J, Daly M, Olopade OI, Foulkes WD, Warner E, Brunet JS & Narod SA (1999) Pregnancy and risk of early breast cancer in carriers of BRCA1 and BRCA 2. *Lancet*, 354:1846-1850.
- Jeyasuria P & Place AR (1997) Temperature-dependent aromatase expression in developing diamondback terrapin (*Malaclemys terrapin*) embryos. *J Steroid Biochem Mol Biol*, 61(3-6):415-425.
- Jeyasuria P & Place AR (1998) Embryonic brain-gonadal axis in temperature-dependent sex determination of reptiles: a role for P450 aromatase (CYP19). *J Exp Zool*, 281(5):428-449.
- Jeyasuria P, Roosenburg WM & Place AR (1994) Role of P-450 aromatase in sex determination of the diamondback terrapin, *Malaclemys terrapin*. *J Exp Zool*, 270(1):95-111.
- Jobling S (1998) Review of suggested testing methods for endocrine-disrupting chemicals. In: *Natural and Anthropogenic Environmental Oestrogens: The Scientific Basis for Risk Assessment*. *Pure and Applied Chemistry*, 70:1805-1827.
- Jobling SJ & Sumpter JP (1993) Detergent components in sewage effluent are weakly oestrogenic to fish: an *in vitro* study using rainbow trout hepatocytes. *Aquat Toxicol*, 27:361-372.
- Jobling S, Sheahan DA, Osborne JA, Matthiessen P & Sumpter JP (1996) Inhibition of testicular growth in rainbow trout (*Oncorhynchus mykiss*) exposed to estrogenic alkylphenolic chemicals. *Environ Toxicol Chem*, 15:194-202.
- Jobling S, Nolan M, Tyler CR, Brighty G & Sumpter JP (1998a) Widespread sexual disruption in wild fish. *Environ Sci Technol*, 32:2498-2506.
- Jobling S, Tyler CR, Nolan M & Sumpter JP (1998b) The identification of oestrogenic effects in wild fish. London, UK Environment Agency, R&D Technical Report W119.
- Joffe M (1996) Decreased fertility in Britain compared with Finland. *Lancet*, 347:1519-1522.
- Joffe M (2000) Time trends in biological fertility in Britain. *Lancet*, 355:1961-1965.
- Joffe M & Barnes I (2000) Do parental factors affect male and female fertility? *Epidemiol*, 11:700-705.
- Johansen HR, Alexander J, Rosslund OJ, Planting S, Lovik M, Gaarder PI, Gdynia W, Bjerve KS & Becher G (1996) PCDDs, PCDFs, and PCBs in human blood in relation to consumption of crabs from a contaminated Fjord area in Norway. *Environ Health Perspect*, 104:756-764.
- Johansson N & Ahlborg UG (1994) PCDD/PCDF, PCB and related compounds: the Scandinavian situation. *Dioxin '94*. *Organohalogen Compounds*, 44:587-590.
- Johnson KL, Cummings AM & Birnbaum LS (1997) Promotion of endometriosis in mice by polychlorinated dibenzo-*p*-dioxins, dibenzofurans and biphenyls. *Environ Health Perspect*, 105:750.
- Johnson LL, Casillas E, Collier TK, McCain BB & Varanasi U (1988) Contaminant effects on ovarian development in English sole (*Parophrys vetulus*) from Puget Sound, Washington. *Can J Fish Aquat Sci*, 45:2133-2146.
- Johnson LL, Stein JE, Collier TK, Casillas E, McCain B & Varanasi U (1992) Bioindicators of contaminant exposure, liver pathology, and reproductive development in prespawning female winter flounder (*Pleuronectes americanus*) from urban and nonurban estuaries on the northeast Atlantic coast. Washington, D.C :U.S. Department of Commerce, National Oceanic and Atmospheric Administration, NOAA Technical Memorandum NMFSNWFS-1, 76 pp.
- Johnson LL, Sol SY, Ylitalo GM, Hom T, French B, Olson OP & Collier TK (1997) Precocious sexual maturation and other reproductive anomalies in English sole from an urban waterway. International Council for the Exploration of the Sea, Copenhagen, ICES CM 1997/U:07, 15 pp. + figs.
- Johnson LL, Misitano D, Sol SY, Nelson GM, French B, Ylitalo GM & Hom T (1998) Contaminant effects on ovarian development and spawning success in rock sole from Puget Sound, Washington. *Trans Am Fish Soc*, 127:375-392.
- Johnson P, Lunde K, Ritchie E & Launer A (1999) The effect of trematode infection on amphibian limb bud development and survivorship. *Science*, 284:802-804.
- Johnstone R, Court G, Fesser A, Bradley D, Oliphant L & MacNeil J (1996) long-term trends and sources of organochlorine contamination in Canadian tundra peregrine falcons, *Falco peregrinus tundrius*. *Environ Pollut*, 93:109-120.
- Jones G & Sharp PA (1997) Ultraspiracle: an invertebrate nuclear receptor for juvenile hormones. *Proc Natl Acad Sci. USA* 94:13499-13503.
- Jones PD, Giesy JP, Newsted JL, Verbrugge DA, Ludwig JP, Ludwig ME, Auman HJ, Crawford R, Tillitt DE, Kubiak TJ & Best DA (1994) Accumulation of 2,3,7,8-tetrachlorodibenzo-p-dioxin equivalents by double-crested cormorant (*Phalacrocorax auritus*, *Pelicaniformes*) chicks in the North American Great Lakes. *Ecotox Environ Saf* 27:192-209.
- Jones RE (1971) The incubation patch of birds. *Biol Revs*, 46:315-339.
- Jönsson CJ (1994) Decreased plasma corticosterone levels in suckling mice following injection of the adrenal toxicant, MeSO<sub>2</sub>-DDE, to the lactating dam. *Pharmacol Toxicol*, 74:58-60.
- Jönsson C-J, Rodriguez-Martinez H, Lund B-O, Bergman A & Brandt I (1991) Adrenocortical toxicity of 3-methylsulphonyl-DDE in mice. II: Mitochondrial changes following ecologically relevant doses. *Fundam Appl Toxicol*, 16:365-374.
- Jordan VC, Lababidi MK & Langan-Fahey S (1991) Suppression of mouse mammary tumorigenesis by long-term tamoxifen therapy. *J Natl Cancer Inst*, 83:492-496.
- Jordan VC, Mittal S, Gosden B, Koch R & Lieberman ME (1985) Structure-activity relationships of estrogens. *Environ Health Perspect*, 61:97-110.
- Jorgensen N, Auger J, Giwercman A, Irvine DS, Jensen TK, Jouannet P, Keiding N, Le Bon C, MacDonald E, Pekuri AM, Scheike T, Simonsen M, Suominen M, Suominen J & Skakkebaek NE (1997) Semen analysis performed by different laboratory teams: an intervariation study. *Ant J Androl*, 20:201-208.
- Jorgensen N, Andersen AG, Eustache F, Irvine DS, Suominen J, Petersen JH, Andersen AN, Auger J, Cawood EHH, Horte A, Kold-Jensen T, Jouannet P, Keiding NB, Vierula M, Toppari J & Skakkebaek N (2001) Regional differences in semen quality in Europe. *Hum Reprod*, 16:1012-1019.
- Jouannet P, Czyglok F, David G, Mayaux MJ, Spira, Moscato ML & Schwartz D (1981) Study of a group of 484 fertile men. Part 1: Distribution of semen characteristics. *Int J Androl*, 11:379-394.

- Juarez de Ku LM, Sharma-Stokkermans M & Meserve LA (1994) Thyroxine normalizes polychlorinated biphenyl (PCB) dose-related depression of choline acetyltransferase (ChAT) activity in hippocampus and basal forebrain of 15-day-old rats. *Toxicology*, 94:19-30.
- Juul S, Karmmaus W & Olsen J (1999) Regional differences in waiting time to pregnancy: pregnancy-based surveys from Denmark, France, Germany, Italy and Sweden. The European Infertility and Subfecundity Study Group. *Hum Reprod*, 14:1250-1254.
- Källén B, Bertolini R, Castilla E, Czeizel A, Knudsen LB, Martinez-Fria ML, Mastroiacovo P & Mutchinick O (1986) A joint international study on the epidemiology of hypospadias. *Acta Paediatr Scand*, (Suppl)324:5-52.
- Kallenborn R & Hühnerfuss H (2001) *Chiral Environmental Pollutants: Trace Analysis and Ecotoxicology*. Springer-Verlag, New York, N.Y.
- Kannan K & Falandysz J (1997) Butyltin residues in sediment, fish, fish-eating birds, harbour porpoise and human tissues from the Polish coast of the Baltic Sea. *Mar Poll Bull*, 34:203-207.
- Kannan K, Tanabe S, Iwata H & Taksukawa R (1995a) Butyltins in muscle and liver of fish collected from certain Asian and Oceanian countries. *Environ Pollut*, 90:279-290.
- Kannan K, Yasunaga Y, Iwata H, Ichihashi H, Tanabe S & Tatsukawa R (1995b) Concentrations of heavy metals, organochlorines, and organotins in horseshoe crab (*Tachypleus tridentatus*) from Japanese coastal waters. *Arch Environ Contam Toxicol*, 28:40-47.
- Kannan K, Corsolini S, Focardi S, Tanabe S & Tatsukawa R (1996) Accumulation pattern of butyltin compounds in dolphin, tuna and shark collected from Italian coastal waters. *Arch Environ Contam Toxicol*, 31:19-23.
- Kannan K, Senthilkumar K, Loganathan BG, Takahashi S, Odell DK & Tanabe S (1997) Elevated accumulation of tributyltin and its breakdown products in bottlenose dolphins (*Tursiops truncatus*) found stranded along the U.S. Atlantic and Gulf coasts. *Environ Sci Technol*, 31:296-301.
- Kanno J, Ward JM & Maronpot RR (1996) Mechanisms of chemically induced thyroid follicular carcinogenesis. *Prog Clin Biol Res*, 394:353-398.
- Kanno J, Onyon L, Haseman J, Fenner-Crisp P, Ashby J, Owens W (2000) The OECD Program to validate the rat uterotrophic bioassay to screen compounds for *in vivo* estrogenic responses: Phase I. *Environ Health Perspect*, 109:785-794.
- Karels A, Soimasuo M & Oikari A (1999) Effects of paper and pulpmill effluents on reproduction, bile conjugates and liver MFO (mixed function oxygenase) activity in fish at southern Lake Saimaa, Finland. *Water Sci Technol*, 40:109-114.
- Kasper P & Mueller L (1999) Sex-specific induction of apoptosis by cyproterone acetate in primary rat hepatocytes. *Carcinogenesis*, 20:2185-2188.
- Kavelaars A, Cats B, Visser GHA, Zegers BJM, Bakker JM, Van Rees EP & Heijnen CJ (1996) Ontogeny of the response of human peripheral blood T cells to glucocorticoids. *Brain Behav Immun* 10:288-297.
- Kavlock RJ, Daston GP, DeRosa C, Fenner-Crisp P, Gray LE, Kaatari S, Lucier G, Luster M, Mac MJ, Maszka C, Miller R, Moore J, Rolland R, Scott G, Sheehan DM, Sinks T & Tilson HA (1996) Research needs for the risk assessment of health and environmental effects of endocrine disruptors: A report of the U.S. EPA-sponsored workshop. *Environ Health Perspect*, 104(Suppl 4):715-740.
- Keeler RF & Panter KE (1989) Piperidine alkaloid composition and relation to crooked calf disease-inducing potential of *Lupinus formosus*. *Teratology*, 40:423-432.
- Kelce WR, Monosson E, Gamcsik MP, Laws S & Gray LE Jr (1994) Environmental hormone disruptors: Evidence that vinclozolin developmental toxicity is mediated by antiandrogenic metabolites. *Toxicol Appl Pharmacol*, 126:275-285.
- Kelce WR, Stone CR, Laws SC, Gray LE, Kemppainen JA & Wilson EM (1995) The persistent DDT metabolite *p,p'*-DDE is a potent androgen receptor antagonist. *Nature*, 375:581-585.
- Kelce WR, Lambright C, Gray LE & Roberts K (1997) Vinclozolin and *p,p'*-DDE alter androgen-dependent gene expression: *In vivo* confirmation of an androgen receptor mediated mechanism. *Toxicol Appl Pharmacol*, 142:192-200.
- Kelsey JL & Berstein L (1996) Epidemiology and prevention of breast cancer. *Annu Rev Publ Health*, 17:47-67.
- Kendall R, Dickerson R, Griesy J & Suk W, eds. (1998) *Principles and Processes for Evaluating Endocrine Disruption in Wildlife*. Society of Environmental Toxicology and Chemistry. Pensacola, FL: SETAC Press, 491 pages.
- Key TJ, Chen J, Pike MC, Boreham J (1990) Sex hormones in women in rural China and Britain. *Br J Cancer*, 62:636.
- Khan IA & Thomas P (1998) Estradiol-17 $\beta$  and *o,p'*-DDT stimulate gonadotropin release in Atlantic croaker. *Mar Environ Res*, 46:149-152.
- Khan IA, Thomas P (2000) Lead and Aroclor 1254 disrupt reproductive neuroendocrine function in Atlantic croaker. *Mar Environ Res*, 50(1-5):119-123.
- Khan IA & Thomas P (2001) Disruption of neuroendocrine control of luteinizing hormone secretion by Aroclor 1254 involves inhibition of hypothalamic tryptophan hydroxylase activity. *Biology of Reproduction* 64:955-964.
- Kierkegaard A, Sellström U, Bignert A, Olsson M, Asplund L, Jansson B & de Wit C (1999) Temporal trends of a polybrominated diphenyl ether (PBDE), a methoxylated PBDE, and hexabromocyclododecane (HBCD) in Swedish biota. *Organohalogen Compounds*, 40:367-370.
- Kihlström JE, Olsson M, Jensen S, Johansson A, Ahlbom J & Bergman A (1992) Effects of PCB and different fractions of PCB on the reproduction of the mink (*Mustela vison*). *Ambio*, 21:563-569.
- Kikuyama S, Kawamura K, Tanaka S & Yamamoto K (1993) Aspects of amphibian metamorphosis: hormonal control. *Int Rev Cytol*, 145:105-148.
- Kilburn KH, Warsaw RH & Shields MG (1989) Neurobehavioral dysfunction in firemen exposed to polychlorinated biphenyls (PCBs): Possible improvement after detoxification. *Arch Environ Health*, 44:345-350.
- Kim GB, Lee JS, Tanabe S, Iwata H, Tatsukawa R & Shimazaki K (1996a) Specific accumulation and distribution of butyltin compounds in various organs and tissues of the Steller sea lion (*Eumetopias jubatus*): comparison with organochlorine accumulation pattern. *Mar Poll Bull*, 32:558-563.
- Kim GB, Tanabe S, Iwakiri R, Tatsukawa R, Amano M, Miyazaki

- N & Tanaka H (1996b) Accumulation of butyltin compounds in Risso's dolphin (*Grampus griseus*) from the Pacific coast of Japan: Comparison with organochlorine residue pattern. *Environ Sci Technol*, 30:2620-2625.
- Kim GB, Tanabe S, Tatsukawa R, Loughlin TR & Shimazaki K (1996c) Characteristics of butyltin accumulation and its biomagnification in Steller sea lion (*Eumetopias jubatus*). *Environ Toxicol Chem*, 15:2043-2048.
- Kimball AM, Hamadeh R, Mahmood RA, Kalfan S, Mushin A, Ghabrial F & Armenian HK (1981) Gynecomastia among children in Bahrain. *Lancet*, 1(8221):671-672.
- Kime DE (1998) *Endocrine Disruption in Fish*. Boston: Kluwer Academic Publishers.
- Kime DE, Nash JP & Scott AP (1999) Vitellogenesis as a biomarker of reproductive disruption by xenobiotics. *Aquacult*, 177:345-352.
- Kimura F & Funabashi T (1998) Two subgroups of gonadotropin-releasing neurons control gonadotropin secretion in rats. *News Physiol Sci*, 13:225-231.
- King DP, Zhao Y, Sangoram AM, Wilsbacher LD, Tanaka M, Antoch MP, Steeves TDL, Vitaterna MH, Kornhauser JM, Lowrey PL, Turek FW & Takahashi JS (1997) Positional cloning of the mouse circadian clock gene. *Cell*, 89:64.
- Kirk JJ (1988) Western spotted frog (*Rana pretiosa*) mortality following forest spraying of DDT. *Herpetol Rev*, 19:51-53.
- Kleinow K, Baker J, Nichols J, Gobas F, Parkerton T, Muir D, Monteveddi G & Mastrodone P (1999) Chemical exposure, uptake and disposition: Implications for reproduction and development in select oviparous vertebrates. In: Tillitt D & DeGuilio R, eds. *Reproductive and Developmental Toxicology of Contaminants in Oviparous Animals*. Pensacola, FL: SETAC Press, 397 pages.
- Kloas W, Lutz I & Einspanier R (1999) Amphibians as a model to study endocrine disruptors. II: Estrogenic activity of environmental chemicals *in vitro* and *in vivo*. *Sci Total Environ*, 225:59-68.
- Klotz DM, Arnold SF & McLachlan JA (1997) Inhibition of 17-beta-estradiol and progesterone activity in human breast and endometrial cells by carbamate insecticides. *Life Sci*, 60:1467-1475.
- Kniewald J, Peruzovic M, Gojmerac T, Milkovic K & Kniewald Z (1987) Indirect influence of s-triazines on rat gonadotropic mechanism at early postnatal period. *J Steroid Biochem*, 27:1095-1100.
- Knuth ML (1989) Determination of the insect growth regulator methoprene in natural waters by capillary gas-liquid chromatography. *Chemosphere* 18:2275-2281.
- Kobayashi M, Aida K & Stacey NE (1991) Induction of testis development by implantation of 11-ketotestosterone in female goldfish. *Zool Sci*, 8:389-393.
- Kocan A, Petrik J, Jursa S, Chovancova J & Drobná B (2001) Environmental contamination with polychlorinated biphenyls in the area of former manufacture in Slovakia. *Chemosphere*, 43:595-600.
- Koger C, The S & Hinton D (1999) *p-tert-Octylphenol* and *vinclozolin* induced intersex in developing Medaka (*Oryzias latipes*). *Toxicologist*, 48(Suppl 1-S):A1264, p. 268.
- Kogevinas M, Saracci R, Winkelman R, et al. (1994) Cancer incidence and mortality in women occupationally exposed to chlorophenoxy herbicides, chlorophenols, and dioxins. *Cancer Causes Control*, 4:547-553.
- Kolbusz WE & Grayhach LC (1982) Delay of castration-induced regression in rat prostate by pituitary homografts. *J Urol*, 127:581-584.
- Koninckx PR (1999) The pathophysiology of endometriosis: pollution and dioxin. *Gynecol Obstet Invest*, 47:47-49.
- Koolman J, ed. (1989) *Ecdysone: From Chemistry to Mode of Action*. Stuttgart: New York, N.Y., 482 pages.
- Koopman-Esseboom C (1995) Effects of perinatal exposure to PCBs and dioxins on early human development. Thesis. Rotterdam: Erasmus University (ISBN 90-75340-03-6).
- Koopman-Esseboom C, Morse DC, Weisglas-Kuperus N, Lutkeschipholt IJ, van der Paauw C, Tuinstra LGM, Brouwer A & Sauer PJJ (1995) Effects of dioxins and polychlorinated biphenyls on thyroid hormone status of pregnant women and their infants. *Pediatr Res*, 36:468-473.
- Koopman-Esseboom C, Weisglas-Kuperus N, de Riddert MAJ, van der Paauw CG, Tuinstra LGM & Sauer, PJJ (1996) Effects of polychlorinated biphenyl/dioxin exposure and feeding type on infants' mental and psychomotor development. *Pediatrics*, 97:700-706.
- Korach K, Sarver SP, Chae K, McLachlan JA & McKinney JD (1988) Estrogen receptor-binding activity of polychlorinated hydroxybiphenyls: conformational restricted structural probes. *Mol Pharmacol*, 33:120.
- Kotoula V, Karkavelas G, Economou L, Sionga A, Boutis L & Kerameos-Foroglou C (1993) Effects of tamoxifen and CV 205502 on the morphology and the evolution of the noncancerous mouse mammary gland. *Histol Histopath*, 8:627-636.
- Kovacs TG, Gibbons JS, Tremblay LA, O'Connor BI, Martel PH & Voss RI (1995) The effect of a secondary-treated bleached kraft pulp mill effluent on aquatic organisms as assessed by short-term and long-term laboratory tests. *Ecotoxicol Environ Saf*, 31:7-22.
- Kozak KR, Abbott BD & Hankinson O (1997) ARNT-deficient mice and placental differentiation. *Develop Biol*, 191:297.
- Kramer VJ, Helferich WG, Bergman Å, Klasson Wehler E & Giesy JP (1997) Hydroxylated polychlorinated biphenyl metabolites are anti-estrogenic in a stably transfected human breast adenocarcinoma (MCF7) cell line. *Toxicol Appl Pharmacol*, 144:363-376.
- Krauss RS & Eling E (1987) Macromolecular binding of the thyroid carcinogen 3-amino-1,2,4-triazole (amitrol) catalyzed by prostaglandin H synthase, lactoperoxidase and thyroid peroxidase. *Carcinogenesis*, 8:659-664.
- Kremer H, Lilienthal H, Hany J, Roth-Härer A & Winneke G (1999) Sex-dependent effects of maternal PCB exposure on the electroretinogram in adult rats. *Neurotoxicol Teratol*, 21:13-19.
- Krieger N, Wolff MS, Hiatt RA, Rivera M, Vogelmann J & Orentreich N (1994) Breast cancer and serum organochlorines: A prospective study among white, black, and Asian women. *J Natl Cancer Inst*, 86:589-599.
- Kristensen P, Irgens LM, Andersen A, Bye AS & Sundheim L (1997) Birth defects among offspring of Norwegian farmers, 1967-1991. *Epidemiol*, 8:337-344.
- Krstevska-Konstantinova M, Charlier C, Craen M, Du Caju M, Heinrichs C, de Beaufort C, Plomteux G & Bourguignon JP (2001) Sexual precocity after immigration from developing countries to Belgium: Evidence of previous exposure to organochlorine pesticides. *Human Reproduction* 16:1020-1026.
- Kubeck E, Naylor CG (1990) Trace analysis of alkylphenol ethoxylates. *J Am Oil Chem. Soc*, 67:400-405.
- Kuiper-Goodman T, Scott PM & Watanabe H (1987) Risk

- assessment of the mycotoxin zearalenone. *Risk Toxicol Pharmacol*, 7:253-306.
- Küppers E & Beyer C (1998) Expression of aromatase in the embryonic and postnatal mouse striatum. *Mol Brain Res*, 63:184-188.
- Kuroki Y, Iwamoto T, Lee J, Yoshiike M, Nozawa S, Takayasu N, Ewis AA, Nakamura H, Toda T, Tokunaga K, Kotliarove SE, Kondoh N, Noh E, Namiki M, Shinka T & Nakahori Y (1999) Spermatogenic ability is different among males in different Y chromosome lineage. *J Hum Genet*, 44:289-292.
- Kvestak R & Ahel M (1994) Occurrence of toxic metabolites from nonionic surfactants in the Krka River estuary. *Ecotoxicol Environ Saf*, 28(1):25-34.
- La Clair J, Bantle JA & Dumont J (1998) Photoproducts and metabolites of a common insect growth regulator produce developmental deformities in *Xenopus*. *Environ Sci Technol*, 32:1453-1461.
- Laden F, Hankinson SE, Wolff MS, Graham C, Willett WC & Speizer FE, et al. (2001a) plasma organochlorine levels and risk of breast cancer: An extended follow-up in the nurses' health study. *Int J Cancer*, 91:568-574.
- Laden F, Collman G, Iwamoto K, Alberg AJ, Berkowitz GS, Freudenheim JL, Hankinson SE, Helzlsouer KJ, Holdford TR, Huan HY, Moysich KB, Essari JD, Wolff M, Zheng, T & Hunter D (2001b) 1,1-Dichloro-2,2-bis (p-chlorophenyl)ethylene and polychlorinated biphenyls and breast cancer: Combined analysis of five U.S studies. *J Natl Cancer Inst*, 93:768-776.
- Lake B, Brantom P, Gangolli S, Butterworth R & Grasso P (1976) Studies on the effects of orally administered DEHP in the ferret. *Toxicology*, 6:341-356.
- Lamb T, Bickham JW, Lyne TB & Gibbons JW (1995) The slider turtle as an environmental sentinel: Multiple tissue assays using flow cytometric analysis. *Ecotoxicol*, 4(1):5-13.
- Lambright C, Ostby J, Bobseine K, Wilson V, Hotchkiss AK, Mann PC & Gray LE (2000) Cellular and molecular mechanisms of action of linuron: an antiandrogenic herbicide that produces reproductive malformations in male rats. *Toxicol Sci*, 56:389-399.
- Lancaster JM, Wooster R, Mangion J, Phelan CM, Cochran C, Gumbs C, Seal S, Barfoot R, Collins N & Bignell G, et al. (1996) BRCA2 mutations in primary breast and ovarian cancers. *Nature Gen*, 13:238-240.
- Lance VA (1994) Introduction: Environmental sex determination in reptiles: Patterns and processes. *J Exp Zool*, 270:1-2.
- Landahl JT, Johnson LL, Collier TK, Stein JE & Varanasi U (1997) Approaches for determining effects of pollution on fish populations of Puget Sound. *Trans Am Fish Soc*, 126:519-535.
- Landi MT, Consonni D, Patterson DGJr, Needham LL, Lucier G, Brambilla P, Cazzaniga MA, Mocarelli P, Pesatori AC, Bertazzi PA & Caporaso NE (1998) 2,3,7,8-Tetrachlorodibenzo-*p*-dioxin plasma levels in Seveso 20 years after the accident. *Environ Health Perspect*, 106:273-277.
- Langer P, Tajtakova M, Fodor G, Kocan A, Bohov P, Michalek J & Kreze A (1998) Increased thyroid volume and prevalence of thyroid disorders in an area heavily polluted by polychlorinated biphenyls. *Eur J Endocrinol*, 139:402-406.
- Lannoo MJ, ed. (1998) Status and Conservation of Midwestern Amphibians. Iowa City, IA: University of Iowa Press.
- Lans MC, Klasson Wehler E, Willemsen M, Meussen E, Safe S & Brouwer A (1993) Structure-dependent, competitive interaction of hydroxy-polychlorobiphenyls, -dibenzo-*p*-dioxins and -dibenzofurans with human transthyretin. *Chem-Biol Interact*, 88:7-21.
- Lanting CI (1999) Effects of perinatal PCB and dioxin exposure and early feeding mode on child development. Thesis. Rijksuniversiteit Groningen (ISBN 90-367-1002-2), The Netherlands.
- Lanting CI, Patandin S, Fidler V, Weisglas-Kuperus N, Sauer PJJ, Boersma ER & Touwen BCL (1998) Neurological condition in 42-months-old children in relation to pre- and postnatal exposure to polychlorinated biphenyls and dioxins. *Early Hum Develop*, 50:283-292.
- Larsen SB, Spano M, Giwercman A & Bonde JP (1999) Semen quality and sex hormones among organic and traditional Danish farmers. ASCLEPIOS Study Group. *Occup Environ Med*, 56:139-144.
- Larsson Å, Förlin L, Lindesjö E & Sandström O (1997) Monitoring of individual organism responses in fish populations exposed to pulp mill effluents. In: Rotura, New Zealand, Proc. 3rd Int. Conf. on Environmental Fate and Effects of Pulp and Paper Mill Effluents, November 1997.
- Larsson DGJ, Adolfsson-Erici M, Parkkonen J, Pettersson M, Berg AH, Olsson P-E & Förlin L (1999) Ethinyloestradiol—an undesired fish contraceptive? *Aquat Toxicol*, 45:91-97.
- Lasley BL & Overstreet JW (1998) Biomarkers for assessing human female reproductive health, an interdisciplinary approach. *Environ Health Perspect*, 106(Suppl 4):955-960.
- Lauber ME, Sarasin A & Lichtensteiger W (1997a) Transient sex differences of aromatase (CYP19) mRNA expression in the developing rat brain. *Neuroendocrinol*, 66:173-180.
- Lauber ME, Sarasin A & Lichtensteiger W (1997b) Sex differences and androgen-dependent regulation of aromatase (CYP19) mRNA expression in the developing and adult rat brain. *J Steroid Mol Biol*, 61:359-364.
- Lauer H, Ahl JSB & Sagi A (1993) The role of juvenile hormones in crustacean reproduction. *Am Zool*, 33:365-374.
- Laws SC, Carey SA, Kelce WR, Cooper RL & Gray LE Jr (1996) Vinclozolin does not alter progesterone receptor (PR) function *in vivo* despite inhibition of binding by its metabolites *in vitro*. *Toxicol*, 112:173-82.
- Laws SC, Carey SA, Ferrell JM, Bodman GJ & Cooper RL (2000a) Estrogenic activity of octylphenol, nonylphenol, bisphenol A and methoxychlor in rats. *Toxicol Sci*, 54:154-167.
- Laws SC, Ferrell JM, Stoker TE, Schmid J & Cooper RL (2000b) The effects of atrazine on female Wistar rats: An evaluation of the protocol for assessing pubertal development and thyroid function. *Toxicol Sci*, 58(2):366-376.
- Leatherland JF (1992) Endocrine and reproductive function in Great Lakes salmon. In: Colborn T & Clement C, eds. *Chemically-Induced Alterations in Sexual and Functional Development: The Wildlife/Human Connection*. Princeton, NJ: Princeton Scientific Publishing Co., pp. 129-145.
- Leatherland JF (1993) Field observations on reproductive and developmental dysfunction in introduced and native salmonids from the Great Lakes. *J Great Lakes Res*, 19:737-751.
- Leatherland JF (1994) Reflections on the thyroidology of fishes: from molecules to humankind. *Guelph Ichthyology Rev*, (2):1-67.
- Leatherland JF & Sonstegard RA (1978) Lowering of serum thyroxine and triiodothyronine levels in yearling coho salmon,