

表25 歯間部清掃用器具(一つ以上)を使用する人の割合 -15歳以上、性・年齢階級別-

問 あなたは、次の器具(歯間部清掃用器具など)を使用していますか。

あてはまる番号をすべて選んで○をつけて下さい。

1 デンタルフロス(糸(付)ようじ) 2 歯間ブラシ 3 歯間刺激子 4 水流式口腔洗浄器 5 使用していない

回答	総数		15-19歳		20-29歳		30-39歳		40-49歳		50-59歳		60-69歳		70歳以上		35-44歳(再掲)		45-54歳(再掲)	
	人数	%	人数	%	人数	%	人数	%	人数	%	人数	%	人数	%	人数	%	人数	%	人数	%
総数 使用している	2,919	36.7	98	20.6	252	28.9	432	36.0	453	40.4	579	39.1	632	44.4	473	34.0	448	39.0	520	40.8
使用していない	5,045	63.3	377	79.4	621	71.1	769	64.0	667	59.6	901	60.9	792	55.6	918	66.0	701	61.0	755	59.2
総数	7,964	100.0	475	100.0	873	100.0	1,201	100.0	1,120	100.0	1,480	100.0	1,424	100.0	1,391	100.0	1,149	100.0	1,275	100.0
男性 使用している	1,170	31.6	52	20.4	90	22.8	155	27.7	172	33.1	221	31.3	264	39.9	216	35.6	167	30.2	197	33.4
使用していない	2,533	68.4	203	79.6	305	77.2	405	72.3	348	66.9	484	68.7	398	60.1	390	64.4	386	69.8	392	66.6
総数	3,703	100.0	255	100.0	395	100.0	560	100.0	520	100.0	705	100.0	662	100.0	606	100.0	553	100.0	589	100.0
女性 使用している	1,749	41.0	46	20.9	162	33.9	277	43.2	281	46.8	358	46.2	368	48.3	257	32.7	281	47.1	323	47.1
使用していない	2,512	59.0	174	79.1	316	66.1	364	56.8	319	53.2	417	53.8	394	51.7	528	67.3	315	52.9	363	52.9
総数	4,261	100.0	220	100.0	478	100.0	641	100.0	600	100.0	775	100.0	762	100.0	785	100.0	596	100.0	686	100.0

表26 歯の本数の分布 -15歳以上、性・年齢階級別-

問 自分の歯は何本ありますか。 ※親知らず、入れ歯、ブリッジ、インプラントは含みません。さし歯は含みます。

自分の歯は□口本ある。

	総数		15-19歳		20-29歳		30-39歳		40-49歳		50-59歳		60-69歳		70歳以上		40歳以上(再掲)		55-64歳(再掲)		75-84歳(再掲)	
	人数	%	人数	%	人数	%	人数	%	人数	%	人数	%	人数	%	人数	%	人数	%	人数	%	人数	%
総数 0本	471	6.0	0	0.0	1	0.1	1	0.1	4	0.4	19	1.3	86	6.1	360	26.1	469	8.7	35	2.3	193	28.6
1-9本	586	7.4	0	0.0	2	0.2	3	0.3	13	1.2	74	5.0	163	11.5	331	24.0	581	10.8	112	7.4	182	27.0
10-19本	916	11.6	1	0.2	7	0.8	28	2.4	72	6.5	222	15.1	293	20.7	293	21.2	880	16.4	283	18.8	144	21.4
20-27本	2,981	37.8	93	19.7	207	23.8	417	35.1	540	49.0	790	53.7	625	44.1	309	22.4	2,264	42.2	778	51.6	121	18.0
28本以上	2,941	37.3	378	80.1	651	75.0	738	62.2	474	43.0	365	24.8	249	17.6	86	6.2	1,174	21.9	301	19.9	34	5.0
20本以上(再掲)	5,922	75.0	471	99.8	858	98.8	1,155	97.3	1,014	91.9	1,155	78.6	874	61.7	395	28.6	3,438	64.0	1,079	71.5	155	23.0
24本以上(再掲)	5,098	64.5	466	98.7	836	96.3	1,086	91.5	901	81.7	925	62.9	646	45.6	238	17.3	2,710	50.5	919	64.3	91	13.5
総数	7,895	100.0	472	100.0	868	100.0	1,187	100.0	1,103	100.0	1,470	100.0	1,416	100.0	1,379	100.0	5,368	100.0	1,509	100.0	674	100.0
男性 0本	204	5.6	0	0.0	0	0.0	0	0.0	2	0.4	12	1.7	48	7.3	142	23.5	204	8.3	23	3.2	75	25.7
1-9本	269	7.3	0	0.0	2	0.5	2	0.4	6	1.2	34	4.9	68	10.4	157	26.0	265	10.7	51	7.1	80	27.4
10-19本	406	11.1	0	0.0	4	1.0	16	2.9	33	6.5	101	14.4	124	18.9	128	21.2	386	15.6	132	18.3	66	22.6
20-27本	1,329	36.3	36	14.2	94	24.0	189	34.4	232	45.6	353	50.4	288	43.9	137	22.7	1,010	40.9	363	50.3	58	19.9
28本以上	1,456	39.7	217	85.8	292	74.5	343	62.4	236	46.4	200	28.6	128	19.5	40	6.6	604	24.5	152	21.1	13	4.5
20本以上(再掲)	2,785	76.0	253	100.0	386	96.9	532	96.7	468	91.9	553	79.0	416	63.4	177	29.3	1,614	65.4	515	71.4	71	24.3
24本以上(再掲)	2,405	65.6	250	98.8	371	94.6	495	90.0	413	81.1	448	64.0	319	48.6	109	18.0	1,289	52.2	403	55.6	42	14.4
総数	3,664	100.0	253	100.0	392	100.0	550	100.0	509	100.0	700	100.0	656	100.0	604	100.0	2,469	100.0	721	100.0	292	100.0
女性 0本	267	6.3	0	0.0	1	0.2	1	0.2	2	0.3	7	0.9	38	5.0	218	28.1	265	9.1	12	1.5	118	30.9
1-9本	317	7.5	0	0.0	0	0.0	1	0.2	7	1.2	40	5.2	95	12.5	174	22.5	316	10.9	61	7.7	102	26.7
10-19本	510	12.1	1	0.5	3	0.6	12	1.9	39	6.6	121	15.7	169	22.2	165	21.3	494	17.0	151	19.2	78	20.4
20-27本	1,652	39.0	57	26.0	113	23.7	228	35.8	308	51.9	437	56.8	337	44.3	172	22.2	1,254	43.3	415	52.7	63	16.5
28本以上	1,485	35.1	161	73.5	359	75.4	395	62.0	238	40.1	165	21.4	121	15.9	46	5.9	570	19.7	149	18.9	21	5.5
20本以上(再掲)	3,137	74.1	216	99.5	472	99.2	623	97.8	546	91.9	602	78.2	458	60.3	218	28.1	1,824	62.9	564	71.6	84	22.0
24本以上(再掲)	2,893	63.8	216	98.6	465	97.7	591	92.6	488	82.2	477	61.9	327	43.0	129	16.6	1,421	49.0	418	53.0	49	12.8
総数	4,231	100.0	219	100.0	476	100.0	637	100.0	594	100.0	770	100.0	760	100.0	775	100.0	2,899	100.0	788	100.0	382	100.0

表27 過去1年間に歯石除去や歯面清掃を受けた人の割合 -15歳以上、性・年齢階級別-

問 あなたは、この1年間に歯石の除去や歯面の清掃を受けましたか

	総数		15-19歳		20-29歳		30-39歳		40-49歳		50-59歳		60-69歳		70歳以上		55-64歳(再掲)	
	人数	%	人数	%	人数	%	人数	%	人数	%	人数	%	人数	%	人数	%	人数	%
総数 受けた	2,851	35.8	128	26.9	292	33.4	399	33.2	388	34.6	576	38.9	633	44.5	435	31.2	658	43.2
受けていない	5,119	64.2	348	73.1	582	66.6	804	66.8	732	65.4	905	61.1	790	55.5	958	68.8	864	56.8
総数	7,970	100.0	476	100.0	874	100.0	1,203	100.0	1,120	100.0	1,481	100.0	1,423	100.0	1,393	100.0	1,522	100.0
男性 受けた	1,246	33.6	69	27.0	99	25.1	167	29.8	161	31.0	261	37.0	285	43.1	204	33.6	303	41.6
受けていない	2,460	66.4	187	73.0	296	74.9	393	70.2	359	69.0	445	63.0	377	56.9	403	66.4	425	58.4
総数	3,706	100.0	256	100.0	395	100.0	560	100.0	520	100.0	706	100.0	662	100.0	607	100.0	728	100.0
女性 受けた	1,605	37.6	59	26.8	193	40.3	232	36.1	227	37.8	315	40.6	348	45.7	231	29.4	355	44.7
受けていない	2,659	62.4	161	73.2	286	59.7	411	63.9	373	62.2	460	59.4	413	54.3	555	70.6	439	55.3
総数	4,264	100.0	220	100.0	479	100.0	643	100.0	600	100.0	775	100.0	761	100.0	786	100.0	794	100.0

表28 過去1年間に歯科健康診査を受けた人の割合 -15歳以上、性・年齢階級別-

問 あなたは、この1年間に歯科健康診査を受けましたか

	総数		15-19歳		20-29歳		30-39歳		40-49歳		50-59歳		60-69歳		70歳以上		55-64歳(再掲)	
	人数	%	人数	%	人数	%	人数	%	人数	%	人数	%	人数	%	人数	%	人数	%
総数																		
受けた	2,691	33.8	281	59.2	274	31.3	347	28.8	358	32.0	469	31.7	551	38.7	411	29.5	543	35.7
受けていない	5,278	66.2	194	40.8	601	68.7	856	71.2	761	68.0	1,011	68.3	873	61.3	982	70.5	980	64.3
総数	7,969	100.0	475	100.0	875	100.0	1,203	100.0	1,119	100.0	1,480	100.0	1,424	100.0	1,393	100.0	1,523	100.0
男性																		
受けた	1,176	31.7	141	55.3	95	24.1	146	26.1	151	29.0	217	30.7	239	36.0	187	30.8	246	33.8
受けていない	2,530	68.3	114	44.7	300	75.9	414	73.9	369	71.0	489	69.3	424	64.0	420	69.2	482	66.2
総数	3,706	100.0	255	100.0	395	100.0	560	100.0	520	100.0	706	100.0	663	100.0	607	100.0	728	100.0
女性																		
受けた	1,515	35.5	140	63.6	179	37.3	201	31.3	207	34.6	252	32.6	312	41.0	224	28.5	297	37.4
受けていない	2,748	64.5	80	36.4	301	62.7	442	68.7	392	65.4	522	67.4	449	59.0	562	71.5	498	62.6
総数	4,263	100.0	220	100.0	480	100.0	643	100.0	599	100.0	774	100.0	761	100.0	786	100.0	795	100.0

表29 血清総コレステロール値の分布と平均値・標準偏差 (コレステロール降下薬服用者除外)
-20歳以上、性・年齢階級別-

	総数		20-29歳		30-39歳		40-49歳		50-59歳		60-69歳		70歳以上	
	人数	%	人数	%	人数	%	人数	%	人数	%	人数	%	人数	%
総数														
120mg/dl未満	11	0.3	2	0.6	2	0.4	0	0.0	2	0.3	2	0.2	3	0.4
120mg/dl以上140mg/dl未満	85	2.4	25	8.1	19	3.6	3	0.6	6	0.8	5	0.6	27	3.8
140mg/dl以上160mg/dl未満	300	8.3	68	22.1	75	14.3	33	6.4	23	3.2	43	5.3	58	8.2
160mg/dl以上180mg/dl未満	549	15.3	83	26.9	113	21.6	81	15.8	68	9.4	95	11.6	109	15.4
180mg/dl以上200mg/dl未満	765	21.3	59	19.2	130	24.8	118	23.0	129	17.7	171	20.9	158	22.3
200mg/dl以上220mg/dl未満	732	20.3	31	10.1	96	18.3	119	23.2	161	22.1	173	21.2	152	21.4
220mg/dl以上240mg/dl未満	589	16.4	23	7.5	48	9.2	84	16.4	163	22.4	168	20.6	103	14.5
240mg/dl以上260mg/dl未満	312	8.7	7	2.3	21	4.0	41	8.0	93	12.8	86	10.5	64	9.0
260mg/dl以上280mg/dl未満	165	4.6	7	2.3	13	2.5	24	4.7	48	6.6	46	5.6	27	3.8
280mg/dl以上300mg/dl未満	57	1.6	3	1.0	4	0.8	5	1.0	22	3.0	18	2.2	5	0.7
300mg/dl以上	33	0.9	0	0.0	3	0.6	4	0.8	12	1.7	10	1.2	4	0.6
220mg/dl以上(再掲)	1,156	32.1	40	13.0	88	17.0	158	30.9	338	46.5	328	40.1	203	28.6
240mg/dl以上(再掲)	567	15.8	17	5.5	41	7.8	74	14.5	175	24.1	160	19.6	100	14.1
総数	3,598	100.0	308	100.0	524	100.0	512	100.0	727	100.0	817	100.0	710	100.0
平均値(mg/dl)	203.9		179.3		190.3		204.7		217.1		211.0		201.1	
標準偏差	36.4		33.3		33.9		32.6		36.9		35.3		34.5	
男性														
120mg/dl未満	8	0.6	2	1.7	0	0.0	0	0.0	2	0.7	2	0.5	2	0.6
120mg/dl以上140mg/dl未満	44	3.1	12	10.2	4	2.3	1	0.6	3	1.1	4	1.1	20	5.8
140mg/dl以上160mg/dl未満	136	9.4	25	21.2	19	10.9	9	5.5	17	6.3	30	8.1	36	10.4
160mg/dl以上180mg/dl未満	251	17.4	30	25.4	29	16.6	19	11.7	35	12.9	61	16.5	77	22.3
180mg/dl以上200mg/dl未満	314	21.8	24	20.3	39	22.3	29	17.8	52	19.2	88	23.8	82	23.8
200mg/dl以上220mg/dl未満	296	20.5	9	7.6	35	20.0	39	23.9	71	26.2	78	21.1	64	18.6
220mg/dl以上240mg/dl未満	214	14.9	6	5.1	23	13.1	35	21.5	55	20.3	67	18.2	28	8.1
240mg/dl以上260mg/dl未満	95	6.6	4	3.4	14	8.0	11	6.7	17	6.3	25	6.8	24	7.0
260mg/dl以上280mg/dl未満	51	3.5	4	3.4	9	5.1	13	8.0	8	3.0	6	1.6	11	3.2
280mg/dl以上300mg/dl未満	21	1.5	2	1.7	2	1.1	4	2.5	6	2.2	6	1.6	1	0.3
300mg/dl以上	11	0.8	0	0.0	1	0.6	3	1.8	5	1.8	2	0.5	0	0.0
220mg/dl以上(再掲)	392	27.2	16	13.6	49	28.0	66	40.5	91	33.6	106	28.7	64	18.6
240mg/dl以上(再掲)	178	12.4	10	8.5	26	14.9	31	19.0	36	13.3	39	10.6	36	10.4
総数	1,441	100.0	118	100.0	175	100.0	163	100.0	271	100.0	369	100.0	345	100.0
平均値(mg/dl)	199.1		179.1		200.6		211.8		207.0		200.8		191.6	
標準偏差	36.4		37.3		36.7		36.0		38.1		33.1		34.2	
女性														
120mg/dl未満	3	0.1	0	0.0	2	0.6	0	0.0	0	0.0	0	0.0	1	0.3
120mg/dl以上140mg/dl未満	41	1.9	13	6.8	15	4.3	2	0.6	3	0.7	1	0.2	7	1.9
140mg/dl以上160mg/dl未満	164	7.6	43	22.6	56	16.0	24	6.9	6	1.3	13	2.9	22	6.0
160mg/dl以上180mg/dl未満	298	13.8	53	27.9	84	24.1	62	17.8	33	7.2	34	7.6	32	8.8
180mg/dl以上200mg/dl未満	451	20.9	35	18.4	91	26.1	89	25.5	77	16.9	83	18.5	76	20.8
200mg/dl以上220mg/dl未満	436	20.2	22	11.6	61	17.5	80	22.9	90	19.7	95	21.2	88	24.1
220mg/dl以上240mg/dl未満	375	17.4	17	8.9	25	7.2	49	14.0	108	23.7	101	22.5	75	20.5
240mg/dl以上260mg/dl未満	217	10.1	3	1.6	7	2.0	30	8.6	76	16.7	61	13.6	40	11.0
260mg/dl以上280mg/dl未満	114	5.3	3	1.6	4	1.1	11	3.2	40	8.8	40	8.9	16	4.4
280mg/dl以上300mg/dl未満	36	1.7	1	0.5	2	0.6	1	0.3	16	3.5	12	2.7	4	1.1
300mg/dl以上	22	1.0	0	0.0	2	0.6	1	0.3	7	1.5	8	1.8	4	1.1
220mg/dl以上(再掲)	784	35.4	24	12.6	40	11.5	92	26.4	247	54.2	222	49.6	139	38.1
240mg/dl以上(再掲)	389	18.0	7	3.7	15	4.3	43	12.3	139	30.5	121	27.0	64	17.5
総数	2,157	100.0	190	100.0	349	100.0	349	100.0	456	100.0	448	100.0	365	100.0
平均値(mg/dl)	207.1		179.4		185.2		201.1		223.0		218.8		209.1	
標準偏差	36.2		30.7		31.3		30.2		34.9		34.9		32.8	

高脂血症者：血清コレステロール値240mg/dl以上の者

表30 拡張期(最低)及び収縮期(最高)血圧値の分布と平均値・標準偏差
(降圧薬服用者除外、妊婦除外) -15歳以上、性・年齢階級別-

項目	総数		15-19歳		20-29歳		30-39歳		40-49歳		50-59歳		60-69歳		70歳以上			
	人数	%	人数	%	人数	%	人数	%	人数	%	人数	%	人数	%	人数	%		
総数	拡張期(最低)血圧値	3415 100.0		146 100.0		311 100.0		539 100.0		512 100.0		716 100.0		705 100.0		486 100.0		
	平均値(mmHg)	78.7	66	68.5	73.8	80.3	82.7	82.2	78.8									
	標準偏差	12.0	8.7	9.9	10.4	11.8	11.5	10.8	11.6									
男性	拡張期(最低)血圧値	15	0.4	4	2.7	7	2.3	2	0.4	0	0.0	0	0.0	1	0.1	1	0.2	
	90~99mmHg	143	4.2	22	15.1	37	11.9	44	8.2	19	3.7	9	1.3	8	1.1	4	0.8	
	100~109mmHg	426	12.5	49	33.6	92	29.6	128	23.7	60	11.7	61	8.5	24	3.4	12	2.5	
	110~119mmHg	720	21.1	45	30.8	94	30.2	180	33.4	135	26.4	126	17.6	94	13.3	46	9.5	
	120~129mmHg	684	20.0	19	13.0	57	18.3	101	18.7	121	23.6	162	22.6	142	20.1	82	16.9	
	130~139mmHg	567	16.6	5	3.4	18	5.8	52	9.6	88	17.2	152	21.2	144	20.4	108	22.2	
	140~149mmHg	404	11.8	1	0.7	6	1.9	22	4.1	59	11.5	103	14.4	119	16.9	94	19.3	
	150~159mmHg	219	6.4	1	0.7	0	0.0	6	1.1	16	3.1	49	6.8	93	13.2	54	11.1	
	160~169mmHg	113	3.3	0	0.0	0	0.0	3	0.6	4	0.8	28	3.9	38	5.4	40	8.2	
	170~179mmHg	69	2.0	0	0.0	0	0.0	0	0.0	4	0.8	16	2.2	26	3.7	23	4.7	
	180mmHg以上	55	1.6	0	0.0	0	0.0	1	0.2	6	1.2	10	1.4	16	2.3	22	4.5	
	総数	3,415	100.0	146	100.0	311	100.0	539	100.0	512	100.0	716	100.0	705	100.0	486	100.0	
	平均値(mmHg)	127.6	109.5	111.8	116.1	124.6	131	136.8	140.5									
	標準偏差	19.8	11.3	11.9	13.5	16.7	18.0	18.8	20.3									
	女性	拡張期(最低)血圧値	6	0.4	4	5.2	1	0.8	0	0.0	0	0.0	0	0.0	0	0.0	1	0.4
90~99mmHg		41	3.0	13	16.9	13	10.6	4	2.1	1	0.6	1	0.4	1	0.3	8	3.4	
100~109mmHg		189	14.0	31	40.3	33	26.8	30	16.0	18	11.0	27	10.5	24	7.9	26	11.1	
110~119mmHg		361	26.8	25	32.5	48	39.0	67	35.8	32	19.5	50	19.4	66	21.6	73	31.1	
120~129mmHg		447	33.1	4	5.2	23	18.7	67	35.8	55	33.5	93	36.0	126	41.3	79	33.6	
130~139mmHg		223	16.5	0	0.0	5	4.1	15	8.0	46	28.0	61	23.6	65	21.3	31	13.2	
140~149mmHg		62	4.6	0	0.0	0	0.0	4	2.1	8	4.9	20	7.8	21	6.9	9	3.8	
150~159mmHg		13	1.0	0	0.0	0	0.0	0	0.0	2	1.2	2	0.8	2	0.7	7	3.0	
160~169mmHg		7	0.5	0	0.0	0	0.0	0	0.0	2	1.2	4	1.6	0	0.0	1	0.4	
総数		1,349	100.0	77	100.0	123	100.0	187	100.0	164	100.0	258	100.0	305	100.0	235	100.0	
平均値(mmHg)		81.5	65.9	72.4	78.2	84.7	85.7	84.6	81.0									
標準偏差		12.1	8.7	10.1	9.5	11.9	12.1	10.5	11.8									
女性		拡張期(最低)血圧値	1	0.1	1	1.3	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
		90~99mmHg	24	1.8	5	6.5	5	4.1	5	2.7	3	1.8	2	0.8	2	0.7	2	0.9
		100~109mmHg	109	8.1	27	35.1	19	15.4	31	16.6	13	7.9	10	3.9	4	1.3	5	2.1
	110~119mmHg	247	18.3	25	32.5	40	32.5	53	28.3	33	20.1	40	15.5	32	10.5	24	10.2	
	120~129mmHg	288	21.3	14	18.2	37	30.1	50	26.7	38	23.2	59	22.9	55	18.0	35	14.9	
	130~139mmHg	262	19.4	3	3.9	16	13.0	29	15.5	38	23.2	58	22.5	61	20.0	57	24.3	
	140~149mmHg	191	14.2	1	1.3	6	4.9	14	7.5	25	15.2	40	15.5	58	19.0	47	20.0	
	150~159mmHg	112	8.3	1	1.3	0	0.0	4	2.1	7	4.3	22	8.5	53	17.4	25	10.6	
	160~169mmHg	55	4.1	0	0.0	0	0.0	1	0.5	3	1.8	15	5.8	19	6.2	17	7.2	
	170~179mmHg	35	2.6	0	0.0	0	0.0	0	0.0	1	0.6	8	3.1	13	4.3	13	5.5	
	180mmHg以上	25	1.9	0	0.0	0	0.0	0	0.0	3	1.8	4	1.6	8	2.6	10	4.3	
	総数	1,349	100.0	77	100.0	123	100.0	187	100.0	164	100.0	258	100.0	305	100.0	235	100.0	
	平均値(mmHg)	131.5	112.3	118.7	121.1	128.8	134.5	140.0	140.5									
	標準偏差	19.1	11.2	11.4	13.2	16.7	17.9	18.2	19.7									

表30(参考1) 血圧の状況(血圧区分別分布)(降圧薬服用者除外、妊婦除外)
-15歳以上、性・年齢階級別-

	総数		至適血圧		正常血圧		正常高値		軽症高血圧		中等症高血圧		重症高血圧		
	実数	%	実数	%	実数	%	実数	%	実数	%	実数	%	実数	%	
総数	15-19歳	146	100.0	119	81.5	20	13.7	5	3.4	2	1.4	0	0.0	0	0.0
	20-29歳	311	100.0	221	71.1	54	17.4	26	8.4	10	3.2	0	0.0	0	0.0
	30-39歳	539	100.0	328	60.9	102	18.9	61	11.3	38	7.1	9	1.7	1	0.2
	40-49歳	512	100.0	185	36.1	113	22.1	87	17.0	102	19.9	16	3.1	9	1.8
	50-59歳	716	100.0	171	23.9	146	20.4	152	21.2	176	24.6	58	8.1	13	1.8
	60-69歳	705	100.0	118	16.7	126	17.9	150	21.3	215	30.5	80	11.3	16	2.3
	70歳以上	486	100.0	55	11.3	87	17.9	101	20.8	153	31.5	65	13.4	25	5.1
	65-74歳(再掲)	555	100.0	80	14.4	99	17.8	119	21.4	160	28.8	76	13.7	21	3.8
	75歳以上(再掲)	242	100.0	27	11.2	42	17.4	47	19.4	83	34.3	33	13.6	10	4.1
	総数	3,415	100.0	1,197	35.1	648	19.0	582	17.0	696	20.4	228	6.7	64	1.9
男性	15-19歳	77	100.0	58	75.3	14	18.2	3	3.9	2	2.6	0	0.0	0	0.0
	20-29歳	123	100.0	61	49.6	31	25.2	23	18.7	8	6.5	0	0.0	0	0.0
	30-39歳	187	100.0	73	39.0	51	27.3	34	18.2	25	13.4	4	2.1	0	0.0
	40-49歳	164	100.0	35	21.3	35	21.3	33	20.1	48	29.3	8	4.9	5	3.0
	50-59歳	258	100.0	43	16.7	47	18.2	55	21.3	76	29.5	31	12.0	6	2.3
	60-69歳	305	100.0	33	10.8	47	15.4	61	20.0	114	37.4	42	13.8	8	2.6
	70歳以上	235	100.0	26	11.1	37	15.7	51	21.7	76	32.3	32	13.6	13	5.5
	65-74歳(再掲)	249	100.0	26	10.4	39	15.7	48	19.3	85	34.1	42	16.9	9	3.6
	75歳以上(再掲)	124	100.0	13	10.5	18	14.5	28	22.6	43	34.7	16	12.9	6	4.8
	総数	1,349	100.0	329	24.4	262	19.4	260	19.3	349	25.9	117	8.7	32	2.4
女性	15-19歳	69	100.0	61	88.4	6	8.7	2	2.9	0	0.0	0	0.0	0	0.0
	20-29歳	188	100.0	160	85.1	23	12.2	3	1.6	2	1.1	0	0.0	0	0.0
	30-39歳	352	100.0	255	72.4	51	14.5	27	7.7	13	3.7	5	1.4	1	0.3
	40-49歳	348	100.0	150	43.1	78	22.4	54	15.5	54	15.5	8	2.3	4	1.1
	50-59歳	458	100.0	128	27.9	99	21.6	97	21.2	100	21.8	27	5.9	7	1.5
	60-69歳	400	100.0	85	21.3	79	19.8	89	22.3	101	25.3	38	9.5	8	2.0
	70歳以上	251	100.0	29	11.6	50	19.9	50	19.9	77	30.7	33	13.1	12	4.8
	65-74歳(再掲)	306	100.0	54	17.6	60	19.6	71	23.2	75	24.5	34	11.1	12	3.9
	75歳以上(再掲)	118	100.0	14	11.9	24	20.3	19	16.1	40	33.9	17	14.4	4	3.4
	総数	2,066	100.0	868	42.0	386	18.7	322	15.6	347	16.8	111	5.4	32	1.5

	収縮期(最高)血圧 (mmHg)	拡張期(最低)血圧 (mmHg)
至適血圧	< 120	かつ < 80
正常血圧	< 130	かつ < 85
正常高値血圧	130~139	または 85~89
軽症高血圧	140~159	または 90~99
中等症高血圧	160~179	または 100~109
重症高血圧	≥ 180	または ≥ 110

(「日本高血圧学会(2000年)による血圧の分類」より)